

Room	Window	Room Use	Glazed Area	Average Daylight Factor			
				Existing ADF	Existing Total	Proposed ADF	Proposed Total
100 CHALK FARM ROAD							
R1/Ground	W1/Ground	Lobby	6.1	0.7		0.7	
R1/Ground	W2/Ground	Lobby	6.1	0.6		0.6	
R1/Ground	W3/Ground	Lobby	12.4	1.2		1.1	
R1/Ground	W4/Ground	Lobby	11.3	1.2	3.7	1.1	3.4
R1/First	W1/First	Living Room	7.5	1.9	1.9	1.1	1.1
R2/First	W2/First	Living Room	7.5	1.9		0.7	
R2/First	W3/First	Living Room	1.9	0.8	2.7	0.7	1.5
R3/First	W4/First	Bedroom	1.6	0.8	0.8	0.3	0.3
R4/First	W5/First	Bedroom	1.9	1.3	1.3	1.3	1.3
R5/First	W6/First	Stairwell	2.1	1.3	1.3	1.3	1.3
R6/First	W7/First	Bedroom	1.9	1.4	1.4	1.4	1.4
R7/First	W8/First	Bedroom	1.9	1.0	1.0	0.8	0.8
R8/First	W9/First	Bedroom	1.9	1.1	1.1	0.9	0.9
R9/First	W10/First	Living Room	7.8	1.3	1.3	0.9	0.9
R10/First	W11/First	Living Room	10.3	1.4	1.4	1.0	1.0
R1/Second	W1/Second	Bedroom	1.4	0.7	0.7	0.6	0.6
R2/Second	W2/Second	Living Room	7.5	1.6	1.6	0.9	0.9
R3/Second	W3/Second	Living Room	7.5	1.9		0.7	
R3/Second	W4/Second	Living Room	1.9	0.8	2.7	0.7	1.5
R4/Second	W5/Second	Bedroom	1.6	0.9	0.9	0.4	0.4
R5/Second	W6/Second	Bedroom	1.9	1.4	1.4	1.4	1.4
R6/Second	W7/Second	Stairwell	2.0	1.3	1.3	1.3	1.3
R7/Second	W8/Second	Bedroom	1.9	1.1	1.1	1.1	1.1
R8/Second	W9/Second	Bedroom	1.9	1.0	1.0	1.0	1.0
R9/Second	W10/Second	Bedroom	1.9	0.9	0.9	0.8	0.8
R10/Second	W11/Second	Bedroom	1.9	1.1	1.1	0.9	0.9
R11/Second	W12/Second	Living Room	7.8	1.2	1.2	0.8	0.8
R12/Second	W13/Second	Living Room	10.3	1.8	1.8	1.3	1.3
R1/Third	W1/Third	Bedroom	1.4	0.7	0.7	0.7	0.7
R2/Third	W2/Third	Living Room	7.5	1.6	1.6	1.0	1.0

Room	Window	Room Use	Glazed Area	Average Daylight Factor			
				ADF	Existing Total	Proposed ADF	Total
R3/Third	W3/Third	Living Room	7.5	2.0		0.8	
R3/Third	W4/Third	Living Room	1.9	0.8	2.8	0.8	1.5
R4/Third	W5/Third	Bedroom	1.6	0.9	0.9	0.5	0.5
R5/Third	W6/Third	Bedroom	1.9	1.4	1.4	1.4	1.4
R6/Third	W7/Third	Stairwell	2.0	1.3	1.3	1.3	1.3
R7/Third	W8/Third	Bedroom	1.9	1.1	1.1	1.1	1.1
R8/Third	W9/Third	Bedroom	1.9	1.0	1.0	1.0	1.0
R9/Third	W10/Third	Bedroom	1.9	1.0	1.0	0.8	0.8
R10/Third	W11/Third	Bedroom	1.9	1.1	1.1	1.0	1.0
R11/Third	W12/Third	Living Room	7.8	1.3	1.3	0.9	0.9
R12/Third	W13/Third	Living Room	10.3	1.9	1.9	1.4	1.4
R1/Fourth	W1/Fourth	Bedroom	1.4	0.7	0.7	0.7	0.7
R2/Fourth	W2/Fourth	Living Room	7.5	1.7	1.7	1.0	1.0
R3/Fourth	W3/Fourth	Living Room	7.5	2.0		0.8	
R3/Fourth	W4/Fourth	Living Room	1.9	0.9	2.9	0.8	1.6
R4/Fourth	W5/Fourth	Bedroom	1.6	0.9	0.9	0.5	0.5
R5/Fourth	W6/Fourth	Bedroom	1.9	1.5	1.5	1.5	1.5
R6/Fourth	W7/Fourth	Stairwell	2.0	1.3	1.3	1.3	1.3
R7/Fourth	W8/Fourth	Bedroom	1.9	1.2	1.2	1.2	1.2
R8/Fourth	W9/Fourth	Bedroom	1.9	1.0	1.0	1.0	1.0
R9/Fourth	W10/Fourth	Bedroom	1.9	1.0	1.0	0.9	0.9
R10/Fourth	W11/Fourth	Bedroom	1.9	1.2	1.2	1.0	1.0
R11/Fourth	W12/Fourth	Living Room	7.8	1.3	1.3	0.9	0.9
R12/Fourth	W13/Fourth	Living Room	10.3	1.9	1.9	1.5	1.5
R1/Fifth	W1/Fifth	Bedroom	1.4	0.7	0.7	0.7	0.7
R2/Fifth	W2/Fifth	Living Room	7.5	1.7	1.7	1.0	1.0
R3/Fifth	W3/Fifth	Living Room	7.5	2.1		0.8	
R3/Fifth	W4/Fifth	Living Room	1.9	0.9	2.9	0.8	1.7
R4/Fifth	W5/Fifth	Bedroom	1.6	0.9	0.9	0.6	0.6
R5/Fifth	W6/Fifth	Bedroom	1.9	1.5	1.5	1.5	1.5

Room	Window	Room Use	Glazed Area	Average Daylight Factor			
				ADF	Existing Total	Proposed ADF	Total
R6/Fifth	W7/Fifth	Stairwell	2.0	1.4	1.4	1.4	1.4
R7/Fifth	W8/Fifth	Bedroom	1.9	1.3	1.3	1.3	1.3
R8/Fifth	W9/Fifth	Bedroom	1.9	1.1	1.1	1.1	1.1
R9/Fifth	W10/Fifth	Bedroom	1.9	1.0	1.0	0.9	0.9
R10/Fifth	W11/Fifth	Bedroom	1.9	1.2	1.2	1.1	1.1
R11/Fifth	W12/Fifth	Living Room	7.8	1.3	1.3	1.0	1.0
R12/Fifth	W13/Fifth	Living Room	10.3	2.0	2.0	1.6	1.6
R1/Sixth	W1/Sixth	Bedroom	1.4	0.7	0.7	0.7	0.7
R2/Sixth	W2/Sixth	Living Room	7.5	2.2	2.2	1.6	1.6
R3/Sixth	W3/Sixth	Living Room	7.5	2.6		1.7	
R3/Sixth	W4/Sixth	Living Room	1.9	0.9	3.5	0.9	2.5
R4/Sixth	W5/Sixth	Bedroom	1.6	0.9	0.9	0.7	0.7
R5/Sixth	W6/Sixth	Bedroom	1.9	1.7	1.7	1.7	1.7
R6/Sixth	W7/Sixth	Stairwell	2.0	1.4	1.4	1.4	1.4
R7/Sixth	W8/Sixth	Bedroom	1.9	1.4	1.4	1.4	1.4
R8/Sixth	W9/Sixth	Bedroom	1.9	1.4	1.4	1.4	1.4
R9/Sixth	W10/Sixth	Living Room	8.0	2.6	2.6	2.5	2.5
R10/Sixth	W11/Sixth	Bedroom	1.8	1.7		1.6	
R10/Sixth	W12/Sixth	Bedroom	4.0	4.3	6.0	4.1	5.8
R11/Sixth	W13/Sixth	Bedroom	6.1	5.6		5.3	
R11/Sixth	W14/Sixth	Bedroom	6.5	6.1	11.7	6.1	11.5
R1/Seventh	W1/Seventh	Living Room	8.1	4.0	4.0	3.5	3.5
R2/Seventh	W2/Seventh	Bedroom	6.1	4.5		3.9	
R2/Seventh	W3/Seventh	Bedroom	9.0	6.7	11.2	6.6	10.5
R3/Seventh	W4/Seventh	Bathroom	4.2	6.2	6.2	6.2	6.2
R4/Seventh	W5/Seventh	Bedroom	6.0	4.6	4.6	4.6	4.6