

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION	
Control Rules	NO SIGNIFICANT RISK
Maintainance/Repair Rules	NO SIGNIFICANT RISK
Direct Investigation Rules	NO SIGNIFICANT RISK

In addition to the legends normally associated with types of work defined as this type of work, the following information is provided for the purpose of the assessment of the risk of the work. This information will be provided only for a competent contractor working under appropriate, to an acceptable level of assessment.

NOTES FOR KINGS CROSS S2 LIGHTING & CONTROL DRAWINGS

- All luminaires to be replaced with LED, dimmable lighting to be replaced with LED, and all lighting controls to be replaced with dimmer controls.
- All wiring paths (in conduit, in raceways, in trays, in open air, etc.) to be replaced with new wiring paths.
- Low-voltage wiring to be replaced with 240 VAC, 15 A, 20 A, 30 A, 40 A, 50 A, 60 A, 70 A, 80 A, 90 A, 100 A, 110 A, 120 A, 130 A, 140 A, 150 A, 160 A, 170 A, 180 A, 190 A, 200 A, 210 A, 220 A, 230 A, 240 A, 250 A, 260 A, 270 A, 280 A, 290 A, 300 A, 310 A, 320 A, 330 A, 340 A, 350 A, 360 A, 370 A, 380 A, 390 A, 400 A, 410 A, 420 A, 430 A, 440 A, 450 A, 460 A, 470 A, 480 A, 490 A, 500 A, 510 A, 520 A, 530 A, 540 A, 550 A, 560 A, 570 A, 580 A, 590 A, 600 A, 610 A, 620 A, 630 A, 640 A, 650 A, 660 A, 670 A, 680 A, 690 A, 700 A, 710 A, 720 A, 730 A, 740 A, 750 A, 760 A, 770 A, 780 A, 790 A, 800 A, 810 A, 820 A, 830 A, 840 A, 850 A, 860 A, 870 A, 880 A, 890 A, 900 A, 910 A, 920 A, 930 A, 940 A, 950 A, 960 A, 970 A, 980 A, 990 A, 1000 A, 1010 A, 1020 A, 1030 A, 1040 A, 1050 A, 1060 A, 1070 A, 1080 A, 1090 A, 1100 A, 1110 A, 1120 A, 1130 A, 1140 A, 1150 A, 1160 A, 1170 A, 1180 A, 1190 A, 1200 A, 1210 A, 1220 A, 1230 A, 1240 A, 1250 A, 1260 A, 1270 A, 1280 A, 1290 A, 1300 A, 1310 A, 1320 A, 1330 A, 1340 A, 1350 A, 1360 A, 1370 A, 1380 A, 1390 A, 1400 A, 1410 A, 1420 A, 1430 A, 1440 A, 1450 A, 1460 A, 1470 A, 1480 A, 1490 A, 1500 A, 1510 A, 1520 A, 1530 A, 1540 A, 1550 A, 1560 A, 1570 A, 1580 A, 1590 A, 1600 A, 1610 A, 1620 A, 1630 A, 1640 A, 1650 A, 1660 A, 1670 A, 1680 A, 1690 A, 1700 A, 1710 A, 1720 A, 1730 A, 1740 A, 1750 A, 1760 A, 1770 A, 1780 A, 1790 A, 1800 A, 1810 A, 1820 A, 1830 A, 1840 A, 1850 A, 1860 A, 1870 A, 1880 A, 1890 A, 1900 A, 1910 A, 1920 A, 1930 A, 1940 A, 1950 A, 1960 A, 1970 A, 1980 A, 1990 A, 2000 A, 2010 A, 2020 A, 2030 A, 2040 A, 2050 A, 2060 A, 2070 A, 2080 A, 2090 A, 2100 A, 2110 A, 2120 A, 2130 A, 2140 A, 2150 A, 2160 A, 2170 A, 2180 A, 2190 A, 2200 A, 2210 A, 2220 A, 2230 A, 2240 A, 2250 A, 2260 A, 2270 A, 2280 A, 2290 A, 2300 A, 2310 A, 2320 A, 2330 A, 2340 A, 2350 A, 2360 A, 2370 A, 2380 A, 2390 A, 2400 A, 2410 A, 2420 A, 2430 A, 2440 A, 2450 A, 2460 A, 2470 A, 2480 A, 2490 A, 2500 A, 2510 A, 2520 A, 2530 A, 2540 A, 2550 A, 2560 A, 2570 A, 2580 A, 2590 A, 2600 A, 2610 A, 2620 A, 2630 A, 2640 A, 2650 A, 2660 A, 2670 A, 2680 A, 2690 A, 2700 A, 2710 A, 2720 A, 2730 A, 2740 A, 2750 A, 2760 A, 2770 A, 2780 A, 2790 A, 2800 A, 2810 A, 2820 A, 2830 A, 2840 A, 2850 A, 2860 A, 2870 A, 2880 A, 2890 A, 2900 A, 2910 A, 2920 A, 2930 A, 2940 A, 2950 A, 2960 A, 2970 A, 2980 A, 2990 A, 3000 A, 3010 A, 3020 A, 3030 A, 3040 A, 3050 A, 3060 A, 3070 A, 3080 A, 3090 A, 3100 A, 3110 A, 3120 A, 3130 A, 3140 A, 3150 A, 3160 A, 3170 A, 3180 A, 3190 A, 3200 A, 3210 A, 3220 A, 3230 A, 3240 A, 3250 A, 3260 A, 3270 A, 3280 A, 3290 A, 3300 A, 3310 A, 3320 A, 3330 A, 3340 A, 3350 A, 3360 A, 3370 A, 3380 A, 3390 A, 3400 A, 3410 A, 3420 A, 3430 A, 3440 A, 3450 A, 3460 A, 3470 A, 3480 A, 3490 A, 3500 A, 3510 A, 3520 A, 3530 A, 3540 A, 3550 A, 3560 A, 3570 A, 3580 A, 3590 A, 3600 A, 3610 A, 3620 A, 3630 A, 3640 A, 3650 A, 3660 A, 3670 A, 3680 A, 3690 A, 3700 A, 3710 A, 3720 A, 3730 A, 3740 A, 3750 A, 3760 A, 3770 A, 3780 A, 3790 A, 3800 A, 3810 A, 3820 A, 3830 A, 3840 A, 3850 A, 3860 A, 3870 A, 3880 A, 3890 A, 3900 A, 3910 A, 3920 A, 3930 A, 3940 A, 3950 A, 3960 A, 3970 A, 3980 A, 3990 A, 4000 A, 4010 A, 4020 A, 4030 A, 4040 A, 4050 A, 4060 A, 4070 A, 4080 A, 4090 A, 4100 A, 4110 A, 4120 A, 4130 A, 4140 A, 4150 A, 4160 A, 4170 A, 4180 A, 4190 A, 4200 A, 4210 A, 4220 A, 4230 A, 4240 A, 4250 A, 4260 A, 4270 A, 4280 A, 4290 A, 4300 A, 4310 A, 4320 A, 4330 A, 4340 A, 4350 A, 4360 A, 4370 A, 4380 A, 4390 A, 4400 A, 4410 A, 4420 A, 4430 A, 4440 A, 4450 A, 4460 A, 4470 A, 4480 A, 4490 A, 4500 A, 4510 A, 4520 A, 4530 A, 4540 A, 4550 A, 4560 A, 4570 A, 4580 A, 4590 A, 4600 A, 4610 A, 4620 A, 4630 A, 4640 A, 4650 A, 4660 A, 4670 A, 4680 A, 4690 A, 4700 A, 4710 A, 4720 A, 4730 A, 4740 A, 4750 A, 4760 A, 4770 A, 4780 A, 4790 A, 4800 A, 4810 A, 4820 A, 4830 A, 4840 A, 4850 A, 4860 A, 4870 A, 4880 A, 4890 A, 4900 A, 4910 A, 4920 A, 4930 A, 4940 A, 4950 A, 4960 A, 4970 A, 4980 A, 4990 A, 5000 A, 5010 A, 5020 A, 5030 A, 5040 A, 5050 A, 5060 A, 5070 A, 5080 A, 5090 A, 5100 A, 5110 A, 5120 A, 5130 A, 5140 A, 5150 A, 5160 A, 5170 A, 5180 A, 5190 A, 5200 A, 5210 A, 5220 A, 5230 A, 5240 A, 5250 A, 5260 A, 5270 A, 5280 A, 5290 A, 5300 A, 5310 A, 5320 A, 5330 A, 5340 A, 5350 A, 5360 A, 5370 A, 5380 A, 5390 A, 5400 A, 5410 A, 5420 A, 5430 A, 5440 A, 5450 A, 5460 A, 5470 A, 5480 A, 5490 A, 5500 A, 5510 A, 5520 A, 5530 A, 5540 A, 5550 A, 5560 A, 5570 A, 5580 A, 5590 A, 5600 A, 5610 A, 5620 A, 5630 A, 5640 A, 5650 A, 5660 A, 5670 A, 5680 A, 5690 A, 5700 A, 5710 A, 5720 A, 5730 A, 5740 A, 5750 A, 5760 A, 5770 A, 5780 A, 5790 A, 5800 A, 5810 A, 5820 A, 5830 A, 5840 A, 5850 A, 5860 A, 5870 A, 5880 A, 5890 A

Legend

- | | |
|---|--|
|  | PIR Presence detector |
|  | PIR Presence detector with photocell |
|  | Microwave detector |
|  | On way Switch ("X" gang as indicated) |
|  | Two way Switch ("X" gang as indicated) |
|  | Emergency Exit |
|  | Lighting Control Module |

This drawing has been based on information taken from the following drawings -

Serial No.	File Title
DOS-12-01-14618-20000X	44 Western Leishman BMD Model
DOS-12-01-0432325-528-000	46 Retired BMD Model
DOS-12-01-0410039-56-114	3 Fourth Floor GI Pier
DOS-12-01-32215-5-3-1541	100 General Inauguration Level 54

Rev#	Revised	Approved	Revised	Approved	Revised	Approved
P4	10/1/16	10/1/16	10/1/16	10/1/16	10/1/16	10/1/16
P3	9/1/16	9/1/16	9/1/16	9/1/16	9/1/16	9/1/16
P2	8/1/16	8/1/16	8/1/16	8/1/16	8/1/16	8/1/16
P1	7/1/16	7/1/16	7/1/16	7/1/16	7/1/16	7/1/16

Scale

Serial	Stage
S4 - For Stage Approval	4B Design



CARILLION

KINGS CROSS S2

756 | Page

Lighting Control Layout

Drawing No.
KXC-S2-001-91€1-E-60-2105

SES (Engineering Services) Ltd
14th Floor
One Canon Square
London
NW1 2FD
(T) 02073 801300
WWW.SES.CO.UK



