

CDM RESIDUAL RISKS

THIS DRAWING HAS BEEN REVIEWED AGAINST CONSTRUCTION DESIGN AND MANAGEMENT REGULATIONS 2015 AND KNOWN SIGNIFICANT RESIDUAL RISKS HAVE BEEN IDENTIFIED BELOW

| HAZARDS | DATE |
|--------------------|----------|
| MANUAL HANDLING | 25/11/16 |
| CUTS & LACERATIONS | 25/11/16 |

INFORMATION TABLE

SYSTEM TYPE: 20

SPECIFICATIONS

| | |
|-------------|------------------|
| SCREEN(S) | |
| DOOR(S) | |
| FIRE RATING | N/A |
| STRUCTURAL | 0.74kN LINE LOAD |
| DEFLECTION | +/-25mm |

ACOUSTICS

| | |
|--------|----------|
| SCREEN | 40RW(DB) |
| DOOR | 34RW(DB) |

SYSTEM MATERIALS & FINISHES

| | |
|----------|--------------------------|
| MATERIAL | ALUMINIUM |
| FINISH | RAL TBC |
| MATERIAL | N/A |
| FINISH | N/A |
| MATERIAL | N/A |
| FINISH | N/A |
| GLASS | 12.8mm ACOUSTIC LAMINATE |
| GLASS | N/A |
| GLASS | N/A |
| NOTES | N/A |

DOOR MATERIALS & FINISHES

| | |
|----------|-----------------|
| TYPE | 34DB GLASS LEAF |
| GLASS | 12mm CFT |
| MATERIAL | N/A |
| FINISH | N/A |

IRONMONGERY TYPE / FINISH

FLOORSPRING
OFFSET PIVOTS
Ø22x1200 SSS GUARDSMAN PULL HANDLE
AUTOMATIC DROP DOWN SEAL
FLOORSTOPS

MANIFESTATION

| | |
|----------|-----|
| MATERIAL | N/A |
| PATTERN | N/A |

| | | |
|-----|----------------------------|------------|
| C03 | AMENDED DOOR IRONMONGERY | 04/01/2017 |
| C02 | DOOR LEAF CHANGED TO GLASS | 01/12/2016 |
| C01 | ISSUED FOR APPROVAL | 25/11/2016 |

REVISION / REASON DATE / OWNER

PLANET CONTRACTING LTD (SOUTH)
PLANET HOUSE
EDWARD WAY
BURGESS HILL
WEST SUSSEX
RH15 9TZ
T: 01444 247933
www.planetpartitioning.co.uk



Project
ACADEMIC HOUSE, BAUER MEDIA GROUP

Client
ISG

Description
TYPICAL SECTIONS & DETAILS
PARTITION TYPE P-03

| | |
|--------------|----------|
| Drawing No | Revision |
| PS_1143_0002 | C03 |

Scale AS STATED @ A3 Date 25/11/16

| | | |
|-------|---------|-----------|
| Drawn | Checked | Reference |
| TP | SH | S7510 |

NOTE:
REFER TO DRAWING PS_1142_0001 FOR ELEVATIONS & CLEAR OPENING PLANS.

