

SECOND FLOOR

Notes:

- DO NOT SCALE FROM DRAWING
- ALL SETTING OUT TO BE AGREED WITH ARCHITECT
 INFORMATION MUST BE READ WITH ALL
- SPECIFICATIONS, SCHEDULES AND DRAWINGS

 THE EXISTING RAINWATER DRAINAGE SYSTEM ON THE FRONT ELEVATION WILL BE RETAINED
- ON THE REAR ELEVATION DRAINAGE ROUTES THAT SERVE GF AND BASEMENT RESTAURANT DEMISE MUST BE RETAINED. ANY REDUNDANT DRAINAGE
- MUST BE RETAINED. ANY REDUNDANT DRAINAGE
 GOODS ARE TO BE REMOVED

 THE MAIN CONTRACTOR SHALL ENSURE THAT ALL
 EXISTING DRAINAGE SYSTEMS (FOUL AND SURFACE
 WATER) WHICH ARE TO BE RETAINED ARE
 ADEQUATELY PROTECTED THROUGHOUT THE
 WORKS. PROTECT AGAINST DEBRIS ENTERING, OR
 ANYTHING ELSE THAT MIGHT CAUSE A BLOCKAGE.
- ANY I HING ELSE I HAI MIGH I CAUSE A BLOCKAGE.
 SHOULD A BLOCKAGE OCCUR, THIS MUST BE
 RECTIFIED IMMEDIATELY.

 ALLOW FOR A BRANCH DISCHARGE PIPE MANIFOLD
 ON STACKS WHERE MULTIPLE BRANCHES
 CONNECT TO THE STACK WITHIN 150MM OF EACH
- OTHER (MEASURED VERTICALLY)
 FOR ALL NEW EXTERNAL DRAINAGE FIXTURES AND COMPONENTS REFER TO ARCHITECT'S
 SPECIFICATION SPECIFICATION

 RAINWATER RUNOFF LOADINGS OF PROPOSED
- WORKS REMAIN UNCHANGED COMPARED TO
- WORKS REMAIN UNCHANGED COMPARED TO EXISTING

 WHERE AN EXISTING SERVICE PIPE IS SHOWN AS REDUNDANT AND TO BE REMOVED, CONTRACTOR TO FIRST ENSURE IT IS NOT LIVE PRIOR TO UNDERTAKING STRIP OUT. REPORT BACK TO DESIGN TEAM IF FOUND TO BE LIVE

 EXISTING SVPS ON REAR ELEVATION TO BE RETAINED, SUBJECT TO CONDITION SURVEY, TO BE UNDERTAKEN BY THE MECHANICAL CONTRACTOR. CONTRACTOR TO MAKE ALLOWANCE FOR REPLACING THE SVPS SHOULD THE CONDITION BE DEEMED NON RECTIFIABLE

 ALSO REFER TO ACOUSTIC CONSULTANT'S
- ALSO REFER TO ACOUSTIC CONSULTANT'S SPECIFICATION ON ALL NEW 100MM INTERNAL DRAINAGE ROUTES

| LINETYPES/KEY | | |
|--|--|--|
| | DRAINAGE BELOW FLOOR | |
| | DRAINAGE WALLS, VOIDS & HABITABLE ZONE | |
| | DRAINAGE AT HIGH LEVEL | |
| ella Patta Marka Hart atta Harka Harka Harka Harka Harka | DRAINAGE ABOVE CEILING | |
| RE II- | RODDING EYE | |
| L | WC CONNECTION | |
| F/A | FROM ABOVE | |
| T/B | TO BELOW | |
| | DENOTES REDUNDANT SERVICE | |
| | | |

| PL1 | Planning Condition | 01/09/2017 |
|-----|--------------------|------------|
| No. | Revision/Issue | Date |

MRC CONSULT

ABOVE GROUND DRAINAGE LAYOUT

45-46 RED LION STREET

EMIL EVE ARCHITECTS

GLASSHOUSE PROPERTY LTD

SEPTEMBER 2017 1:50 @ A2 Drawing Series Revision PL1 RLS-MRC-R11