



Door Schedule												
Mark		Leaf Size			Openings		Door Frame			Fire Rating		
		Width	Height	Thickness	SO Width	SO Height	Door Operation	Slab Style	Jamb Thick	Jamb Depth	Min.	Comments
D-01-01	01	1452	2058	44.0	1536	2100	Swing Bi-part	Solid	35	15		
D-01-02	02	826	2058	44.0	910	2100	Swing Simple	Solid	35	15	60	
D-01-06	06	1652	2058	20.0	1736	2100	Bi-fold Simple	Solid	35	120		
D-01-07	07	726	2058	44.0	810	2100	Swing Simple	Solid	35	120		
D-01-08	08	826	2058	20.0	910	2100	Swing Simple	Solid	35	120		
D-01-09	09	826	2058	20.0	910	2100	Swing Simple	Solid	35	120		
D-01-10	10	1652	2058	44.0	1736	2100	Swing Bi-part	Solid	35	120	60	
D-01-11	11	1850	2058	44.0	1934	2100	Swing Bi-part	Solid	35	120	60	
D-01-12	12	826	2058	44.0	910	2100	Swing Simple	Solid	35	44		
D-01-13	13	826	2058	15.0	910	2100	Swing Simple	Glass	35	15		
D-01-14	14	826	2058	15.0	910	2100	Swing Simple	Glass	35	15		
D-01-15	15	826	2058	15.0	910	2100	Swing Simple	Glass	35	15		
D-01-16	16	826	2058	44.0	910	2100	Swing Simple	Solid	35	44		
D-01-17	17	826	2058	44.0	910	2100	Swing Simple	Solid	35	120	60	
D-01-18	18	726	2058	44.0	810	2100	Swing Simple	Solid	35	120		
D-01-19	19	726	2058	44.0	810	2100	Swing Simple	Solid	35	120		
D-01-20	20	826	2058	44.0	910	2100	Swing Simple	Solid	35	100		

- Wall Types**
- Glazed Screen (K30/I30) + (K30/I13)
  - Metal stud partition (K10/I25)
  - Existing wall to be made good and redecorated
- Floor Finishes**
- New Carpet Tile (M50/I30)
  - Vinyl (M50/I50)

**CDM Information**  
 The following information is provided in pursuance of the CDM Regulations. The information is to be read in conjunction with the Designers Hazard Log.

- Used to warn of significant design hazards and site risks
- Used to avoid or prevent a particular action
- Used to encourage a particular action
- Used to convey some relevant CDM information

Risk No. Description of Residual Hazard & Risk

The purpose of this schedule is to identify significant risks, not necessarily those that involve the greatest risks, but those (including health risks) that are not likely to be obvious, are unusual, or likely to be difficult to manage effectively.

**General Asbestos is present in the building.**

2.4 Lightning control to library areas lightning switched off whilst spaces still occupied.  
 2.15 Low contrast between rise and going on steps.

Revision	Date	Amendment	Notes
/	10.11.17	Planning Issue	
A	22.11.17	Final Planning Issue	

Client	UoL		
Project	IALS Refurbishment Project		
Drawing	Proposed 1st Floor		
Scale	1:100 @ A1	Drawn	BM
Date	October 2017		
Project N°	739	Drawing N°	739-PL-034
		Revision	A
		info@burwellarchitects.com	www.burwellarchitects.com
		Unit 0.01 California Building London SE13 7SP +44 (0) 2083 056010	First Floor 8 Southendway West Exeter EX1 1JG +44 (0) 1392 423981

NO DIMENSIONS ARE TO BE SCALED FROM THIS DRAWING. THE CONTRACTOR/MANUFACTURER IS RESPONSIBLE FOR CHECKING ALL DIMENSIONS AND QUERING ANY DISCREPANCIES. THIS DRAWING IS THE PROPERTY OF BDA ARCHITECTS LTD. COPYRIGHT IS RESERVED BY THEM AND THE DRAWING IS ISSUED ON CONDITION THAT IT IS NOT COPIED, REPRODUCED, RETAINED OR DISCLOSED TO ANY UNAUTHORISED PERSON, EITHER WHOLLY OR IN PART, WITHOUT WRITTEN CONSENT.