

CONSULTANTS SSU Burlincing Standards Lineited Surfacing Standards LTD 1a Perth House, Corby, Northants, NN17 5JG 01536 400 012 1 - DO NOT SCALE FROM DRAWING. ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS. 2 - THIS DRAWING IS COPYRIGHT TO SURFACING STANDARDS LTD 3 - ALL PERSONNEL SHOULD BE AWARE OF THE HEALTH AND SAFETY PLAN WHICH IS RETAINED IN THE SITE MANAGERS OFFICE Proposed Materials: 3G Artificial Grass Playing Surface The installed appearance of the playing surface will comprise a 3G artificial turf containing a 60mm pile and partially in-filled with silica sand (for stability) and granulate rubber (for performance), coloured grass green. Perimeter Ball Stop Fencing The installed appearance of perimeter ball stop fencing will be finished to polyester powder coated RAL6005 Dark Green, all supported with an intermediate post system and entrance gates of matching colour. The fencing type will be steel open mesh fencing containing a general 200x50mm aperture (and 66x50mm rebound aperture to the internal pitch perimeter barrier). Fence panels are insulated from the posts using neoprene washers to be fitted to every fence post / mesh fixing point to aid noise reduction and acoustic attenuation by reducing rattle and vibration from ball impacts. Panels are fixed onto posts with 8mm galvanised security bolts to (U shape) brackets containing threaded inserts and neoprene washers (inserts) to reduce panel rattle and vibration from ball impacts. Panel connectors are applied at horizontal panel joins to increase the overall rigidity of the product. Fluctuating height security AGP Floodlights fence 2.5m to 4.35m high The installed appearance of the new artificial lighting system will include six (6no.) 9m high oversized fence posts polyester powder coated RAL6005 Dark Green and mounted with ten . (10no.) luminaires and fittings finished raw aluminium. Hard Standing Areas **Community access** The installed appearance of new hard standing areas (clean access for pedestrians and spectators as well as vehicular entrance ramp 33.5m long access for maintenance operations) will be grey / black coloured x 1.5m wide 1:21 slope porous asphalt. (level approach) with Maintenance Equipment Storage Container The installed appearance of the new storage containers includes lighting high tensile rust inhibiting corten steel, finished dark green with polyester powder coating and with steel ramps for easy equipment access and egress. Manager / Supervisor Hut The installed appearance of the new manager / supervisor hut is subject to design development by the contractor and is likely of a prefabricated plastic construction and appearance. Community Access Entrance Ramp The installed appearance of the new community access entrance ramp with lighting and associated entrance gates with security locks and security fencing is subject to design development by the contractor and is likely of a galvanised steel construction and appearance. N TB 18/01/18 TB 21/12/17 SMD 03/11/17 SMD 21/03/17 SMD 20/03/17 BY CHK DATE 04 PLANNING ISSUE 03 PLANNING ISSUE 02 PLANNING ISSUE 01 PLANNING ISSUE 00 PLANNING ISSUE REV DESCRIPTION Brick wall 3.5m high with new rigid panel fence 1.8m high (5.3m total height) -**Surfacing Standards Limited** vegetation cut back SPORTS PITCH CONSULTANTS Maintenance equipment store (10' long x 8' wide x 8'6" high)

Sam McDonald

Fleet Primary School Creation of 3G Artificial Grass Pitch (AGP) **Proposed Elevations**

PROJECT	SCALE	SIZE
SS2123	1:100	A1
DRAWING No		REVISION
07		04