

- All dimensions to be checked on site.
- Do not scale from this drawing
- Report any discrepancies and omissions to Llewelyn Davies Weeks Ltd
- All dimensions are shown in mm unless otherwise stated
- Refer to drawing issue sheet for purpose of issue
- If in doubt ask
- This drawing is Copyright © Llewelyn Davies Weeks Ltd

Notes


LEGEND:

Cross-hatch denotes extent of acoustic screens referred to in Temple Group Noise Assessment Report consisting of:

Where panels occur over roof area:
Modular panels stacked and fitted into a base channel with H joiners between panels. With an additional channel along the top of the screen. The panels consist of an outer skin of sheet steel, an infill of sound absorptive mineral wool faced with a protective Melinex membrane which is retained by galvanised perforated steel sheet as the inner skin. Both faces of the panel will have a powder coat finish to a single standard RAL colour to match the colour of existing awning and cladding.

Where panels occur at parapets:
Modular panels stacked and fixed to horizontal steel rails in front of steel posts. Panel construction noted above.

Denotes new raised galvanised steel access walkway allowing full access to roof access zone. Complete with new steel support frame bearing on existing roof slab



Key Systems or similar approved galvanised steel guarding to match existing retained guarding

Stainless steel guy ropes attach to nearest duct frame support for stability final positions to be agreed on site

Stainless steel quench pipe

Ventureclad or similar approved weatherproof encapsulation to insulated ductwork

Existing lead capping retained

Stainless steel guy ropes attach to nearest duct frame support for stability final positions to be agreed on site

Stainless steel quench pipe

Existing cladding line below new roofing trim

New acoustic screens (refer to LEGEND)

New matching powder coated louvred screen exhaust duct connection to rear

Flashing sealed at the bottom of parapet colour matching existing awning and cladding

New matching powder coated aluminium trim to single ply roofing

P6	For Planning Authority	18-01-25	YC
P5	For Planning Authority	18-01-22	YC
P4	For Planning Authority	17-09-05	YC
P3	For approval	16-11-30	JD
P2	For information only	16-10-21	JD
P1	For information only	16-10-06	YC
No.	Description	Date	By

Structural Consultant	Services Consultant
AECOM	ARUP
Project Manager	Cost Consultant

Project Title
The Roger Williams Building
 69-75 Cheries Mews, London
 WC1E 6HX

Client
**University College London
 Hospitals Charity (UCLHC)**

Drawing Title
Proposed Plan Roof Level

Drawing number
CM_P_00_RF

Revision
P6

Scale @ A3
 1:100

Drawn
 LD

Date
 16-09-29