

Daylight and Sunlight Report for the Proposed Development at Barrie House, 29 St Edmund's Terrace, **London NW8 7QH**

Prepared for **Marek Wojciechowski Architects**

Prepared by Stephen Parker dip surv Date 21 December 2017

Reference 56156/IM/SJP



Co	nte	nts	Page
1.	Exec	cutive Summary	2
	1.1 1.2 1.3 1.4	Scope	2 32 3
2.	Intro	oduction	5
	2.1 2.2 2.3 2.4	Scope	5 6
3.	Asse	essment & Results - Impact of New Development on Existing, Surrounding Buildin	gs9
	3.1 3.2 3.3	Daylight Sunlight Overshadowing	11
4.		essment & Results – Daylighting, Sunlighting & Overshadowing issues in the New elopment	12
	4.1 4.2 4.3	Internal Daylight	12
App App	endix endix endix	A Tests to be Applied B Context Drawings C Window/Room Reference Drawings D Daylight Study E Sunlight Study	



1. Executive Summary

1.1 Scope

1.1.1 We have been instructed by Marek Wojciechowski Architects to determine the impact upon the daylight and sunlight amenity of the existing surrounding buildings which may arise from the proposed development(s) at Barrie House, 29, St Edmund's Terrace, London, NW8 7QH. We have also undertaken a sample of internal daylight and sunlight tests to determine whether the proposed building itself will receive sufficient daylight and sunlight.

1.2 Assessment Criteria

1.2.1 To ensure that this assessment can be appropriately evaluated against Camden Council's planning policy, daylight and sunlight calculations have been undertaken in accordance with the Building Research Establishment Report 'Site Layout Planning for Daylight and Sunlight – A Guide to Good Practice' 2nd Edition, 2011(the "BRE guide") and also British Standard 8206 – 2: 2008 – 'Lighting for Buildings – Part 2: Code of Practice for Daylighting', to which the BRE guide refers. The standards and tests applied within this assessment are briefly described in Appendix A.

1.3 Summary of Effect of Proposed Development on Existing Surrounding Buildings

Daylight

1.3.1 We have undertaken daylight tests to the neighbouring residential properties around the site and it has been noted that out of the 216 windows tested, only 2 will fall short of BRE criteria. The two windows are located in 1-45 Searle Court and Barrie House and we comment as follows:

1 - 45 Searle House

- 1.3.2 Out of the 56 windows tested for this building only one fell short of the BRE criteria with only a 1.1% VSC reduction.
- 1.3.3 When analysed more closely, the window in question sits within a brick recess. This limits the amount of daylight received, and explains why there is a low existing VSC in the first instance. Furthermore, the window in question is not the main principle window within this room. There is an additional 3 windows serving the room, which all sit within a recess to the main brick façade.
- 1.3.4 Therefore, it is felt that the design of the building itself is impacting the availability of daylight enjoyed, and the impact of the proposed scheme at Barrie House provides only a very minor reduction to the existing light levels to the room within the property. It is therefore our view that the impact to this property should be acceptable in daylighting terms.

Barrie House

1.3.5 This property forms part of the existing building with only one window out of the 30 tested marginally falling of the BRE criteria. The window in question has two windows serving the same room with the other fully complying with the BRE standards.



1.3.6 Given the very minor nature of the impact and the other window within the room fully complying with the BRE target values, we consider that the daylight levels should be deemed acceptable in this room.

Sunlight

1.3.7 From our analysis of the plans provided, and our observations on site, a number of surrounding buildings required Annual Probable Sunlight Hours (APSH) testing (see Appendix A). The buildings included in the assessment as per the BRE guidelines are those windows with an orientation within 90 degrees south facing windows. Out of the 55 windows that where tested all continue to meet the target values as set out in the BRE guidelines.

Overshadowing

1.3.8 There are no gardens or amenity spaces as defined in the BRE guidelines close enough to the proposed development to be adversely affected by the overshadowing.

1.4 Summary of Analysis of Daylight, Sunlight and Overshadowing for the New Development

Internal Daylight

- 1.4.1 We have undertaken ADF tests on 29 of the habitual rooms with the proposed development out of which only one falls short of the ADF criteria.
- 1.4.2 Whilst there is a reduction in the amount of daylight received in this room, it should be noted that the new block shows good levels of light in general and 96% of the rooms tested will fully comply with the BRE guideline criteria.

Internal Sunlight

1.4.3 In relation to flats, the BRE recognises that full compliance with the sunlight targets is not always achievable and it contains specific guidance in this regard. The guide states that the aim of the design is for each unit to have a main room (a living room as bedrooms and kitchens are less important) which receives a 'reasonable amount' of sunlight. The results show that the BRE criteria is met in this regard.

Overshadowing

1.4.4 There are no gardens or amenity spaces as defined in the BRE guidelines close enough to the proposed development to be adversely affected by the overshadowing.

1.5 Overall

1.5.1 Overall it is considered that the proposed development will have a very minor effect on the daylight and sunlight amenity currently enjoyed by the surrounding residential properties. We consider the impacts are acceptable in overall terms, as the rooms missing the target are low in the existing condition and, as defined by the BRE guide, the uses of the affected rooms are considered secondary in nature.



1.5.2 In terms of the proposed development, it is considered that the main principal habitable rooms will be sufficiently day and sun lit. The majority of bedrooms will also achieve good levels of daylight and sunlight when considering their orientation within the site, and therefore the technical analysis demonstrates that the proposed development is compliant with the BRE guide.



2. Introduction

2.1 Scope

2.1.1 We have been instructed by Marek Wojciechowski Architects to determine the impact upon the daylight and sunlight amenity that may arise from the proposed development of Barrie House, 29, St Edmund's Terrace, London, NW8 7QH in respect of the existing surrounding buildings. We have also undertaken an internal daylight and sunlight assessment to determine whether the proposed building will receive sufficient levels of light.

2.2 Planning Policy

- 2.2.1 Camden Council's Local Development Framework, Development Policy, refers to the following documents as those being used to review adequacy of daylight and sunlight. This Report is therefore based on the following publications which contain the accepted standards for assessing daylight and sunlight:
 - Building Research Establishment (BRE) Report "Site Layout Planning for Daylight and Sunlight a guide to good practice, 2nd Edition, 2011" ("the BRE guide")
- 2.2.2 Camden Council's Local Development Framework, Development Policy contains the following policy guidance under DP26: Managing the impact of development on occupiers and neighbours:

Visual privacy, overlooking, overshadowing, outlook, sunlight and daylight


26.3 A development's impact on visual privacy, overlooking, overshadowing, outlook, access to daylight and sunlight and disturbance from artificial light can be influenced by its design and layout, the distance between properties, the vertical levels of onlookers or occupiers and the angle of views. These issues will also affect the amenity of the new occupiers. We will expect that these elements are considered at the design stage of a scheme to prevent potential negative impacts of the development on occupiers and neighbours. To assess whether acceptable levels of daylight and sunlight are available to habitable spaces, the Council will take into account the standards recommended in the British Research Establishment's Site Layout Planning for Daylight and Sunlight – A Guide to Good Practice (1991).



2.3 Assessment Criteria

- 2.3.1 To ensure that this assessment can be appropriately evaluated against Camden Council's planning policy, daylight and sunlight calculations have been undertaken in accordance with the 'BRE guide' and also on BS8206-2: 2008 to which the BRE guide refers. The standards and tests applied are briefly described in Appendix A.
- 2.3.2 The existing buildings adjacent to the proposed development site are shown on the Site Plan (see below) and comprise:

Name/Address of Building	Assumed Use	Position in Relation to the Development
1-45 Searle House, Cecil Grove	Residential	West
1-72 Kingsland, Broxwood Way	Residential	North
Regent Heights (35 St Edmunds Terrace)	Residential	East
Parkwood (22 St Edmunds Terrace)	Residential	South
Barrie House (29 St Edmunds Terrace)	Residential	Central





2.4 Limitations

2.4.1 Our assessment is based on the scheme drawings provided by Marek Wojciechowski Architects as listed below:

Drawing Number / Title	Date
1215_791_1.dwg	January 2017
1215_791_2.dwg	January 2017
1215_791_3.dwg	January 2017
Primrose Hill_090117_Solids.dwg	January 2017
P_20 Proposed Lower Ground Floor Plan.dwg	07 December 2017
P_21 Proposed Ground Floor Plan.dwg	07 December 2017
P_22 Proposed First Floor Plan.dwg	07 December 2017
P_23 Proposed Second Floor Plan.dwg	07 December 2017
P_24 Proposed Third Floor Plan.dwg	07 December 2017
P_25 Proposed Roof Plan.dwg	07 December 2017
P_30 Existing and Proposed Southeast Site Elevation.dwg	07 December 2017
P_30 Existing and Proposed Southeast Site Elevation_Existing.dwg	07 December 2017
P_32 Existing and Proposed Southwest Site Elevation_Existing.dwg	07 December 2017
P_33 Existing and Proposed Southwest Lightwell Elevation.dwg	07 December 2017
P_33 Existing and Proposed Southwest Lightwell Elevation_Existing.dwg	07 December 2017
P_34 Existing and Proposed Northeast Site Elevation.dwg	07 December 2017
P_34 Existing and Proposed Northeast Site Elevation_Existing.dwg	07 December 2017
P_35 Existing and Proposed Northeast Lightwell Elevation.dwg	07 December 2017
P_35 Existing and Proposed Northeast Lightwell Elevation_Prop.dwg	07 December 2017
P_36 Existing and Proposed Northwest Site Elevation.dwg	07 December 2017
P_36 Existing and Proposed Northwest Site Elevation_Existing.dwg	07 December 2017
P_37 Existing and Proposed Northwest Lightwell Elevation.dwg	07 December 2017
P_37 Existing and Proposed Northwest Lightwell Elevation_Proposed.dwg	07 December 2017
P_38 Existing and Proposed Site Section A-A.dwg	07 December 2017
P_38 Existing and Proposed Site Section A-A_Prop.dwg	07 December 2017
P_39 Existing and Proposed Site Section C-C.dwg	07 December 2017
P_39 Existing and Proposed Site Section C-C_Proposed.dwg	07 December 2017
P_40 Existing and Proposed Southeast Section Elevation.dwg	07 December 2017
P_40 Existing and Proposed Southeast Section Elevation_Existing.dwg	07 December 2017



- A site inspection was also undertaken to record the location of windows within the surrounding buildings. Where no elevation survey data has been provided to us, we have estimated approximate window heights and positions in the surrounding existing properties from data gathered at our site inspection.
- 2.4.3 In some areas access (external or internal) was not available and/or the view was restricted and therefore our assessment has been made on the basis of assumptions as to the likely location of windows, room dimensions and uses. These buildings/areas are listed below:
 - 1 to 45 Searle House, Cecil Grove
 - 1-72 Kingsland, Broxwood Way
 - Regent Heights (35 St Edmunds Terrace)
 - Parkwood (22 St Edmunds Terrace)
- 2.4.4 A topographical survey has not been undertaken and all levels and elevation details are approximate, having been obtained from the site inspection, OS data and elevation drawings. However, it is noted that there were no significant changes in ground level between the proposed development and the existing surrounding buildings.



3. Assessment & Results - Impact of New Development on Existing, Surrounding Buildings

3.1 Daylight

- 3.1.1 In accordance with the BRE guide (see also Appendix A) and our site inspection the following buildings required assessment:
 - 1 45 Searle House, Cecil Grove
 - 1-72 Kingsland, Broxwood Way
 - Regent Heights (35 St Edmunds Terrace)
 - Parkwood (22 St Edmunds Terrace)
- 3.1.2 The results of our <u>VSC analysis</u> are shown in full in Appendix D. The following table is a summary of our findings:

	No. of	BRE Co	mpliant	Total
Building Address	Windows Analysed	Yes	No	Percentage BRE Compliant
1 - 45 Searle House, Cecil Grove	56	55	1	98
1-72 Kingsland, Broxwood Way	14	14	0	100
Regent Heights (35 St Edmunds Terrace)	32	32	0	100
Parkwood (22 St Edmunds Terrace)	84	84	0	100
Barrie House (29 St Edmunds Terrace)	30	29	1	97
Totals	216	214	2	99

- 3.1.3 Of the 216 windows tested all but two will continue to meet the target values as set out in the BRE guidelines.
- 3.1.4 Although the results indicate that with the proposed development in place the majority of the windows surrounding the site will continue to receive adequate daylight as defined by the BRE guidance a small number fell short of the requirements. We comment as follows:

1-45 Searle House

- 3.1.5 The results indicate that only one window will fall short of criteria for this property. The below image shows the window in question in more detail where it can be seen that the glazed area sits within a brick recess. It is this self-design that limits the amount of daylight received to this window in both the existing and proposed condition. To demonstrate this, the result for the existing condition is 3.52% VSC and the result for the proposed condition is 2.4% VSC. Therefore, there is only a slight reduction of 1.1% VSC.
- 3.1.6 Furthermore, it is evident that the window in question is not the main principle room within this apartment and it is clear to see that there at least three windows serving this room. The main window faces south and is again siting within a recess to the main brick façade.



- 3.1.7 Therefore, it is felt that the design of the building itself is itself compromising the availability of daylight that is enjoys and impact of the proposed scheme is such that only a 1.1% VSC reduction occurs.
- 3.1.8 On that basis, we feel that the proposed scheme at Barrie House is providing only a very minor reduction to the available light levels to these rooms within this property and thus the impact should be considered acceptable in daylighting terms.



Barrie House (29 St Edmunds Terrace)

- 3.1.9 This property forms part of the existing building and the results of the analysis show that only one window on the ground floor will fall short of BRE criteria. However, it should be noted that the window in question is actually part of two windows serving this same room with the other fully complying with BRE standards.
- 3.1.10 Furthermore, the results show that this window will only marginally fall short of the recommended 0.8 times the former value where the levels will be left at 0.77 in the proposed condition.
- 3.1.11 Given the very slight impact and that the other window within this room meets the target values, we consider that the daylight levels should be considered acceptable in this location.



3.2 Sunlight

- 3.2.1 In accordance with the BRE Guide, our analysis of the plans provided and our observations on site, a number of the surrounding buildings require <u>Annual Probable Sunlight Hours (APSH) testing</u> (see Appendix A):
 - 1 to 45 Searle House, Cecil Grove
 - 1-72 Kingsland, Broxwood Way
 - Regent Heights (35 St Edmunds Terrace)
 - Barrie House (29 St Edmunds Terrace)
- 3.2.2 The table below shows a summary of the results of the APSH testing. Full test results are contained in Appendix E.

Building Address	No. of Windows	BRE Con	npliant	Total Percentage
building Address	Analysed	Yes	No	BRE Compliant
1 to 45 Searle House, Cecil Grove	12	12	0	100
1-72 Kingsland, Broxwood Way	8	8	0	100
Regent Heights (35 St Edmunds Terrace)	27	27	0	100
Barrie House (29 St Edmunds Terrace)	8	8	0	100
Totals	55	55	0	100

3.2.3 Of the 55 windows tested all will continue to meet the target values as set out in the BRE guidelines.

3.3 Overshadowing

3.3.1 No gardens or amenity spaces, as defined in the BRE guide, are located close enough to the proposed development to be adversely affected by overshadowing.



4. Assessment & Results - Daylighting, Sunlighting & Overshadowing issues in the New Development

4.1 Internal Daylight

4.1.1 <u>ADF tests</u> have been undertaken to a sample of the principal habitable rooms within the proposed development. The full ADF test results are shown in full in Appendix D. Below is a summary of our findings:

		BRE Co	mpliant	Total
Floor Level	No. of Rooms Analysed	Yes	No	Percentage BRE Compliant
Below Ground	9	8	1	88
Ground	5	5	0	100
First	6	6	0	100
Second	6	6	0	100
Third	3	3	0	100
Totals	29	28	1	96

- 4.1.2 The above results indicate that out of the 29 rooms considered for this assessment, only one will fall short of ADF criteria.
- 4.1.3 The room in question forms part of the below ground floor and is located facing north towards the existing Barrie House building. Whilst it is noted that a reduction occurs to this room, the new block shows good levels of light in general and 96% of the rooms test will fully comply with criteria.

4.2 Internal Sunlight

- 4.2.1 APSH assessments have been undertaken to all the principal habitable living, kitchen dining rooms (LKD) within the proposed development. The full APSH test results are shown in full in Appendix E.
- 4.2.2 In relation to flats, the BRE recognises that full compliance with the sunlight targets is not achievable and it contains specific guidance in this regard. The guide states that the aim of the design is for each unit to have a main room (a living room as bedrooms and kitchens are less important) which receives a 'reasonable amount' of sunlight. Where this is not possible due to orientation constraints, the aim is to maximise the number of units which meet this objective.
- 4.2.3 A review of the results shows that this objective has been met, with most living areas receiving a reasonable amount of sunlight. As a whole the majority of the rooms within the proposed development will receive sunlight levels over the target 25% total annual probable sunlight hours.

4.3 Overshadowing

4.3.1 The new development has no gardens or amenity spaces, as defined in the BRE guide, located close enough to the proposed development to be adversely affected by overshadowing.



Appendix A Tests to be Applied





Introduction

The main purpose of the guidelines in the Building Research Establishment Report "Site Layout Planning for Daylight and Sunlight – a guide to good practice 2011, 2nd Edition" ("the BRE guide") is to assist in the consideration of the relationship of new and existing buildings to ensure that each retains a potential to achieve good daylighting and sunlighting levels. That is, by following and satisfying the tests contained in the guidelines, new and existing buildings should be sufficiently spaced apart in relation to their relative heights so that both have the potential to achieve good levels of daylight and sunlight. The guidelines have been drafted primarily for use with low density suburban developments and should therefore be used flexibly when dealing with dense urban sites and extensions to existing buildings, a fact recognised by the BRE Report's author in the Introduction where Dr Paul Littlefair says:

'The Guide is intended for building designers and their clients, consultants and planning officials. The advice given here is not mandatory and the guide should not been seen as an instrument of planning policy; its aim is to help rather than constrain the designer. Although it gives numerical guidelines, these should be interpreted flexibly since natural lighting is only one of many factors in site layout design..... In special circumstances the developer or planning authority may wish to use different target values. For example, in a historic city centre, or in an area with modern high rise buildings, a higher degree of obstruction may be unavoidable if new developments are to match the height and proportions of existing buildings.....'

In many cases in low-rise housing, meeting the criteria for daylight and sunlight may mean that the BRE criteria for other amenity considerations such as *privacy* and *sense of enclosure* are also satisfied.

The BRE guide states that recommended minimum privacy distances (in cases where windows of habitable rooms face each other in low-rise residential property), as defined by each individual Local Authority's policies, vary widely, from 18-35m1. For two-storey properties a spacing within this range would almost certainly also satisfy the BRE guide's daylighting requirements as it complies with the 25° rule and will almost certainly satisfy the 'Three times height' test too (as discussed more fully below). However, the specific context of each development will be taken into account and Local Authorities may relax the stated minimum, for instance, in built-up areas where this would lead to an inefficient use of land. Conversely, greater distances may be required between higher buildings, in order to satisfy daylighting and sunlighting requirements. It is important to recognize also that privacy can also be achieved by other means: design, orientation and screening can all play a key role and may also contribute towards reducing the theoretical 'minimum' distance.

A sense of enclosure is also important as the perceived quality of an outdoor space may be reduced if it is too large in the context of the surrounding buildings. In urban settings the BRE guide suggests a spacing-to-height ratio of 2.5:1 would provide a comfortable environment, whilst not obstructing too much natural light: this ratio also approximates the 25° rule.

¹ The commonest minimum privacy distance is 21m (Householder Development Consents Review: Implementation of Recommendations - Department for Communities and Local Government - May 2007)



Daylight

The criteria for protecting daylight to existing buildings are contained in Section 2.2 and Appendix C of the BRE guide. There are various methods of measuring and assessing daylight and the choice of test depends on the circumstances of each particular window. For example, greater protection should be afforded to windows which serve habitable dwellings and, in particular, those serving living rooms and family kitchens, with a lower requirement required for bedrooms. The BRE guide states that circulation spaces and bathrooms need not be tested as they are not considered to require good levels of daylight. In addition, for rooms with more than one window, secondary windows do not require assessment if it is established that the room is already sufficiently lit through the principal window.

The tests should also be applied to non-domestic uses such as offices and workplaces where such uses will ordinarily have a reasonable expectation of daylight and where the areas may be considered a principal workplace.

The BRE has developed a series of tests to determine whether daylighting levels within new developments and rooms within existing buildings surrounding new developments will satisfy or continue to satisfy a range of daylighting criteria

Note: Not every single window is assessed separately, only a representative sample, from which conclusions may be drawn regarding other nearby dwellings.

Daylighting Tests

<u>'Three times height' test</u> - If the distance of each part of the new development from the existing windows is three or more times its height above the centre of the existing window then loss of light to the existing windows need not be analysed. If the proposed development is taller or closer than this then the 25° test will need to be carried out.

<u>25° test</u> – a very simple test that should only be used where the proposed development is of a reasonably uniform profile and is directly opposite the existing building. Its use is most appropriate for low density well-spaced developments such as new sub-urban housing schemes and often it is not a particularly useful tool for assessing urban and infill sites. In brief, where the new development subtends to an angle of less than 25° to the centre of the lowest window of an existing neighbouring building, it is unlikely to have a substantial effect on the diffuse skylight enjoyed by the existing building. Equally, the new development itself is also likely to have the potential for good daylighting. If the angle is more than 25° then more detailed tests are required, as outlined below.

<u>VSC Test</u> - the VSC is a unit of measurement that represents the amount of available daylight from the sky, received at a particular window. It is measured on the outside face of the window. The 'unit' is expressed as a percentage as it is the ratio between the amount of sky visible at the given reference point compared to the amount of light that would be available from a totally unobstructed hemisphere of sky. To put this unit of measurement into perspective, the maximum percentage value for a window with a completely unobstructed outlook (i.e. with a totally unobstructed view through 90° in every direction) is 40%.



The target figure for VSC recommended by the BRE is 27%. A VSC of 27% is a relatively good level of daylight and the level we would expect to find for habitable rooms with windows on principal elevations. However, this level is often difficult to achieve on secondary elevations and in built-up urban environments. For comparison, a window receiving 27% VSC is approximately equivalent to a window that would have a continuous obstruction opposite it which subtends an angle of 25° (i.e. the same results as would be found utilising the 25° Test). Where tests show that the new development itself meets the 27% VSC target this is a good indication that the development will enjoy good daylighting and further tests can then be carried out to corroborate this (see under).

Through research the BRE have determined that in existing buildings daylight (and sunlight levels) can be reduced by approximately 20% of their original value before the loss is materially noticeable. It is for this reason that they consider that a 20% reduction is permissible in circumstances where the existing VSC value is below the 27% threshold. For existing buildings once this has been established it is then necessary to determine whether the distribution of daylight inside each room meets the required standards (see under).

<u>Daylight Distribution (DD) Test</u> – This test looks at the position of the "No-Sky Line" (NSL) – that is, the line that divides the points on the working plane (0.7m from floor level in offices and 0.85m in dwellings and industrial spaces) which can and cannot see the sky. The BRE guide suggests that areas beyond the NSL may look dark and gloomy compared with the rest of the room and BS8206 states that electric lighting is likely to be needed if a significant part of the working plane (normally no more than 20%) lies beyond it.

In new developments no more than 20% of a room's area should be beyond the NSL. For existing buildings the BRE guide states that if, following the construction of a new development, the NSL moves so that the area beyond the NSL increases by more than 20%, then daylighting is likely to be seriously affected.

The guide suggests that in houses, living rooms, dining rooms and kitchens should be tested: bedrooms are deemed less important, although should nevertheless be analysed. In other buildings each main room where daylight is expected should be investigated.

<u>ADF Test</u> -The ADF (Average Daylight Factor) test takes account of the interior dimensions and surface reflectance within the room being tested as well as the amount of sky visible from the window. For this reason it is considered a more detailed and representative measure of the adequacy of light. The minimum ADF values recommended in BS8206 Part 2 are: 2% for family kitchens (and rooms containing kitchens); 1.5% for living rooms; and 1% for bedrooms. This is a test used in assessing new developments, although, in certain circumstances, it may be used as a supplementary test in the assessment of daylighting in existing buildings, particularly where more than one window serves a room.

Room depth ratio test - This is a test for new developments looking at the relative dimensions of each room (principally its depth) and its window(s) to ensure that the rear half of a room will receive sufficient daylight so as not to appear gloomy.



Sunlight

Sunlight is an important 'amenity' in both domestic and non-domestic settings. The way in which a building's windows are orientated and the overall position of a building on a site will have an impact on the sunlight it receives but, importantly, will also have an effect on the sunlight neighbouring buildings receive. Unlike daylight, which is non-directional and assumes that light from the sky is uniform, the availability of sunlight is dependent on direction. That is, as the United Kingdom is in the northern hemisphere, we receive virtually all of our sunlight from the south. The availability of sunlight is therefore dependent on the orientation of the window or area of ground being assessed relative to the position of due south.

In <u>new developments</u> the BRE guide suggests that dwellings should aim to have at least one main living room which faces the southern or western parts of the sky so as to ensure that it receives a reasonable amount of sunlight. Where groups of dwellings are planned the Guide states that site layout design should aim to maximise the number of dwellings with a main living room that meet sunlight criteria. Where a window wall faces within 90° of due south and no obstruction subtends to angle of more than 25° to the horizontal or where the window wall faces within 20° of due south and the reference point has a VSC of at least 27% then sunlighting will meet the required standards: failing that the Annual Probable Sunlight Hours (APSH) need to be analysed. APSH means the total number of hours in the year that the sun is expected to shine on unobstructed ground, allowing for average levels of cloud for the location in question. If the APSH tests reveal that the new development will receive at least one quarter of the available APSH, including at least 5% of APSH during the winter months (from 21 September to 21 March), then the requirements are satisfied. It should be noted that if a room has two windows on opposite walls, the APSH due to each can be added together.

The availability of sunlight is also an important factor when looking at the impact of a proposed development on the <u>existing surrounding buildings</u>. APSH tests will be required where one or more of the following are true:

- The 'Three times height' test is failed (see 'Daylight' above);
- The proposed development is situated within 90° of due south of an existing building's main window wall and the new building subtends to angle of more than 25° to the horizontal;
- The window wall faces within 20° of due south and a point at the centre of the window on the outside face of the window wall (the reference point) has a VSC of less than 27%.

Where APSH testing is required it is similar to the test for the proposed development. That is to say that compliance will be demonstrated where a room receives:

- At least 25% of the APSH (including at least 5% in the winter months), or
- At least 0.8 times its former sunlight hours during either period, or
- A reduction of no more than 4% APSH over the year.



The Guide stresses that the target values it gives are purely advisory, especially in circumstances such as: the presence of balconies (which can overhang windows, obstructing light); when an existing building stands unusually close to the common boundary with the new development and; where the new development needs to match the height and proportion of existing nearby buildings. In circumstances like these a larger reduction in sunlight may be necessary.

The sunlight criteria in the BRE guide primarily apply to windows serving living rooms of an existing dwelling. This is in contrast to the daylight criteria which apply to kitchens and bedrooms as well as living rooms. Having said that, the guide goes on to say that care should be taken not to block too much sun from kitchens and bedrooms. Nondomestic buildings which are deemed to have a requirement for sunlight should also be checked.

Sunlight - Gardens and Open Spaces

As well as ensuring buildings receive a good level of sunlight to their interior spaces, it is also important to ensure that the open spaces between buildings are suitably lit. The recommendations as set out in the BRE guide are meant to ensure that spaces between buildings are not permanently in shade for a large part of the year. Trees and fences over 1.5m tall are also factored into the calculations.

The BRE guidelines state that:

- For a garden or amenity area to appear adequately sunlit throughout the year, at least 50% of the area should receive at least two hours of sunlight on 21 March;
- In addition, if, as result of new development, an existing garden or amenity area does not reach the area target above and the area which can receive two hours of direct sunlight on 21 March is reduced by more than 20% this loss is likely to be noticeable.


Appendix G of the BRE guidelines describes a methodology for calculating sunlight availability for amenity spaces.



Appendix B

Context Drawings





Existing Site Plan

SOURCES OF INFORMATION

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Existing Site Plan

Marek Wojciechowski Architects

Barrie House 29 St Edmund's Terrace

EB DATE


1:500@A3 December 2017

malcolm holis


80-82 Silverthorne Road London SW8 3HE

W malcolmhollis.com

DRAWING NO. 56156_CTXT_01



3D Context View - View from North (Existing)



3D Context View - View from South (Existing)

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

ALL HEIGHTS IN METERS AOD

ı		Rev.	Date	Amendments	Initial
١					
į	١.				

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

3D Views Existing Site

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH

ow EB 1:500@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555

F 020 7627 9850

W malcolmhollis.com

56156_CTXT_02



Proposed Site Plan

SOURCES OF INFORMATION

Proposed Site Plan

Marek Wojciechowski Architects

Barrie House 29 St Edmund's Terrace London, NW8 7QH

DRAWN BY CHECKED OW EB DATE December 2017

1:500@A3

malcolm holis


80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555 F 020 7627 9850


W malcolmhollis.com

DRAWING NO.

56156_CTXT_03



3D Context View - View from North (Proposed)



3D Context View - View from South (Proposed)

ALL HEIGHTS IN METERS AOD

	1	1	1
l	Date		l
Rev.	I Date	Amendments	Initia

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

TITLE

3D Views Proposed Site

CLIENT

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH

OW EB

SCALE DATE

1:500@A3 December 2017

malcolm hollis

80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555

F 020 7627 9850

W malcolmhollis.com


56156_CTXT_04




Appendix C

Window/Room Reference Drawings










Barrie House (29 St Edmund's Terrace) - Below Ground Floor

Barrie House (29 St Edmund's Terrace) - Ground Floor



3D Context View - North East





3D Context View - West

Printinose Mill. 1901 17. Solidas. May Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed First Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 23 Proposed Second Floor Plan.dwg
P. 24 Proposed Floor Plan.dwg
P. 25 Proposed Second Floor Plan.dwg
P. 26 Proposed Second Floor Plan.dwg
P. 26 Proposed Southeast Site Elevation.dw;
P. 30 Existing and Proposed Southeast Site Elevation Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dw;
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Trop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Droposed.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section
C-C. Proposed.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.Existing.dwg
Received 07 December 2017

Daylight Distribution Contours/Referencing Plans Barrie House (29 St Edmund's Terrace)

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB DATE 1:150@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555

F 020 7627 9850

W malcolmhollis.com

DRAWING NO. 56156_DD_01







Barrie House (29 St Edmund's Terrace) - First Floor

Barrie House (29 St Edmund's Terrace) - Second Floor



3D Context View - North East





3D Context View - West

Printinose Mill. 1901 17. Solidas. May Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed First Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 23 Proposed Second Floor Plan.dwg
P. 24 Proposed Floor Plan.dwg
P. 25 Proposed Second Floor Plan.dwg
P. 26 Proposed Second Floor Plan.dwg
P. 26 Proposed Southeast Site Elevation.dw;
P. 30 Existing and Proposed Southeast Site Elevation Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dw;
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Trop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Droposed.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section
C-C. Proposed.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.Existing.dwg
Received 07 December 2017

Daylight Distribution Contours/Referencing Plans Barrie House (29 St Edmund's Terrace)

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB DATE 1:150@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555

F 020 7627 9850

W malcolmhollis.com

DRAWING NO. 56156_DD_02






Barrie House (29 St Edmund's Terrace) - Fourth Floor



3D Context View - North East





3D Context View - West

Printinose Mill. 1901 17. Solidas. May Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed First Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 23 Proposed Second Floor Plan.dwg
P. 24 Proposed Floor Plan.dwg
P. 25 Proposed Second Floor Plan.dwg
P. 26 Proposed Second Floor Plan.dwg
P. 26 Proposed Southeast Site Elevation.dw;
P. 30 Existing and Proposed Southeast Site Elevation Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dw;
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Trop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Droposed.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section
C-C. Proposed.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.Existing.dwg
Received 07 December 2017

Daylight Distribution Contours/Referencing Plans Barrie House (29 St Edmund's Terrace)

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB DATE

1:150@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555

F 020 7627 9850

W malcolmhollis.com


DRAWING NO. 56156_DD_03







Barrie House (29 St Edmund's Terrace) - Fifth Floor

Barrie House (29 St Edmund's Terrace) - Sixth Floor



3D Context View - North East





3D Context View - West

Printinose Mill. 1901 17. Solidas. May Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed First Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 23 Proposed Second Floor Plan.dwg
P. 24 Proposed Floor Plan.dwg
P. 25 Proposed Second Floor Plan.dwg
P. 26 Proposed Second Floor Plan.dwg
P. 26 Proposed Southeast Site Elevation.dw;
P. 30 Existing and Proposed Southeast Site Elevation Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dw;
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Trop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Droposed.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section
C-C. Proposed.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.dwg
P. 40 Existing and Proposed Southeast Section
Elevation.Existing.dwg
Received 07 December 2017

Daylight Distribution Contours/Referencing Plans

Barrie House (29 St Edmund's Terrace)

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB DATE 1:150@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555

F 020 7627 9850


W malcolmhollis.com

DRAWING NO. 56156_DD_04






Proposed - Below Ground Floor



3D Context View - North East

Proposed - Ground Floor



3D Context View - South West

MAREK WOJCIECHOWSKI ARCHITECTS

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

Primrose Hill 090117 Solids.dwg
Received January 2017
P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Solids Floor Plan.dwg
P. 26 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 30 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation.Prop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Eightwell Elevation.dwg
P. 36 Existing and Proposed Site Section A-A. Prop.dwg
P. 36 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section C-C. dwg
P. 38 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. Evroposed.dwg
P. 40 Existing and Proposed Site Section Elevation. Existing.dwg
Received 07 December 2017

Daylight Distribution Contours/Referencing Plans Proposed

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH


ow EB 1:150@A3 December 2017


80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555


F 020 7627 9850 **W** malcolmhollis.com

56156_DDINT_01






Proposed - Second Floor



3D Context View - North East



3D Context View - South West

MAREK WOJCIECHOWSKI ARCHITECTS

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

Primrose Hill 090117 Solids.dwg
Received January 2017
P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Solids Floor Plan.dwg
P. 26 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 30 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation.Prop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Eightwell Elevation.dwg
P. 36 Existing and Proposed Site Section A-A. Prop.dwg
P. 36 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section C-C. dwg
P. 38 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. dwg
P. 30 Existing and Proposed Site Section C-C. Evroposed.dwg
P. 40 Existing and Proposed Site Section Elevation. Existing.dwg
Received 07 December 2017

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Daylight Distribution Contours/Referencing Plans Proposed

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH

ow EB 1:150@A3 December 2017

80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555

F 020 7627 9850


W malcolmhollis.com

56156 DDINT_02






Proposed - Third Floor



3D Context View - North East



3D Context View - South West

SOURCES OF INFORMATION:

MAREK WOJCIECHOWSKI ARCHITECTS

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

Primrose Hill. 090117. Solids.dwg
Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Roof Plan.dwg
P. 26 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell
Elevation. Existing.dwg
P. 35 Existing and Proposed Southwest Lightwell
Elevation. Existing.dwg
P. 34 Existing and Proposed Southwest Lightwell
Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dwg
P. 35 Existing and Proposed Northeast Site Elevation.dwg
P. 35 Existing and Proposed Northeast Lightwell
Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell
Elevation.Prop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Lightwell
Elevation.Proposed.dwg
P. 36 Existing and Proposed Site Section A-A. Prop.dwg
P. 37 Existing and Proposed Site Section C-C.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 30 Existing and Proposed Southeast Section
Elevation.dwg
P. 40 Existing and Proposed Southeast Section

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Daylight Distribution Contours/Referencing Plans Proposed

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH

DRAWN BY ow EB 1:150@A3 December 2017


malcolm hollis

80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555 **F** 020 7627 9850

W malcolmhollis.com


56156 DDINT_03



1 to 45 Searle House, Cecil Grove



3D Context View - North



3D Context View - East

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

Primrose Hill, 090117, Solids.dwg
Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Prop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation. Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 38 Existing and Proposed Northwest Lightwell Elevation. Cwg
P. 38 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. dwg
P. 39 Existing and Proposed Site Section C-C. Proposed.dwg
P. 40 Existing and Proposed Southeast Section Elevation. Existing.dwg
Received 07 December 2017

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Window Referencing Diagrams 1 to 45 Searle House, Cecil Grove

CLIENT

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace London, NW8 7QH

DRAWN BY CHECKED OW EB SCALE DATE NTS@A3 December 2017

malcolm hollis


80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555


F 020 7627 9850

W malcolmhollis.com

DRAWING NO. 3 56156_WR_01




1-72 Kingsland, Broxwood Way



3D Context View - North

1-72 Kingsland, Broxwood Way - Continued



3D Context View - South

Primrose Hill_090117_Solids.dvg
Received January 2017
P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed Ground Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 23 Proposed Second Floor Plan.dwg
P. 24 Proposed Solid Floor Plan.dwg
P. 25 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation
P. 30 Existing and Proposed Southeast Site Elevation Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation.Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation.Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation.Dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation.Prop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 36 Existing and Proposed Northwest Site Elevation.Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation.Proposed.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section A-A.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section A-A. Prop. 29 P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 30 Existing and Proposed Site Section Elevation.Existing.dwg
Received 07 December 2017

Window Referencing Diagrams 1-72 Kingsland, Broxwood Way

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB SCALE DATE December 2017


malcolm hollis

80-82 Silverthorne Road London SW8 3HE


T 020 7622 9555 **F** 020 7627 9850

W malcolmhollis.com


DRAWING NO. 56156_WR_02



Regent Heights (35 St Edmund's Terrace)



3D Context View - West



3D Context View - South

Primrose Hill. 090117. Solids.dwg
Received January 2017

P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed Ground Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southwest Site Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northwest Site Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 38 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section A-A. Prop.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 30 Existing and Proposed Site Section C-C.dwg
P. 40 Existing and Proposed Site Section C-C.dwg
P. 40 Existing and Proposed Southeast Section Elevation. Existing.dwg
Received 07 December 2017

Window Referencing Diagrams Regent Heights (35 St Edmund's Terrace)

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY OW EB SCALE DATE

NTS@A3 December 2017


malcolm hollis

80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555 **F** 020 7627 9850

W malcolmhollis.com


DRAWING NO. 56156_WR_03



Parkwood (22 St Edmund's Terrace)



3D Context View - West



3D Context View - North

1215_791_1.dwg 1215_791_2.dwg 1215_791_3.dwg Primrose Hill_090117_Solids.dwg Received January 2017

Primrose Hill. 090117. Solids.dwg
Received January 2017
P. 20 Proposed Lower Ground Floor Plan.dwg
P. 21 Proposed Ground Floor Plan.dwg
P. 22 Proposed First Floor Plan.dwg
P. 22 Proposed Second Floor Plan.dwg
P. 24 Proposed Second Floor Plan.dwg
P. 25 Proposed Roof Plan.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 30 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 32 Existing and Proposed Southeast Site Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 33 Existing and Proposed Southwest Lightwell Elevation. Existing.dwg
P. 34 Existing and Proposed Northeast Site Elevation.dwg
P. 34 Existing and Proposed Northeast Site Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Existing.dwg
P. 35 Existing and Proposed Northeast Lightwell Elevation. Drop.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation.dwg
P. 36 Existing and Proposed Northwest Site Elevation. Existing.dwg
P. 37 Existing and Proposed Northwest Lightwell Elevation. Existing.dwg
P. 38 Existing and Proposed Northwest Lightwell Elevation. Droposed.dwg
P. 38 Existing and Proposed Northwest Lightwell Elevation. Droposed.dwg
P. 38 Existing and Proposed Site Section A-A. Prop.dwg
P. 38 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 39 Existing and Proposed Site Section C-C.dwg
P. 30 Existing and Proposed Site Section C-C.dwg
P. 40 Existing and Propo

Window Referencing Diagrams St Edmunds Terrace Parkwood (22 St Edmund's Terrace)

MALCOLM HOLLIS SHALL BE INFORMED IN WRITING OF ANY DISCREPANCIES.
ALL DIMENSIONS ARE IN MILLIMETERS ONLY

Marek Wojciechowski Architects

PROJECT

Barrie House 29 St Edmund's Terrace

DRAWN BY CHECKED OW EB SCALE DATE NTS@A3 December 2017

malcolm hollis

80-82 Silverthorne Road London SW8 3HE

T 020 7622 9555 **F** 020 7627 9850

W malcolmhollis.com

DRAWING NO. 3 56156_WR_04



Appendix D

Daylight Study





Floor Ref.	Window Ref.	Existing VSC	Proposed VSC Time		BRE Compliant
	1 to 4	5 Searle Ho	use, Cecil Gro	ove	-
Ground	W1	5.63	5.63	1	Yes
Ground	W2	3.52	2.4	0.68	No
Ground	W3	23.1	22.11	0.96	Yes
Ground	W4	8.97	8.57	0.96	Yes
Ground	W5	3.5	3.42	0.98	Yes
Ground	W6	28.82	28.7	1	Yes
Ground	W7	29.17	29.12	1	Yes
Ground	W8	29.49	29.41	1	Yes
Ground	W9	5.37	5.37	1	Yes
Ground	W10	8.57	8.44	0.98	Yes
Ground	W11	3.57	3.51	0.98	Yes
Ground	W12	29.96	29.76	0.99	Yes
Ground	W13	30.02	29.81	0.99	Yes
Ground	W14	30	29.78	0.99	Yes
First	W1	6.61	6.61	1	Yes
First	W2	4.3	3.5	0.81	Yes
First	W3	25	24.19	0.97	Yes
First	W4	10.85	10.38	0.96	Yes
First	W5	4.2	4.14	0.98	Yes
First	W6	31.44	31.11	0.99	Yes
First	W7	31.81	31.52	0.99	Yes
First	W8	32.14	31.84	0.99	Yes
First	W9	6.23	6.23	1	Yes
First First	W10 W11	10.31 4.22	10.04 4.13	0.97 0.98	Yes
First	W11	32.58	32.33	0.99	Yes Yes
First	W12	32.66	32.46	0.99	Yes
First	W13	32.69	32.53	1	Yes
Second	W1	7.34	7.34	1	Yes
Second	W2	5.15	4.73	0.92	Yes
Second	W3	27.1	26.66	0.98	Yes
Second	W4	12.55	12.18	0.97	Yes
Second	W5	5.13	5.09	0.99	Yes
Second	W6	33.77	33.46	0.99	Yes
Second	W7	34.09	33.85	0.99	Yes
Second	W8	34.38	34.17	0.99	Yes
Second	W9	7.03	7.03	1	Yes
Second	W10	11.73	11.55	0.99	Yes
Second	W11	4.8	4.74	0.99	Yes
Second	W12	34.89	34.76	1	Yes
Second	W13	35.05	34.95	1	Yes
Second	W14	35.18	35.11	1	Yes
Third	W1	35.88	35.88	1	Yes
Third	W2	33.77	33.62	1	Yes
Third	W3	34.18	34.04	1	Yes
Third	W4	14.53	14.41	0.99	Yes
Third	W5	7.36	7.35	1	Yes
Third	W6	35.44	35.36	1	Yes
Third	W7	35.71	35.65	1	Yes
Third	W8	35.96	35.92	1	Yes
Third	W9	7.46	7.46	1	Yes

1



Floor Ref.	Window Ref.	Existing VSC	Proposed VSC	Times Former Value	BRE Compliant
Third	W10	12.66	12.61	1	Yes
Third	W11	5.38	5.36	1	Yes
Third	W12	36.43	36.4 1		Yes
Third	W13	36.57	36.56	1	Yes
Third	W14	36.7	36.69	1	Yes
			Broxwood Wo	•	100
Ground	W1	23.01	22.14	0.96	Yes
Ground	W2	0.75	0.75	1	Yes
First	W1	26.4	25.86	0.98	Yes
First	W2	19.55	19.55	1	Yes
First	W3	33.8	32.88	0.97	Yes
First	W4	17.36	14.21	0.82	Yes
First	W5	30.38	28.8	0.95	Yes
Second	W1	5.49	5.49	1	Yes
Second	W2	4.76	4.69	0.98	Yes
Second	W3	16.57	16.26	0.98	Yes
Second	W4	18.74	18.34	0.98	Yes
Third	W1	35.41	35.35	1	Yes
Third	W2	36.5	36.4	<u> </u>	Yes
Third	W3	36.98	36.96	<u>'</u>]	Yes
ITIIIQ			t Edmunds Te	•	103
Ground	W1	29.91	28.92	0.97	Yes
Ground	W2	28.58	27.61	0.97	Yes
Ground	W3	27.12	26.21	0.97	Yes
Ground	W4	18.6	18.38	0.99	Yes
Ground	W5	14.88	14.17	0.95	Yes
Ground	W6	24.95	24.36	0.98	Yes
Ground	W7	26.74	26.09	0.98	Yes
Ground	W8	27.85	27.37	0.98	Yes
First	W1	31.68	31.07	0.98	Yes
First	W2	30,42	29.81	0.98	Yes
First	W3	28.18	27.62	0.98	Yes
First	W4	23.29	22.81	0.98	Yes
First	W5	17.15	16.82	0.98	Yes
First	W6	27.6	27.35	0.99	Yes
First	W7	28.97	28.69	0.99	Yes
First	W8	29.97	29.76	0.99	Yes
Second	W1	33.82	33.7	1	Yes
Second	W2	32.57	32.45	<u> </u>	Yes
Second	W3	30.33	30.21	1	Yes
Second	W4	25.05	24.95	<u> </u>	Yes
Second	W5	18.59	18.58	1	Yes
Second	W6	28.95	28.95	<u>'</u> 1	Yes
Second	W7	31.38	31.38]	Yes
Second	W8	32.22	32.22	<u>'</u>]	Yes
Third	W1	20.1	20.1	1	Yes
Third	W2	29.65	29.65	<u> </u>	Yes
Third	W3	33.76	33.76	<u>.</u> 1	Yes
Third	W4	34.44	34.44	<u> </u>	Yes



Window Ref.	Existing	Proposed	Times		
	VSC	vsc	Former Value	BRE Compliant	
W1	22.13	22.13	1	Yes	
W2	30.89	30.89	1	Yes	
W3	36.05	36.05	1	Yes	
W4	36.52	36.52	1	Yes	
Parkw	ood (22 St E	dmunds Terro	ace)	•	
W1	13.87	13.68	0.99	Yes	
W2	20.98	20.92	1	Yes	
W3	21.99	21.97	1	Yes	
W4	24.96	24.94	1	Yes	
W5	22.16	22.16	1	Yes	
W6	21.25	21.25	1	Yes	
W7	24.21	24.21	1	Yes	
W8	22.41	22.41	1	Yes	
W9	23.62	23.62	1	Yes	
W10	20.32	20.32	1	Yes	
W11	24.43	24.43	1	Yes	
W12	24.01	24.01	1	Yes	
W13	23.71	23.71	1	Yes	
W14	25.82	25.83	1	Yes	
W1	16.25	16.09	0.99	Yes	
W2	22.73	22.69	1	Yes	
W3	23.51	23.49	1	Yes	
W4	26.78	26.77	1	Yes	
W5	23.48	23.48	1	Yes	
W6	22.71	22.71	1	Yes	
	26.01	26.01	1	Yes	
	23.73			Yes	
	25.41	25.41	1	Yes	
W10	21.82	21.82	1	Yes	
				Yes	
	25.26	25.26	1	Yes	
_	25.45	25.45	1	Yes	
			-	Yes	
			0.99	Yes	
			1	Yes	
			1	Yes	
				Yes Yes	
	W4 Parkw W1 W2 W3 W4 W5 W6 W7 W8 W9 W10 W11 W12 W13 W14 W1 W2 W3 W4 W5 W6 W7 W8 W9	W4 36.52 Parkwood (22 St E W1 13.87 W2 20.98 W3 21.99 W4 24.96 W5 22.16 W6 21.25 W7 24.21 W8 22.41 W9 23.62 W10 20.32 W11 24.43 W12 24.01 W13 23.71 W14 25.82 W1 16.25 W2 22.73 W3 23.51 W4 26.78 W5 23.48 W6 22.71 W7 26.01 W8 23.73 W9 25.41 W10 21.82 W11 26.23 W12 25.26 W13 25.45 W14 27.54 W1 18.11 W2 24.87 W6 24.21 W7 27.94 W8<	W4 36.52 36.52 Parkwood (22 St Edmunds Terro W1 13.87 13.68 W2 20.98 20.92 W3 21.99 21.97 W4 24.96 24.94 W5 22.16 22.16 W6 21.25 21.25 W7 24.21 24.21 W8 22.41 22.41 W9 23.62 23.62 W10 20.32 20.32 W11 24.43 24.43 W12 24.01 24.01 W13 23.71 23.71 W14 25.82 25.83 W1 16.25 16.09 W2 22.73 22.69 W3 23.51 23.49 W4 26.78 26.77 W5 23.48 23.48 W6 22.71 22.71 W7 26.01 26.01 W8 23.73 23.73 <	W4 36.52 36.52 1 Parkwood (22 St Edmunds Terrace) W1 13.87 13.68 0.99 W2 20.98 20.92 1 W3 21.99 21.97 1 W4 24.96 24.94 1 W5 22.16 22.16 1 W6 21.25 21.25 1 W7 24.21 24.21 1 W8 22.41 22.41 1 W9 23.62 23.62 1 W10 20.32 20.32 1 W10 20.32 20.32 1 W11 24.43 24.43 1 W12 24.01 24.01 1 W13 23.71 23.71 1 W14 25.82 25.83 1 W1 16.25 16.09 0.99 W2 22.73 22.69 1 W3 23.51 23.49 1	



					LOTIC
Floor Ref.	Window Ref.	Existing VSC	Proposed VSC	Times Former Value	BRE Compliant
Third	W6	25.81	25.81	1	Yes
Third	W7	29.99	29.99	1	Yes
Third	W8	26.62	26.62	1	Yes
Third	W9	29.38	29.38	1	Yes
Third	W10	25.24	25.24	1	Yes
Third	W11	30.16	30.16	1	Yes
Third	W12	27.74	27.74	1	Yes
Third	W13	29.21	29.21	1	Yes
Third	W14	31.18	31.18	1	Yes
Fourth	W1	21.95	21.94	1	Yes
Fourth	W2	28.45	28.45	1	Yes
Fourth	W3	28.45	28.45	1	Yes
Fourth	W4	32.7	32.7	1	Yes
Fourth	W5	27.86	27.86	1	Yes
Fourth	W6	27.54	27.54	1	Yes
Fourth	W7	32.13	_	1	
			32.13		Yes
Fourth	W8	28.45	28.45]	Yes
Fourth	W9	31.56	31.56]	Yes
Fourth	W10	27.36	27.36	1	Yes
Fourth	W11	32.3	32.3	1	Yes
Fourth	W12	29.15	29.15	1	Yes
Fourth	W13	31.24	31.24	1	Yes
Fourth	W14	33.12	33.12	1	Yes
Fifth	W1	23.83	23.83	1	Yes
Fifth	W2	29.42	29.42	1	Yes
Fifth	W3	31.79	31.79	1	Yes
Fifth	W4	34.63	34.63	1	Yes
Fifth	W5	29.8	29.8	1	Yes
Fifth	W6	29.67	29.67	1	Yes
Fifth	W7	34.25	34.25	1	Yes
Fifth	W8	31.58	31.58	1	Yes
Fifth	W9	34.01	34.01	1	Yes
Fifth	W10	30.67	30.67	1	Yes
Fifth	W11	34.41	34.41	1	Yes
Fifth	W12	31.87	31.87	1	Yes
Fifth	W13	33.63	33.63	1	Yes
Fifth	W14	35.05	35.05	1	Yes
	Barrie F	louse (29 St	Edmunds Ter	race)	•
Below Ground	W1	31.23	26.05	0.83	Yes
Below Ground		19.07	17.34	0.91	Yes
Ground	W1	20.13	17.93	0.89	Yes
Ground	W2	29.55	22.83	0.77	No
Ground	W3	33.57	29.42	0.88	Yes
Ground	W4	20.24	19.21	0.95	Yes
First	W1	21.15	19.88	0.94	Yes
First	W2	31.59	26.62	0.84	Yes
First	W3	35.12	34.26	0.98	Yes
First	W4	21.24	21.01	0.99	Yes
Second	W1	22.2	21.82	0.98	Yes
Second	W2	33.53	31.95	0.95	Yes
Second	W3	36.45	36.45	0.93	Yes
Second	W4	22.1	22.1	1	Yes
3 c cond	VV4	ZZ. I	ZZ. I		169



malcolm hollis

Barrie House, 29 St Edmund's Terrace, London, NW8 7QH

Floor Ref.	Window Ref.	Existing VSC	Proposed VSC	Times Former Value	BRE Compliant
Third	W1	23.12	23.12	1	Yes
Third	W2	35.31	35.31	1	Yes
Third	W3	37.67	37.67	1	Yes
Third	W4	23.02	23.02	1	Yes
Fourth	W1	24.1	24.1	1	Yes
Fourth	W2	36.63	36.63	1	Yes
Fourth	W3	38.27	38.27	1	Yes
Fourth	W4	24.13	24.13	1	Yes
Fifth	W1	26.18	26.18	1	Yes
Fifth	W2	37.82	37.82	1	Yes
Fifth	W3	38.82	38.82	1	Yes
Fifth	W4	26.69	26.69	1	Yes
Sixth	W1	31.74	31.74	1	Yes
Sixth	W2	38.93	38.93	1	Yes
Sixth	W3	39.37	39.37	1	Yes
Sixth	W4	33.53	33.53	1	Yes



Barrie House, 29 St Edmund's Terrace, London, NW8 7QH

Floor Ref.	Room Ref. Previous Sq Ft New Sq Ft		Times Former Value	% Loss	BRE Compliant	
	В	arrie House	(29 St Edmur	nds Terrace)	•	
Below Ground	R1	25.86	25.83	1	0.12	YES
Ground	R1	27.95	27.95	1	0	YES
First	R1	27.95	27.95	1	0	YES
Second	R1	27.95	27.95	1	0	YES
Third	R1	27.95	27.95	1	0	YES
Fourth	R1	27.95	27.95	1	0	YES
Fifth	R1	27.95	27.95	1	0	YES
Sixth	R1	27.95	27.95	1	0	YFS

malcolm hollis



Floor Ref	Room Ref	Room Use	Window Ref	Clear Sky Pr	ADF Pr	Room ADF Pr	Meets BRE Criteria
			Propose	d Developme	ent		
Below Ground	R1	Bedroom	W1-L	21.02	0.1		
Below Ground	R1	Bedroom	W1-U	23.03	0.67		
Below Ground	R1	Bedroom	W2-L	18.06	0.04		
Below Ground	R1	Bedroom	W2-U	29.47	0.37	1.18	YES
Below Ground	R2	Bedroom	W3-L	25.51	0.46	E	VEC
Below Ground Below Ground	R2 R3	Bedroom Bedroom	W3-U W4-L	40.11 25.3	4.54 0.38	5	YES
Below Ground	R3	Bedroom	W4-L	40.05	3.75	4.13	YES
Below Ground	R4	Bedroom	W5-L	13.5	0.29	0	1.20
Below Ground	R4	Bedroom	W5-U	22.24	3.01	3.3	YES
Below Ground	R5	Bedroom	W6-L	13.19	0.06		
Below Ground	R5	Bedroom	W6-U	20.43	0.55		
Below Ground	R5	Bedroom	W7-L	11.72	0.14	0.05	VEC
Below Ground Below Ground	R5 R6	Bedroom Bedroom	W7-U W8-L	20.28	0.08	2.25	YES
Below Ground	R6	Bedroom	W8-U	20.26	0.73	0.81	NO
Below Ground	R7	Bedroom	W9-L	33.48	0.49	0.01	110
Below Ground	R7	Bedroom	W9-U	42.09	3.8	4.28	YES
Below Ground	R8	Bedroom	W10-L	33.8	0.55		
Below Ground	R8	Bedroom	W10-U	42.61	4.33	4.89	YES
Below Ground	R9	Bedroom	W11-L	24.9	0.04		
Below Ground	R9	Bedroom	W11-U	33.22 24.82	0.32		
Below Ground Below Ground	R9 R9	Bedroom Bedroom	W12-L W12-U	24.82	0.13	1.28	YES
Ground	R1	LKD	W12-0	56.54	0.68	1.20	TLU
Ground	R1	LKD	W1-U	39.72	3.24	3.92	YES
Ground	R2	LKD	W2-L	56.52	0.68		
Ground	R2	LKD	W2-U	39.49	3.23		
Ground	R2	LKD	W3-L	51.21	0.32		
Ground	R2	LKD	W3-U	62.26	2.67	6.9	YES
Ground Ground	R3 R3	LKD LKD	W4-L W4-U	44.48 54.8	0.24 2.05		
Ground	R3	LKD	W5-L	51.34	0.58		
Ground	R3	LKD	W5-U	36.04	2.77	5.64	YES
Ground	R4	LKD	W6-L	50.49	0.47		. = 7
Ground	R4	LKD	W6-U	35.31	2.22	2.69	YES
Ground	R5	Bedroom	W7-L	52.5	0.92		
Ground	R5	Bedroom	W7-U	54.65	6.54	7.46	YES
First	R1 R1	Bedroom	W1-L W1-U	40.79	0.57 3.18	3.75	YES
First First	R2	Bedroom LKD	W2-L	60.21	1.31	3.75	YES
First	R2	LKD	W2-U	38.76	4.68	5.99	YES
First	R3	Bedroom	W3-L	69.22	0.78	• • • • • • • • • • • • • • • • • • • •	
First	R3	Bedroom	W3-U	72.06	4.47	5.25	YES
First	R4	Bedroom	W4-L	67.1	0.69		
First	R4	Bedroom	W4-U	69.75	3.99	4.68	YES
First	R5	LKD	W5-L	56.41	1.16	C 17	٧٢٥
First First	R5 R6	LKD Bedroom	W5-U W6-L	35.21 36.08	4.01 0.49	5.17	YES
First	R6	Bedroom	W6-U	36.83	2.77	3.27	YES
Second	R1	Bedroom	W1-L	42.39	0.59	0.27	120
Second	R1	Bedroom	W1-U	42.75	3.31	3.9	YES
Second	R2	LKD	W2-L	64.09	1.39		
Second	R2	LKD	W2-U	42.7	5.15	6.55	YES
Second	R3	Bedroom	W3-L	77.02	0.86	5.00	\ (FQ
Second	R3	Bedroom Bedroom	W3-U	79.92	4.96	5.83	YES
Second Second	R4 R4	Bedroom	W4-L W4-U	74.37 77.16	0.77 4.41	5.18	YES
Second	R5	LKD	W5-L	59.92	1.23	0.10	ILO
Second	R5	LKD	W5-U	38.26	4.36	5.59	YES
Second	R6	Bedroom	W6-L	38.48	0.52		
Second	R6	Bedroom	W6-U	39.35	2.96	3.49	YES
Third	R1	Bedroom	W1-L	41.38	0.56		
Third	R1	Bedroom	W1-U	42.51	3.19	3.76	YES
Third	R2	Bedroom	W2-L	81.77	0.87	F 0.4	٧٢٥
Third Third	R2	Bedroom	W2-U	84.03	4.97	5.84	YES
Third Third	R3 R3	LKD LKD	W3-L W3-U	72.92 60.48	1.36	7.6	YES
ITIIIU	IXO	LND	VV-U	00.40	0.24	7.0	TLO




Appendix E Sunlight Study








		Evic	ting	Dron	osed		ION, INW8 /QH	
Floor Ref.	Window Ref.	Winter %	Annual %	Winter %	Annual %	Annual Times Former Value	Winter Times Former Value	BRE Compliant
		_		le House, Ce			_	
Ground	W1	7	10	7	10	1	1	YES
Ground	W5	1	3	1	3	1	1	YES
Ground	W11	0	7	0	7	1	0	YES
First	W1	8	11	8	11	1	1	YES
First	W5	1	4	1	4	1	1	YES
First	W11	0	8	0	8	1	0	YES
Second	W1	9	12	9	12	1	1	YES
Second	W5	2	7	2	6	0.86	1	YES
Second	W11	1	10	1	10	1	1	YES
Third	W1	26	74	26	74	1	1	YES
Third	W5	4	10	4	10	1]	YES
Third	W11	1	12	1	12	1	1	YES
			1-72 Kingslo	and, Broxwo	od Way			
First	W3	16	59	15	58	0.98	0.94	YES
First	W4	17	49	14	46	0.94	0.82	YES
First	W5	15	58	12	55	0.95	0.8	YES
Second	W3	12	26	12	26	1	1	YES
Second	W4	11	32	11	32	1	1	YES
Third	W1	19	62	19	62	1	1	YES
Third	W2	19	63	19	63	1	1	YES
Third	W3	19	63	19	63	1	1	YES
	1		gent Heights					. 20
Ground	W1	9	47	8	46	0.98	0.89	YES
Ground	W2	8	42	8	42	1	1	YES
Ground	W3	7	37	7	36	0.97	1	YES
Ground	W4	0	16	0	16	1	0	YES
Ground	W5	0	13	0	12	0.92	0	YES
Ground	W7	14	42	14	41	0.98	1	YES
Ground	W8	15	45	15	44	0.98	i	YES
First	W1	11	52	10	51	0.98	0.91	YES
First	W2	10	48	9	47	0.98	0.9	YES
First	W3	5	35	5	34	0.97	1	YES
First	W4	1	24	1	23	0.96	1	YES
First	W5	0	16	0	16	1	0	YES
First	W7	19	52	19	52	1	1	YES
First	W8	18	51	18	51	1	1	YES
Second	W1	13	54	13	54	1	1	YES
Second	W2	11	50	11	50]	1	YES
Second	W3	6	39	6	39	1	1	YES
Second	W4	1	25	1	25	1	1	YES
Second	W5	0	18	0	18	1	0	YES
Second	W7	19	55	19	55	1	1	YES
Second	W8	21	56	21	56	1	1	YES
Third	W1	0	19	0	19	1	0	YES
Third	W3	20	58	20	58	1	1	YES
	W4	21	59	20	59	1	1	YES
Third			21	0	21		0	YES
Fourth	W1 W3	0 20	60	20	60	1	1	YES
Fourth								





Barrie House, 29 St Edmund's Terrace, London, NW8 7QH



malcolm hollis



Floor Ref	Room Ref	Window Ref	Winter Pr	Annual Pr	Room Win Pr	Room Ann F	Meets BRE Criteria
		Prop	oosed Dev	elopment			
Below Ground	R1	W1	0	0			
Below Ground	R1	W2	0	0	0	0	NO
Below Ground	R2	W3	0	12	0	12	NO
Below Ground	R3	W4	4	17	4	17	NO
Below Ground	R4	W5	0	0	0	0	NO
Below Ground	R5	W6	0	0			
Below Ground	R5	W7	0	0	0	0	NO
Below Ground	R6	W8	0	0	0	0	NO
Below Ground	R7	W9	2	11	2	11	NO
Below Ground	R8	W10	0	4	0	4	NO
Below Ground	R9	W11	0	0			
Below Ground	R9	W12	0	0	0	0	NO
Ground	R1	W1	10	32	10	32	YES
Ground	R2	W2	11	32			
Ground	R2	W3	0	9	11	32	YES
Ground	R3	W4	0	8			
Ground	R3	W5	0	5	0	13	NO
Ground	R4	W6	0	1	0	1	NO
Ground	R5	W7	2	15	2	15	NO
First	R1	W1	13	36	13	36	YES
First	R2	W2	12	34	12	34	YES
First	R3	W3	0	10	0	10	NO
First	R4	W4	0	11	0	11	NO
First	R5	W5	0	10	0	10	NO
First	R6	W6	2	19	2	19	NO
Second	R1	W1	13	37	13	37	YES
Second	R2	W2	13	35	13	35	YES
Second	R3	W3	0	13	0	13	NO
Second	R4	W4	0	13	0	13	NO
Second	R5	W5	0	12	0	12	NO
Second	R6	W6	2	22	2	22	NO
Third	R1	W1	3	25	3	25	NO
Third	R2	W2	1	14	1	14	NO
Third	R3	W3	2	20	2	20	NO