


LINTEL SCHEDULE	
MARK	DESCRIPTION
L1	150dp PRE-STRESSED P.C LINTEL/S TO SUIT WIDTH OF WALL
L2	CG90/100 CATNIC CAVITY WALL LINTEL
L3	203x203 UC60

PADSTONE SCHEDULE	
MARK	DESCRIPTION
P1	450gx225dpxWIDTH OF WALL MASS CONCRETE

STRUCTURAL ROOF STEEL BEAM SCHEDULE	
Mark	SIZE
BEAM R - 1	
BEAM R - 2 (PITCHED)	UC152x152x37
BEAM R - 3	UC152x152x37
BEAM R - 4 (PITCHED)	UC152x152x37
BEAM R - 5 (PITCHED)	UC203x203x71
BEAM R - 6	UC203x203x71
BEAM R - 7	UC203x203x71
BEAM R - 8 (PITCHED)	UC203x203x71
BEAM R - 9	UC203x203x71
BEAM R - 10	UC152x152x23
BEAM R - 11 (PITCHED)	UC203x203x71
BEAM R - 12	UC203x203x71
BEAM R - 13	UC203x203x71
BEAM R - 14 (PITCHED)	UC203x203x71
BEAM R - 15	UC203x203x71
BEAM R - 16	UB203x133x30
BEAM R - 17	UC203x203x71
BEAM R - 18	UC203x203x60


Notes  
 THIS DRAWING IS COPYRIGHT OF FORM.  
 DO NOT SCALE FROM THIS DRAWING WORK ONLY TO FIGURED DIMENSIONS.  
 THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON SITE BEFORE COMMENCING WORK. ALL ERRORS AND OMISSIONS ARE TO BE REPORTED TO THE ENGINEER.  
 THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICES ENGINEERS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.

KEY	
WALL TYPES	
	EXISTING WALL
	NEW 20N/mm² BRICKWORK IN DESIGNATION (iii) MORTAR.
	NEW 7N/mm² MEDIUM DENSE BLOCKWORK IN DESIGNATION (iii) MORTAR.
	NEW LOADBEARING TIMBER STUD PARTITION (50x100 C24 STUDS AT 400c/c).
	NEW NON LOAD BEARING PARTITION.
	LOAD BEARING WALL UNDER.
	NEW BRICKWORK TO BE FULLY TOOTHED IN AND PACKED UP TO EXTG BRICKWORK
	STAINLESS STEEL WALL EXTENSION PROFILES.
ALL MASONRY BELOW DPC LEVEL TO BE FROST RESISTANT AND IN DESIGNATION (i) MORTAR.	
LEGEND	
	NEW BEAM UNDER.
	DOUBLED TIMBERS TRIMMING OPENINGS/ UNDER PARTITIONS.
	DENOTES SPAN OF NEW 50x200 C24 TIMBER JOISTS AT 400c/c U.N.O.
	DENOTES SPAN OF NEW 50x150 C24 TIMBER RAFTERS AT 400c/c U.N.O.
	DENOTES SPAN OF NEW 75x100 C24 TIMBER RAFTERS AT 400c/c U.N.O.
	DENOTES SPAN OF NEW CONCRETE SLAB
	DENOTES SPAN OF NEW 150mm DEEP BEAM & BLOCK FLOOR.
	DENOTES SPAN OF EXISTING TIMBER CEILING JOISTS. ASSUMED 50x100 T.B.C.
	DENOTES SPAN OF EXISTING TIMBER FLOOR JOISTS. ASSUMED 50x200 T.B.C.
	DENOTES DOUBLE TRIMMER JOIST/RAFTERS SIZED AS PER SPAN



**PROPOSED SECOND FLOOR LEVEL**

1 : 50



Rev.	Date	Amendment	Drawn	Chkd
P3	06.02.18	DORMERS ADDED & FRAME POSITIONS REVISED	P.E	C.M
P2	29.01.18	SECTION MARK 12 ADDED	P.E	C.M
P1	26.01.18	ISSUED FOR PLANNING	P.E	C.M

Drawing Status **PRELIMINARY**

# Form

Job Title  
**24 HEATH DRIVE  
 LONDON  
 NW3 7SB**

Drawing Title  
**PROPOSED SECOND FLOOR PLAN**

Form Structural Design Ltd 77 St John Street London EC1M 4NN  
 T:020 7253 2893 E:studio@form-sd.com W:www.form-sd.com

Date	Scale	Drawn	Checked
<b>JAN 18</b>	As indicated	P.E	C.M
Job No. <b>162637</b>	Drawing No. <b>L(23)04</b>	Revision <b>P3</b>	