



PROPOSED SECOND FLOOR CEILING PLAN

1:50




PROPOSED ROOF TRUSS A - ELEVATION R - 01


1:20



EXISTING ISOMETRIC ON TRUSS 'A' LOCATION



PROPOSED ISOMETRIC ON TRUSS 'A'



PROPOSED ROOF ISOMETRIC

Notes
 THIS DRAWING IS COPYRIGHT OF FORM.
 DO NOT SCALE FROM THIS DRAWING WORK ONLY TO FIGURED DIMENSIONS.
 THE CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON SITE BEFORE COMMENCING WORK. ALL ERRORS AND OMISSIONS ARE TO BE REPORTED TO THE ENGINEER.
 THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS, SERVICES ENGINEERS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.

| STRUCTURAL ROOF STEEL BEAM SCHEDULE | |
|-------------------------------------|--------------|
| Mark | SIZE |
| BEAM R - 1 | |
| BEAM R - 2 (PITCHED) | UC152x152x37 |
| BEAM R - 3 | UC152x152x37 |
| BEAM R - 4 (PITCHED) | UC152x152x37 |
| BEAM R - 5 (PITCHED) | UC203x203x71 |
| BEAM R - 6 | UC203x203x71 |
| BEAM R - 7 | UC203x203x71 |
| BEAM R - 8 (PITCHED) | UC203x203x71 |
| BEAM R - 9 | UC203x203x71 |
| BEAM R - 10 | UC152x152x23 |
| BEAM R - 11 (PITCHED) | UC203x203x71 |
| BEAM R - 12 | UC203x203x71 |
| BEAM R - 13 | UC203x203x71 |
| BEAM R - 14 (PITCHED) | UC203x203x71 |
| BEAM R - 15 | UC203x203x71 |
| BEAM R - 16 | UB203x133x30 |
| BEAM R - 17 | UC203x203x71 |
| BEAM R - 18 | UC203x203x60 |

| | | | | |
|------|----------|---|-------|------|
| P2 | 06.02.18 | DORMERS ADDED & FRAME POSITIONS REVISED | P.E | C.M |
| P1 | 26.01.18 | ISSUED FOR PLANNING | P.E | C.M |
| Rev. | Date | Amendment | Drawn | Chkd |

Drawing Status: PRELIMINARY


Form

Job Title
**24 HEATH DRIVE
 LONDON
 NW3 7SB**

Drawing Title
**PROPOSED STEEL ROOF TRUSS
 SHEET 01**

Form Structural Design Ltd 77 St John Street London EC1M 4NN
 T:020 7253 2893 E:studio@form-sd.com W:www.form-sd.com

| | | | |
|---------|--------------|----------|---------|
| Date | Scale | Drawn | Checked |
| JAN '18 | As indicated | P.E | C.M |
| Job No. | Drawing No. | Revision | |
| 162637 | A(28)50 | P2 | |



PROPOSED ROOF TRUSS A - SECTION R - 02

1:20

