




PROPOSED ELEVATION AUDITORIUM RIGHT CIRCLE LEVEL WALL
(SCALE 1:50 AT A1)




- STEELWORK**
- 51. ALL STEELWORK TO BE GRADE S275 UNLESS NOTED OTHERWISE.
 - 52. ALL HOLLOW SECTIONS TO BE GRADE S355 UNLESS NOTED OTHERWISE.
 - 53. ALL STEEL WORK CONNECTIONS TO HAVE A MINIMUM OF 2 NO. M6 BOLTS GRADE 8.8.
 - 54. ALL WUTS TO BE NYLONK TYPE GRADE 8.8.
 - 55. ALL STEEL IS TO MEET THE REQUIREMENTS OF EN1090, THE EXECUTION CLASSES TO BE DEFINED BY THE CONTRACTOR FROM THE CODE.
 - 56. NEW STEELWORK TO BE POWDER COAT FINISHED TO MATCH THE EXISTING DECORATIONS.
 - 57. ANY DAMAGED AREA OF PAINT FINISH TO BE TOUCHED UP LOCALLY ON SITE.
 - 58. THE STEELWORK CONTRACTOR IS TO PROVIDE THE ENGINEER WITH 2 SETS OF FABRICATION DRAWINGS A MINIMUM OF 21 WORKING DAYS IN ADVANCE OF THE COMMENCEMENT OF FABRICATION.
 - 59. ALL PROPRIETARY PRODUCTS TO BE USED IN STRICT ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS AND RECOMMENDATIONS.



BRACKET TYPE 1 PROPOSED TYPICAL SECTION THROUGH AUDITORIUM BRACKETS
(SCALE 1:5 AT A1)




BRACKET TYPE 4 PROPOSED TYPICAL SECTION THROUGH WALL WHEN BRACKETS HAVE BEEN REMOVED
(SCALE 1:5 AT A1)



ELEVATION ON BRACKET TYPE 4
(SCALE 1:5 AT A1)

BRACKET TYPE 4 PROPOSED TYPICAL SECTION
(SCALE 1:5 AT A1)



PROPOSED CIRCLE LAYOUT
(APPROX SCALE 1:200 AT A1)

DO NOT SCALE THIS DRAWING.

Notes

- GENERAL**
- G1. ALL DIMENSIONS SHOWN ARE IN mm UNLESS NOTED OTHERWISE.
 - G2. ALL DIMENSIONS SHOWN ARE APPROXIMATELY ONLY AND MUST BE CHECKED AND CONFIRMED BY THE CONTRACTOR VIA A FULL DIMENSIONAL SURVEY OF THE AREA OF THE WORKS. PRIOR TO UNDERTAKING OF THE WORKS, THE ENGINEER MUST BE NOTIFIED IMMEDIATELY SHOULD ANY DISCREPANCIES BECOME APPARENT.
 - G3. ALL DETAILS AND DIMENSIONS SHOWN RELATING TO THE EXISTING STRUCTURE ARE SCHEMATIC AND APPROXIMATE ONLY, BASED UPON NO EXPLORE PRIOR TO COMMENCEMENT OF THE PREPARATION OF THESE DETAILS.
 - G4. THE DEPTH AND LOCATION OF ANY SERVICES HAS NOT BEEN ESTABLISHED. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING AND PROTECTING THEM.
 - G5. ALL WORKMANSHIP AND MATERIALS TO COMPLY WITH THE CURRENT BUILDING REGULATIONS AND RELEVANT CURRENT BRITISH STANDARDS.
 - G6. THE CONTRACTOR SHALL ALLOW FOR ALL WORK NECESSARY TO OBTAIN FULL APPROVAL AND SATISFACTION OF THE BUILDING INSPECTOR.
 - G7. THE CONTRACTOR SHALL COMPLY WITH ALL REQUIREMENTS OF THE CURRENT HEALTH AND SAFETY AT WORK ACT AND CONSTRUCTION REGULATIONS.
 - G8. THE CONTRACTOR IS RESPONSIBLE FOR ENSURING THAT HIS OPERATIONS DO NOT IN ANY WAY IMPAIR THE SAFETY OR CONDITION OF THE EXISTING STRUCTURE OR ADJACENT STRUCTURES. HE IS TO PROVIDE ANY TEMPORARY SUPPORTS, SHORING, ETC REQUIRED FOR THIS PURPOSE AND HE IS TO CAREFULLY NEGLECT THE CONDITION OF THE STRUCTURES BOTH BEFORE AND DURING THE EXECUTION OF THE WORK. THE ENGINEER IS TO BE NOTIFIED IMMEDIATELY SHOULD ANY DAMAGE OCCUR.
 - G9. ALL PROPRIETARY PRODUCTS TO BE USED IN STRICT ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS AND RECOMMENDATIONS.

PRELIMINARY

Rev.	Date	Description	By
Revisions			

Michael Jackson Consulting
 Chartered Structural Engineers
 204 BOSTON ROAD
 MANCHESTER M20 3BN
 Tel: 0161 790 4404
 Fax: 0161 790 4405

Niederlander
 Project
DOMINION THEATRE, LONDON

Drawing Title
PROPOSED AUDITORIUM RIGHT CIRCLE WALL
 Scale AS SHOWN Date FEB 18 Drawn DS Checked Passed
 DRG. No. **2851-01-010**