

APPENDIX 3

Internal Daylight & Sunlight Results



waldrams
daylight & sunlight

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Proposed																
First	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	32.51	95.27	0.50	0.15	N/R	0.09	
					W1-U	0.68	1.00	3.78	N/R	8.77	95.27	0.50	1.00	N/R	0.32	
					W2-L	0.68	1.00	1.39	N/R	31.52	95.27	0.50	0.15	N/R	0.06	
					W2-U	0.68	1.00	2.86	N/R	10.76	95.27	0.50	1.00	N/R	0.29	
													0.00	0.76	1.50	
First	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.81	N/R	24.51	56.62	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.67	N/R	12.37	56.62	0.50	1.00	N/R	0.33	
					W4-L	0.68	1.00	0.73	N/R	54.16	56.62	0.50	0.15	N/R	0.09	
					W4-U	0.68	1.00	1.50	N/R	50.44	56.62	0.50	1.00	N/R	1.21	
					W5-L	0.68	1.00	0.33	N/R	55.48	56.62	0.50	0.15	N/R	0.04	
					W5-U	0.68	1.00	0.69	N/R	51.63	56.62	0.50	1.00	N/R	0.57	
													0.00	2.30	1.00	
First	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	51.54	61.14	0.50	0.15	N/R	0.08	
					W6-U	0.68	1.00	1.50	N/R	48.80	61.14	0.50	1.00	N/R	1.09	
					W7-L	0.68	1.00	0.33	N/R	53.53	61.14	0.50	0.15	N/R	0.04	
					W7-U	0.68	1.00	0.69	N/R	49.77	61.14	0.50	1.00	N/R	0.51	
													0.00	1.72	1.00	
First	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	39.28	59.11	0.50	0.15	N/R	0.07	
					W8-U	0.68	1.00	1.68	N/R	23.17	59.11	0.50	1.00	N/R	0.60	
					W9-L	0.68	1.00	0.25	N/R	37.57	59.11	0.50	0.15	N/R	0.02	
					W9-U	0.68	1.00	0.51	N/R	16.76	59.11	0.50	1.00	N/R	0.13	
													0.00	0.82	1.00	
First	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	32.45	77.93	0.50	0.15	N/R	0.04	
					W10-U	0.68	1.00	1.41	N/R	10.06	77.93	0.50	1.00	N/R	0.16	
					W11-L	0.68	1.00	0.35	N/R	34.55	77.93	0.50	0.15	N/R	0.02	
					W11-U	0.68	1.00	0.72	N/R	10.47	77.93	0.50	1.00	N/R	0.09	
					W12-L	0.68	1.00	0.82	N/R	33.36	77.93	0.50	0.15	N/R	0.05	
					W12-U	0.68	1.00	1.68	N/R	9.23	77.93	0.50	1.00	N/R	0.18	
													0.00	0.54	1.50	
First	R6	Unit 3	Residential	Bedroom	W13-L	0.68	1.00	0.25	N/R	37.05	72.61	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	15.72	72.61	0.50	1.00	N/R	0.10	
					W14-L	0.68	1.00	0.82	N/R	39.30	72.61	0.50	0.15	N/R	0.06	
					W14-U	0.68	1.00	1.68	N/R	21.56	72.61	0.50	1.00	N/R	0.45	
													0.00	0.63	1.00	
First	R7	Unit 3	Residential	LKD	W15-L	0.68	1.00	0.38	N/R	52.39	68.43	0.50	0.15	N/R	0.04	
					W15-U	0.68	1.00	0.78	N/R	48.34	68.43	0.50	1.00	N/R	0.50	
					W16-L	0.68	1.00	0.68	N/R	50.65	68.43	0.50	0.15	N/R	0.07	
					W16-U	0.68	1.00	1.41	N/R	47.45	68.43	0.50	1.00	N/R	0.88	
													0.00	1.49	1.50	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
First	R8	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	53.38	71.86	0.50	0.15	N/R	0.04	1.00
					W17-U	0.68	1.00	0.78	N/R	49.74	71.86	0.50	1.00	N/R	0.49	
					W18-L	0.68	1.00	0.68	N/R	53.12	71.86	0.50	0.15	N/R	0.07	
					W18-U	0.68	1.00	1.41	N/R	49.28	71.86	0.50	1.00	N/R	0.87	
													0.00	1.47		
First	R9	Unit 4	Residential	Bedroom	W19-L	0.68	1.00	0.38	N/R	47.27	61.83	0.50	0.15	N/R	0.04	1.00
					W19-U	0.68	1.00	0.78	N/R	45.15	61.83	0.50	1.00	N/R	0.52	
					W20-L	0.68	1.00	0.68	N/R	46.97	61.83	0.50	0.15	N/R	0.07	
					W20-U	0.68	1.00	1.41	N/R	43.09	61.83	0.50	1.00	N/R	0.89	
					W21-L	0.68	1.00	0.77	N/R	29.51	61.83	0.50	0.15	N/R	0.05	
					W21-U	0.68	1.00	1.59	N/R	14.96	61.83	0.50	1.00	N/R	0.35	
													0.00	1.92		
First	R10	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	20.23	129.00	0.50	0.15	N/R	0.02	1.50
					W22-U	0.68	1.00	1.93	N/R	6.82	129.00	0.50	1.00	N/R	0.09	
					W23-L	0.68	1.00	0.60	N/R	23.25	129.00	0.50	0.15	N/R	0.01	
					W23-U	0.68	1.00	1.24	N/R	12.63	129.00	0.50	1.00	N/R	0.11	
					W24-L	0.68	1.00	0.64	N/R	65.58	129.00	0.50	0.15	N/R	0.04	
					W24-U	0.68	1.00	1.31	N/R	62.00	129.00	0.50	1.00	N/R	0.57	
					W25-L	0.68	1.00	0.38	N/R	65.99	129.00	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	62.35	129.00	0.50	1.00	N/R	0.34	
					W26-L	0.68	1.00	0.64	N/R	65.55	129.00	0.50	0.15	N/R	0.04	
					W26-U	0.68	1.00	1.31	N/R	62.01	129.00	0.50	1.00	N/R	0.57	
					W27-L	0.68	1.00	0.38	N/R	66.16	129.00	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	62.52	129.00	0.50	1.00	N/R	0.34	
					W28-L	0.68	1.00	0.64	N/R	65.68	129.00	0.50	0.15	N/R	0.04	
					W28-U	0.68	1.00	1.31	N/R	62.10	129.00	0.50	1.00	N/R	0.57	
W29-L	0.68	1.00	0.38	N/R	66.41	129.00	0.50	0.15	N/R	0.03						
W29-U	0.68	1.00	0.78	N/R	62.75	129.00	0.50	1.00	N/R	0.35						
													0.00	3.20		
First	R11	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	65.80	161.29	0.50	0.15	N/R	0.04	1.50
					W30-U	0.68	1.00	1.31	N/R	62.21	161.29	0.50	1.00	N/R	0.46	
					W31-L	0.68	1.00	0.38	N/R	66.67	161.29	0.50	0.15	N/R	0.02	
					W31-U	0.68	1.00	0.78	N/R	62.98	161.29	0.50	1.00	N/R	0.28	
					W32-L	0.68	1.00	0.64	N/R	66.14	161.29	0.50	0.15	N/R	0.04	
					W32-U	0.68	1.00	1.31	N/R	62.45	161.29	0.50	1.00	N/R	0.46	
					W33-L	0.68	1.00	0.38	N/R	66.97	161.29	0.50	0.15	N/R	0.02	
					W33-U	0.68	1.00	0.78	N/R	63.19	161.29	0.50	1.00	N/R	0.28	
					W35-L	0.68	1.00	0.89	N/R	34.38	161.29	0.50	0.15	N/R	0.03	
					W35-U	0.68	1.00	1.83	N/R	21.97	161.29	0.50	1.00	N/R	0.23	
					W36-L	0.68	1.00	1.28	N/R	36.91	161.29	0.50	0.15	N/R	0.04	
					W36-U	0.68	1.00	2.64	N/R	22.90	161.29	0.50	1.00	N/R	0.34	
W37-L	0.68	1.00	0.92	N/R	35.90	161.29	0.50	0.15	N/R	0.03						

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W37-U	0.68	1.00	1.89	N/R	22.03	161.29	0.50	1.00	N/R	0.23	
					W34-L	0.68	1.00	1.34	N/R	18.98	161.29	0.50	0.15	N/R	0.02	
					W34-U	0.68	1.00	2.76	N/R	12.87	161.29	0.50	1.00	N/R	0.20	
														0.00	2.71	1.50
First	R12	Unit 5	Residential	Bedroom	W38-L	0.68	1.00	0.44	N/R	40.48	74.82	0.50	0.15	N/R	0.03	
					W38-U	0.68	1.00	0.90	N/R	37.94	74.82	0.50	1.00	N/R	0.41	
					W39-L	0.68	1.00	0.68	N/R	43.09	74.82	0.50	0.15	N/R	0.05	
					W39-U	0.68	1.00	1.39	N/R	39.47	74.82	0.50	1.00	N/R	0.67	
														0.00	1.16	1.00
First	R13	Unit 5	Residential	Bedroom	W40-L	0.68	1.00	0.38	N/R	34.85	74.26	0.50	0.15	N/R	0.02	
					W40-U	0.68	1.00	0.78	N/R	32.17	74.26	0.50	1.00	N/R	0.31	
					W41-L	0.68	1.00	0.68	N/R	37.42	74.26	0.50	0.15	N/R	0.05	
					W41-U	0.68	1.00	1.41	N/R	33.70	74.26	0.50	1.00	N/R	0.58	
														0.00	0.96	1.00
First	R14	Unit 6	Residential	LKD	W42-L	0.68	1.00	0.38	N/R	29.03	96.08	0.50	0.15	N/R	0.02	
					W42-U	0.68	1.00	0.78	N/R	26.37	96.08	0.50	1.00	N/R	0.20	
					W43-L	0.68	1.00	0.68	N/R	32.27	96.08	0.50	0.15	N/R	0.03	
					W43-U	0.68	1.00	1.41	N/R	28.46	96.08	0.50	1.00	N/R	0.38	
														0.00	0.62	1.50
First	R15	Unit 6	Residential	Bedroom	W44-L	0.68	1.00	0.71	N/R	0.00	44.50	0.50	0.15	N/R	0.00	
					W44-U	0.68	1.00	1.45	N/R	0.00	44.50	0.50	1.00	N/R	0.00	
					W45-L	0.68	1.00	0.33	N/R	3.48	44.50	0.50	0.15	N/R	0.00	
					W45-U	0.68	1.00	0.69	N/R	3.04	44.50	0.50	1.00	N/R	0.04	
														0.00	0.05	1.00
First	R16	Unit 6	Residential	Bedroom	W46-L	0.68	1.00	1.39	N/R	7.70	57.36	0.50	0.15	N/R	0.03	
					W46-U	0.68	1.00	2.86	N/R	4.72	57.36	0.50	1.00	N/R	0.21	
														0.00	0.24	1.00
First	R17	Unit 6	Residential	Bedroom	W47-L	0.68	1.00	1.39	N/R	14.01	67.91	0.50	0.15	N/R	0.04	
					W47-U	0.68	1.00	2.86	N/R	8.51	67.91	0.50	1.00	N/R	0.32	
														0.00	0.36	1.00
Second	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	35.54	95.27	0.50	0.15	N/R	0.09	
					W1-U	0.68	1.00	3.78	N/R	12.10	95.27	0.50	1.00	N/R	0.44	
					W2-L	0.68	1.00	1.39	N/R	34.21	95.27	0.50	0.15	N/R	0.07	
					W2-U	0.68	1.00	2.86	N/R	14.13	95.27	0.50	1.00	N/R	0.38	
														0.00	0.98	1.50
Second	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.81	N/R	26.11	56.62	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.67	N/R	14.98	56.62	0.50	1.00	N/R	0.40	
					W4-L	0.68	1.00	0.73	N/R	56.91	56.62	0.50	0.15	N/R	0.10	
					W4-U	0.68	1.00	1.50	N/R	53.19	56.62	0.50	1.00	N/R	1.28	
					W5-L	0.68	1.00	0.33	N/R	58.38	56.62	0.50	0.15	N/R	0.05	
					W5-U	0.68	1.00	0.69	N/R	54.47	56.62	0.50	1.00	N/R	0.60	
														0.00	2.48	1.00

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Second	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	54.16	61.14	0.50	0.15	N/R	0.09	1.00
					W6-U	0.68	1.00	1.50	N/R	51.32	61.14	0.50	1.00	N/R	1.14	
					W7-L	0.68	1.00	0.33	N/R	56.30	61.14	0.50	0.15	N/R	0.04	
					W7-U	0.68	1.00	0.69	N/R	52.39	61.14	0.50	1.00	N/R	0.54	
													0.00	1.81		
Second	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	41.94	59.11	0.50	0.15	N/R	0.08	1.00
					W8-U	0.68	1.00	1.68	N/R	24.32	59.11	0.50	1.00	N/R	0.63	
					W9-L	0.68	1.00	0.25	N/R	40.50	59.11	0.50	0.15	N/R	0.02	
					W9-U	0.68	1.00	0.51	N/R	18.74	59.11	0.50	1.00	N/R	0.15	
													0.00	0.87		
Second	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	35.23	77.93	0.50	0.15	N/R	0.04	1.50
					W10-U	0.68	1.00	1.41	N/R	11.48	77.93	0.50	1.00	N/R	0.19	
					W11-L	0.68	1.00	0.35	N/R	37.59	77.93	0.50	0.15	N/R	0.02	
					W11-U	0.68	1.00	0.72	N/R	12.48	77.93	0.50	1.00	N/R	0.10	
					W12-L	0.68	1.00	0.82	N/R	36.38	77.93	0.50	0.15	N/R	0.05	
					W12-U	0.68	1.00	1.68	N/R	11.47	77.93	0.50	1.00	N/R	0.22	
													0.00	0.63		
Second	R6	Unit 3	Residential	Studio-Apt	W13-L	0.68	1.00	0.25	N/R	39.58	131.00	0.50	0.15	N/R	0.01	1.50
					W13-U	0.68	1.00	0.51	N/R	17.21	131.00	0.50	1.00	N/R	0.06	
					W14-L	0.68	1.00	0.82	N/R	41.97	131.00	0.50	0.15	N/R	0.04	
					W14-U	0.68	1.00	1.68	N/R	23.11	131.00	0.50	1.00	N/R	0.27	
					W15-L	0.68	1.00	0.38	N/R	54.73	131.00	0.50	0.15	N/R	0.02	
					W15-U	0.68	1.00	0.78	N/R	50.69	131.00	0.50	1.00	N/R	0.28	
					W16-L	0.68	1.00	0.68	N/R	53.03	131.00	0.50	0.15	N/R	0.04	
W16-U	0.68	1.00	1.41	N/R	49.79	131.00	0.50	1.00	N/R	0.48						
													0.00	1.19		
Second	R7	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	55.57	71.86	0.50	0.15	N/R	0.04	1.00
					W17-U	0.68	1.00	0.78	N/R	52.07	71.86	0.50	1.00	N/R	0.52	
					W18-L	0.68	1.00	0.68	N/R	55.44	71.86	0.50	0.15	N/R	0.07	
					W18-U	0.68	1.00	1.41	N/R	51.62	71.86	0.50	1.00	N/R	0.92	
													0.00	1.54		
Second	R8	Unit 4	Residential	Bedroom	W19-L	0.68	1.00	0.38	N/R	49.54	61.83	0.50	0.15	N/R	0.04	1.00
					W19-U	0.68	1.00	0.78	N/R	47.16	61.83	0.50	1.00	N/R	0.54	
					W20-L	0.68	1.00	0.68	N/R	49.27	61.83	0.50	0.15	N/R	0.07	
					W20-U	0.68	1.00	1.41	N/R	45.18	61.83	0.50	1.00	N/R	0.93	
					W21-L	0.68	1.00	0.77	N/R	31.18	61.83	0.50	0.15	N/R	0.05	
					W21-U	0.68	1.00	1.59	N/R	16.15	61.83	0.50	1.00	N/R	0.38	
													0.00	2.02		
Second	R9	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	21.59	116.50	0.50	0.15	N/R	0.02	1.00
					W22-U	0.68	1.00	1.93	N/R	7.77	116.50	0.50	1.00	N/R	0.12	
					W23-L	0.68	1.00	0.60	N/R	24.52	116.50	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.24	N/R	13.27	116.50	0.50	1.00	N/R	0.13	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W24-L	0.68	1.00	0.64	N/R	69.15	116.50	0.50	0.15	N/R	0.05	
					W24-U	0.68	1.00	1.31	N/R	64.36	116.50	0.50	1.00	N/R	0.66	
					W25-L	0.68	1.00	0.38	N/R	69.62	116.50	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	64.82	116.50	0.50	1.00	N/R	0.40	
					W26-L	0.68	1.00	0.64	N/R	69.14	116.50	0.50	0.15	N/R	0.05	
					W26-U	0.68	1.00	1.31	N/R	64.46	116.50	0.50	1.00	N/R	0.66	
					W27-L	0.68	1.00	0.38	N/R	69.78	116.50	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	65.06	116.50	0.50	1.00	N/R	0.40	
					W28-L	0.68	1.00	0.64	N/R	69.28	116.50	0.50	0.15	N/R	0.05	
					W28-U	0.68	1.00	1.31	N/R	64.56	116.50	0.50	1.00	N/R	0.66	
					W29-L	0.68	1.00	0.38	N/R	70.06	116.50	0.50	0.15	N/R	0.03	
					W29-U	0.68	1.00	0.78	N/R	65.26	116.50	0.50	1.00	N/R	0.40	
														0.00	3.70	1.50
Second	R10	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	69.41	109.03	0.50	0.15	N/R	0.06	
					W30-U	0.68	1.00	1.31	N/R	64.65	109.03	0.50	1.00	N/R	0.71	
					W31-L	0.68	1.00	0.38	N/R	70.31	109.03	0.50	0.15	N/R	0.03	
					W31-U	0.68	1.00	0.78	N/R	65.48	109.03	0.50	1.00	N/R	0.43	
					W32-L	0.68	1.00	0.64	N/R	69.68	109.03	0.50	0.15	N/R	0.06	
					W32-U	0.68	1.00	1.31	N/R	64.88	109.03	0.50	1.00	N/R	0.71	
					W33-L	0.68	1.00	0.38	N/R	70.51	109.03	0.50	0.15	N/R	0.03	
					W33-U	0.68	1.00	0.78	N/R	65.65	109.03	0.50	1.00	N/R	0.43	
					W35-L	0.68	1.00	0.92	N/R	35.52	109.03	0.50	0.15	N/R	0.04	
					W35-U	0.68	1.00	1.90	N/R	22.72	109.03	0.50	1.00	N/R	0.36	
					W34-L	0.68	1.00	1.56	N/R	22.33	109.03	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	3.20	N/R	15.29	109.03	0.50	1.00	N/R	0.41	
														0.00	3.30	1.50
Second	R11	Unit 5	Residential	Bedroom	W36-L	0.68	1.00	1.19	N/R	37.26	45.72	0.50	0.15	N/R	0.13	
					W36-U	0.68	1.00	2.44	N/R	23.40	45.72	0.50	1.00	N/R	1.13	
														0.00	1.27	1.00
Second	R12	Unit 5	Residential	Bedroom	W37-L	0.68	1.00	0.38	N/R	42.13	65.25	0.50	0.15	N/R	0.03	
					W37-U	0.68	1.00	0.78	N/R	39.18	65.25	0.50	1.00	N/R	0.43	
					W38-L	0.68	1.00	0.68	N/R	44.26	65.25	0.50	0.15	N/R	0.06	
					W38-U	0.68	1.00	1.41	N/R	40.35	65.25	0.50	1.00	N/R	0.79	
														0.00	1.31	1.00
Second	R13	Unit 5	Residential	Bedroom	W39-L	0.68	1.00	0.38	N/R	35.64	72.64	0.50	0.15	N/R	0.03	
					W39-U	0.68	1.00	0.78	N/R	32.82	72.64	0.50	1.00	N/R	0.32	
					W40-L	0.68	1.00	0.68	N/R	38.31	72.64	0.50	0.15	N/R	0.05	
					W40-U	0.68	1.00	1.41	N/R	34.41	72.64	0.50	1.00	N/R	0.60	
														0.00	1.00	1.00
Second	R14	Unit 6	Residential	LKD	W41-L	0.68	1.00	0.38	N/R	29.74	96.15	0.50	0.15	N/R	0.02	
					W41-U	0.68	1.00	0.78	N/R	26.99	96.15	0.50	1.00	N/R	0.20	
					W42-L	0.68	1.00	0.68	N/R	33.02	96.15	0.50	0.15	N/R	0.03	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W42-U	0.68	1.00	1.41	N/R	29.15	96.15	0.50	1.00	N/R	0.39	
														0.00	0.63	1.50
Second	R15	Unit 6	Residential	Bedroom	W43-L	0.68	1.00	0.71	N/R	0.00	44.50	0.50	0.15	N/R	0.00	
					W43-U	0.68	1.00	1.45	N/R	0.00	44.50	0.50	1.00	N/R	0.00	
					W44-L	0.68	1.00	0.33	N/R	3.95	44.50	0.50	0.15	N/R	0.00	
					W44-U	0.68	1.00	0.69	N/R	4.65	44.50	0.50	1.00	N/R	0.07	
														0.00	0.07	1.00
Second	R16	Unit 6	Residential	Bedroom	W45-L	0.68	1.00	1.39	N/R	8.71	57.36	0.50	0.15	N/R	0.03	
					W45-U	0.68	1.00	2.86	N/R	5.74	57.36	0.50	1.00	N/R	0.26	
														0.00	0.29	1.00
Second	R18	Unit 6	Residential	Bedroom	W46-L	0.68	1.00	1.39	N/R	13.84	62.85	0.50	0.15	N/R	0.04	
					W46-U	0.68	1.00	2.86	N/R	8.48	62.85	0.50	1.00	N/R	0.35	
														0.00	0.39	1.00
Third	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	38.32	95.29	0.50	0.15	N/R	0.10	
					W1-U	0.68	1.00	3.78	N/R	15.07	95.29	0.50	1.00	N/R	0.54	
					W2-L	0.68	1.00	1.39	N/R	36.58	95.29	0.50	0.15	N/R	0.07	
					W2-U	0.68	1.00	2.86	N/R	17.03	95.29	0.50	1.00	N/R	0.46	
														0.00	1.18	1.50
Third	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.81	N/R	27.47	56.62	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.67	N/R	17.02	56.62	0.50	1.00	N/R	0.46	
					W4-L	0.68	1.00	0.73	N/R	59.58	56.62	0.50	0.15	N/R	0.10	
					W4-U	0.68	1.00	1.50	N/R	55.87	56.62	0.50	1.00	N/R	1.34	
					W5-L	0.68	1.00	0.33	N/R	61.16	56.62	0.50	0.15	N/R	0.05	
					W5-U	0.68	1.00	0.69	N/R	57.19	56.62	0.50	1.00	N/R	0.63	
														0.00	2.64	1.00
Third	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	56.71	61.14	0.50	0.15	N/R	0.09	
					W6-U	0.68	1.00	1.50	N/R	53.81	61.14	0.50	1.00	N/R	1.20	
					W7-L	0.68	1.00	0.33	N/R	58.98	61.14	0.50	0.15	N/R	0.04	
					W7-U	0.68	1.00	0.69	N/R	54.98	61.14	0.50	1.00	N/R	0.56	
														0.00	1.90	1.00
Third	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	44.59	59.11	0.50	0.15	N/R	0.08	
					W8-U	0.68	1.00	1.68	N/R	25.69	59.11	0.50	1.00	N/R	0.66	
					W9-L	0.68	1.00	0.25	N/R	43.28	59.11	0.50	0.15	N/R	0.02	
					W9-U	0.68	1.00	0.51	N/R	20.54	59.11	0.50	1.00	N/R	0.16	
														0.00	0.93	1.00
Third	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	37.91	77.93	0.50	0.15	N/R	0.05	
					W10-U	0.68	1.00	1.41	N/R	13.05	77.93	0.50	1.00	N/R	0.21	
					W11-L	0.68	1.00	0.35	N/R	40.50	77.93	0.50	0.15	N/R	0.02	
					W11-U	0.68	1.00	0.72	N/R	14.69	77.93	0.50	1.00	N/R	0.12	
					W12-L	0.68	1.00	0.82	N/R	39.27	77.93	0.50	0.15	N/R	0.06	
					W12-U	0.68	1.00	1.68	N/R	13.80	77.93	0.50	1.00	N/R	0.27	
														0.00	0.73	1.50

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Third	R6	Unit 3	Residential	Studio-Apt	W13-L	0.68	1.00	0.25	N/R	42.11	131.00	0.50	0.15	N/R	0.01	1.50
					W13-U	0.68	1.00	0.51	N/R	18.55	131.00	0.50	1.00	N/R	0.07	
					W14-L	0.68	1.00	0.82	N/R	44.60	131.00	0.50	0.15	N/R	0.04	
					W14-U	0.68	1.00	1.68	N/R	24.69	131.00	0.50	1.00	N/R	0.29	
					W15-L	0.68	1.00	0.38	N/R	57.16	131.00	0.50	0.15	N/R	0.02	
					W15-U	0.68	1.00	0.78	N/R	53.15	131.00	0.50	1.00	N/R	0.29	
					W16-L	0.68	1.00	0.68	N/R	55.48	131.00	0.50	0.15	N/R	0.04	
					W16-U	0.68	1.00	1.41	N/R	52.25	131.00	0.50	1.00	N/R	0.51	
													0.00	1.26		
Third	R7	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	57.87	71.86	0.50	0.15	N/R	0.04	1.00
					W17-U	0.68	1.00	0.78	N/R	54.48	71.86	0.50	1.00	N/R	0.54	
					W18-L	0.68	1.00	0.68	N/R	57.83	71.86	0.50	0.15	N/R	0.07	
					W18-U	0.68	1.00	1.41	N/R	54.02	71.86	0.50	1.00	N/R	0.96	
													0.00	1.61		
Third	R8	Unit 4	Residential	Bedroom	W19-L	0.68	1.00	0.38	N/R	51.90	61.83	0.50	0.15	N/R	0.04	1.00
					W19-U	0.68	1.00	0.78	N/R	49.24	61.83	0.50	1.00	N/R	0.57	
					W20-L	0.68	1.00	0.68	N/R	51.62	61.83	0.50	0.15	N/R	0.08	
					W20-U	0.68	1.00	1.41	N/R	47.26	61.83	0.50	1.00	N/R	0.97	
					W21-L	0.68	1.00	0.77	N/R	32.09	61.83	0.50	0.15	N/R	0.05	
					W21-U	0.68	1.00	1.59	N/R	16.85	61.83	0.50	1.00	N/R	0.39	
													0.00	2.11		
Third	R9	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	22.90	116.48	0.50	0.15	N/R	0.03	1.50
					W22-U	0.68	1.00	1.93	N/R	8.55	116.48	0.50	1.00	N/R	0.13	
					W23-L	0.68	1.00	0.60	N/R	25.92	116.48	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.24	N/R	13.92	116.48	0.50	1.00	N/R	0.13	
					W24-L	0.68	1.00	0.64	N/R	70.49	116.48	0.50	0.15	N/R	0.05	
					W24-U	0.68	1.00	1.31	N/R	65.46	116.48	0.50	1.00	N/R	0.67	
					W25-L	0.68	1.00	0.38	N/R	71.13	116.48	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	66.06	116.48	0.50	1.00	N/R	0.40	
					W26-L	0.68	1.00	0.64	N/R	70.62	116.48	0.50	0.15	N/R	0.05	
					W26-U	0.68	1.00	1.31	N/R	65.58	116.48	0.50	1.00	N/R	0.67	
					W27-L	0.68	1.00	0.38	N/R	71.38	116.48	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	66.30	116.48	0.50	1.00	N/R	0.40	
					W28-L	0.68	1.00	0.64	N/R	70.73	116.48	0.50	0.15	N/R	0.05	
					W28-U	0.68	1.00	1.31	N/R	65.69	116.48	0.50	1.00	N/R	0.67	
W29-L	0.68	1.00	0.38	N/R	71.60	116.48	0.50	0.15	N/R	0.03						
W29-U	0.68	1.00	0.78	N/R	66.50	116.48	0.50	1.00	N/R	0.41						
													0.00	3.79		
Third	R10	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	70.84	109.03	0.50	0.15	N/R	0.06	1.50
					W30-U	0.68	1.00	1.31	N/R	65.80	109.03	0.50	1.00	N/R	0.72	
					W31-L	0.68	1.00	0.38	N/R	71.84	109.03	0.50	0.15	N/R	0.03	
					W31-U	0.68	1.00	0.78	N/R	66.74	109.03	0.50	1.00	N/R	0.44	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W32-L	0.68	1.00	0.64	N/R	71.11	109.03	0.50	0.15	N/R	0.06	
					W32-U	0.68	1.00	1.31	N/R	66.05	109.03	0.50	1.00	N/R	0.72	
					W33-L	0.68	1.00	0.38	N/R	72.02	109.03	0.50	0.15	N/R	0.03	
					W33-U	0.68	1.00	0.78	N/R	66.92	109.03	0.50	1.00	N/R	0.44	
					W35-L	0.68	1.00	0.92	N/R	35.93	109.03	0.50	0.15	N/R	0.04	
					W35-U	0.68	1.00	1.90	N/R	23.09	109.03	0.50	1.00	N/R	0.36	
					W34-L	0.68	1.00	1.56	N/R	22.53	109.03	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	3.20	N/R	15.55	109.03	0.50	1.00	N/R	0.41	
														0.00	3.36	1.50
Third	R11	Unit 5	Residential	Bedroom	W36-L	0.68	1.00	1.19	N/R	37.78	45.72	0.50	0.15	N/R	0.13	
					W36-U	0.68	1.00	2.44	N/R	23.96	45.72	0.50	1.00	N/R	1.16	
														0.00	1.29	1.00
Third	R12	Unit 5	Residential	Bedroom	W37-L	0.68	1.00	0.38	N/R	42.84	65.25	0.50	0.15	N/R	0.03	
					W37-U	0.68	1.00	0.78	N/R	39.45	65.25	0.50	1.00	N/R	0.43	
					W38-L	0.68	1.00	0.68	N/R	44.95	65.25	0.50	0.15	N/R	0.06	
					W38-U	0.68	1.00	1.41	N/R	40.70	65.25	0.50	1.00	N/R	0.79	
														0.00	1.32	1.00
Third	R13	Unit 5	Residential	Bedroom	W39-L	0.68	1.00	0.38	N/R	36.32	72.64	0.50	0.15	N/R	0.03	
					W39-U	0.68	1.00	0.78	N/R	33.05	72.64	0.50	1.00	N/R	0.32	
					W40-L	0.68	1.00	0.68	N/R	38.94	72.64	0.50	0.15	N/R	0.05	
					W40-U	0.68	1.00	1.41	N/R	34.73	72.64	0.50	1.00	N/R	0.61	
														0.00	1.01	1.00
Third	R14	Unit 6	Residential	LKD	W41-L	0.68	1.00	0.38	N/R	30.37	96.15	0.50	0.15	N/R	0.02	
					W41-U	0.68	1.00	0.78	N/R	27.18	96.15	0.50	1.00	N/R	0.20	
					W42-L	0.68	1.00	0.68	N/R	33.60	96.15	0.50	0.15	N/R	0.03	
					W42-U	0.68	1.00	1.41	N/R	29.42	96.15	0.50	1.00	N/R	0.39	
														0.00	0.64	1.50
Third	R15	Unit 6	Residential	Bedroom	W43-L	0.68	1.00	0.71	N/R	0.00	44.50	0.50	0.15	N/R	0.00	
					W43-U	0.68	1.00	1.45	N/R	0.00	44.50	0.50	1.00	N/R	0.00	
					W44-L	0.68	1.00	0.33	N/R	3.53	44.50	0.50	0.15	N/R	0.00	
					W44-U	0.68	1.00	0.69	N/R	4.28	44.50	0.50	1.00	N/R	0.06	
														0.00	0.06	1.00
Third	R16	Unit 6	Residential	Bedroom	W45-L	0.68	1.00	1.39	N/R	8.76	57.36	0.50	0.15	N/R	0.03	
					W45-U	0.68	1.00	2.86	N/R	6.39	57.36	0.50	1.00	N/R	0.29	
														0.00	0.32	1.00
Third	R17	Unit 6	Residential	Bedroom	W46-L	0.68	1.00	1.39	N/R	14.03	62.85	0.50	0.15	N/R	0.04	
					W46-U	0.68	1.00	2.86	N/R	9.08	62.85	0.50	1.00	N/R	0.37	
														0.00	0.42	1.00
Fourth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	40.99	95.29	0.50	0.15	N/R	0.11	
					W1-U	0.68	1.00	3.78	N/R	18.60	95.29	0.50	1.00	N/R	0.67	
					W2-L	0.68	1.00	1.39	N/R	38.80	95.29	0.50	0.15	N/R	0.08	
					W2-U	0.68	1.00	2.86	N/R	20.14	95.29	0.50	1.00	N/R	0.55	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
														0.00	1.40	1.50
Fourth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.81	N/R	28.57	56.62	0.50	0.15	N/R	0.06	1.00
					W3-U	0.68	1.00	1.67	N/R	18.58	56.62	0.50	1.00	N/R	0.50	
					W4-L	0.68	1.00	0.73	N/R	62.30	56.62	0.50	0.15	N/R	0.11	
					W4-U	0.68	1.00	1.50	N/R	58.58	56.62	0.50	1.00	N/R	1.41	
					W5-L	0.68	1.00	0.33	N/R	63.92	56.62	0.50	0.15	N/R	0.05	
					W5-U	0.68	1.00	0.69	N/R	59.89	56.62	0.50	1.00	N/R	0.66	
													0.00	2.78		
Fourth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	59.38	61.14	0.50	0.15	N/R	0.10	1.00
					W6-U	0.68	1.00	1.50	N/R	56.52	61.14	0.50	1.00	N/R	1.26	
					W7-L	0.68	1.00	0.33	N/R	61.72	61.14	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	57.77	61.14	0.50	1.00	N/R	0.59	
													0.00	1.99		
Fourth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	47.23	59.11	0.50	0.15	N/R	0.09	1.00
					W8-U	0.68	1.00	1.68	N/R	27.53	59.11	0.50	1.00	N/R	0.71	
					W9-L	0.68	1.00	0.25	N/R	45.97	59.11	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	22.63	59.11	0.50	1.00	N/R	0.18	
													0.00	1.00		
Fourth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	40.55	77.93	0.50	0.15	N/R	0.05	1.50
					W10-U	0.68	1.00	1.41	N/R	15.42	77.93	0.50	1.00	N/R	0.25	
					W11-L	0.68	1.00	0.35	N/R	43.33	77.93	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	17.45	77.93	0.50	1.00	N/R	0.15	
					W12-L	0.68	1.00	0.82	N/R	42.06	77.93	0.50	0.15	N/R	0.06	
					W12-U	0.68	1.00	1.68	N/R	16.71	77.93	0.50	1.00	N/R	0.33	
													0.00	0.86		
Fourth	R6	Unit 3	Residential	LKD	W13-L	0.68	1.00	0.25	N/R	44.62	84.35	0.50	0.15	N/R	0.02	1.50
					W13-U	0.68	1.00	0.51	N/R	20.43	84.35	0.50	1.00	N/R	0.11	
					W14-L	0.68	1.00	0.82	N/R	47.19	84.35	0.50	0.15	N/R	0.06	
					W14-U	0.68	1.00	1.68	N/R	26.66	84.35	0.50	1.00	N/R	0.48	
													0.00	0.67		
Fourth	R7	Unit 3	Residential	Bedroom	W15-L	0.68	1.00	0.38	N/R	59.75	68.36	0.50	0.15	N/R	0.05	1.00
					W15-U	0.68	1.00	0.78	N/R	55.84	68.36	0.50	1.00	N/R	0.58	
					W16-L	0.68	1.00	0.68	N/R	58.04	68.36	0.50	0.15	N/R	0.08	
					W16-U	0.68	1.00	1.41	N/R	54.95	68.36	0.50	1.00	N/R	1.02	
													0.00	1.73		
Fourth	R8	Unit 4	Residential	LKD	W17-L	0.68	1.00	0.38	N/R	60.31	135.58	0.50	0.15	N/R	0.02	1.00
					W17-U	0.68	1.00	0.78	N/R	57.06	135.58	0.50	1.00	N/R	0.30	
					W18-L	0.68	1.00	0.68	N/R	60.30	135.58	0.50	0.15	N/R	0.04	
					W18-U	0.68	1.00	1.41	N/R	56.51	135.58	0.50	1.00	N/R	0.53	
					W19-L	0.68	1.00	0.38	N/R	54.45	135.58	0.50	0.15	N/R	0.02	
					W19-U	0.68	1.00	0.78	N/R	51.83	135.58	0.50	1.00	N/R	0.27	
					W20-L	0.68	1.00	0.68	N/R	54.10	135.58	0.50	0.15	N/R	0.04	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W20-U	0.68	1.00	1.41	N/R	49.72	135.58	0.50	1.00	N/R	0.47	
					W21-L	0.68	1.00	0.77	N/R	33.19	135.58	0.50	0.15	N/R	0.03	
					W21-U	0.68	1.00	1.59	N/R	17.65	135.58	0.50	1.00	N/R	0.19	
					W22-L	0.68	1.00	0.94	N/R	24.48	135.58	0.50	0.15	N/R	0.02	
					W22-U	0.68	1.00	1.93	N/R	9.43	135.58	0.50	1.00	N/R	0.12	
					W23-L	0.68	1.00	0.60	N/R	27.73	135.58	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.24	N/R	14.56	135.58	0.50	1.00	N/R	0.12	
					W24-L	0.68	1.00	0.64	N/R	69.90	135.58	0.50	0.15	N/R	0.04	
					W24-U	0.68	1.00	1.31	N/R	63.90	135.58	0.50	1.00	N/R	0.56	
					W25-L	0.68	1.00	0.38	N/R	69.73	135.58	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	63.93	135.58	0.50	1.00	N/R	0.34	
														0.00	3.16	1.50
Fourth	R9	Unit 4	Residential	Bedroom	W26-L	0.68	1.00	0.64	N/R	71.75	92.30	0.50	0.15	N/R	0.07	
					W26-U	0.68	1.00	1.31	N/R	66.63	92.30	0.50	1.00	N/R	0.86	
					W27-L	0.68	1.00	0.38	N/R	72.67	92.30	0.50	0.15	N/R	0.04	
					W27-U	0.68	1.00	0.78	N/R	67.49	92.30	0.50	1.00	N/R	0.52	
					W28-L	0.68	1.00	0.64	N/R	71.87	92.30	0.50	0.15	N/R	0.07	
					W28-U	0.68	1.00	1.31	N/R	66.74	92.30	0.50	1.00	N/R	0.86	
					W29-L	0.68	1.00	0.38	N/R	72.88	92.30	0.50	0.15	N/R	0.04	
					W29-U	0.68	1.00	0.78	N/R	67.69	92.30	0.50	1.00	N/R	0.52	
														0.00	2.98	1.00
Fourth	R10	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	71.99	127.09	0.50	0.15	N/R	0.05	
					W30-U	0.68	1.00	1.31	N/R	66.86	127.09	0.50	1.00	N/R	0.63	
					W31-L	0.68	1.00	0.38	N/R	73.12	127.09	0.50	0.15	N/R	0.03	
					W31-U	0.68	1.00	0.78	N/R	67.91	127.09	0.50	1.00	N/R	0.38	
					W32-L	0.68	1.00	0.64	N/R	72.28	127.09	0.50	0.15	N/R	0.05	
					W32-U	0.68	1.00	1.31	N/R	67.11	127.09	0.50	1.00	N/R	0.63	
					W33-L	0.68	1.00	0.38	N/R	73.32	127.09	0.50	0.15	N/R	0.03	
					W33-U	0.68	1.00	0.78	N/R	68.09	127.09	0.50	1.00	N/R	0.38	
					W34-L	0.68	1.00	1.34	N/R	19.54	127.09	0.50	0.15	N/R	0.03	
					W34-U	0.68	1.00	2.76	N/R	13.59	127.09	0.50	1.00	N/R	0.27	
					W35-L	0.68	1.00	1.12	N/R	35.86	127.09	0.50	0.15	N/R	0.04	
					W35-U	0.68	1.00	2.31	N/R	23.32	127.09	0.50	1.00	N/R	0.38	
														0.00	2.90	1.50
Fourth	R11	Unit 5	Residential	Bedroom	W36-L	0.68	1.00	1.19	N/R	37.89	45.72	0.50	0.15	N/R	0.13	
					W36-U	0.68	1.00	2.44	N/R	24.08	45.72	0.50	1.00	N/R	1.17	
														0.00	1.30	1.00
Fourth	R12	Unit 5	Residential	Bedroom	W37-L	0.68	1.00	0.44	N/R	42.70	65.37	0.50	0.15	N/R	0.04	
					W37-U	0.68	1.00	0.90	N/R	38.96	65.37	0.50	1.00	N/R	0.48	
					W38-L	0.68	1.00	0.68	N/R	45.66	65.37	0.50	0.15	N/R	0.06	
					W38-U	0.68	1.00	1.41	N/R	41.04	65.37	0.50	1.00	N/R	0.80	
														0.00	1.39	1.00

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Fourth	R13	Unit 5	Residential	Bedroom	W39-L	0.68	1.00	0.38	N/R	37.11	72.64	0.50	0.15	N/R	0.03	1.00
					W39-U	0.68	1.00	0.78	N/R	33.28	72.64	0.50	1.00	N/R	0.33	
					W40-L	0.68	1.00	0.68	N/R	39.70	72.64	0.50	0.15	N/R	0.05	
					W40-U	0.68	1.00	1.41	N/R	35.02	72.64	0.50	1.00	N/R	0.61	
														0.00	1.02	
Fourth	R14	Unit 6	Residential	LKD	W41-L	0.68	1.00	0.38	N/R	31.27	96.10	0.50	0.15	N/R	0.02	1.50
					W41-U	0.68	1.00	0.78	N/R	27.38	96.10	0.50	1.00	N/R	0.20	
					W42-L	0.68	1.00	0.68	N/R	34.40	96.10	0.50	0.15	N/R	0.03	
					W42-U	0.68	1.00	1.41	N/R	29.69	96.10	0.50	1.00	N/R	0.39	
														0.00	0.65	
Fourth	R15	Unit 6	Residential	Bedroom	W43-L	0.68	1.00	0.71	N/R	0.00	44.50	0.50	0.15	N/R	0.00	1.00
					W43-U	0.68	1.00	1.45	N/R	0.00	44.50	0.50	1.00	N/R	0.00	
					W44-L	0.68	1.00	0.33	N/R	3.98	44.50	0.50	0.15	N/R	0.00	
					W44-U	0.68	1.00	0.69	N/R	3.84	44.50	0.50	1.00	N/R	0.05	
														0.00	0.06	
Fourth	R16	Unit 6	Residential	Bedroom	W45-L	0.68	1.00	1.39	N/R	8.29	57.36	0.50	0.15	N/R	0.03	1.00
					W45-U	0.68	1.00	2.86	N/R	5.96	57.36	0.50	1.00	N/R	0.27	
														0.00	0.30	
Fourth	R17	Unit 6	Residential	Bedroom	W46-L	0.68	1.00	1.39	N/R	14.82	67.91	0.50	0.15	N/R	0.04	1.00
					W46-U	0.68	1.00	2.86	N/R	9.63	67.91	0.50	1.00	N/R	0.37	
														0.00	0.41	
Fifth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	43.53	95.29	0.50	0.15	N/R	0.11	1.50
					W1-U	0.68	1.00	3.78	N/R	21.98	95.29	0.50	1.00	N/R	0.79	
					W2-L	0.68	1.00	1.39	N/R	40.84	95.29	0.50	0.15	N/R	0.08	
					W2-U	0.68	1.00	2.86	N/R	22.95	95.29	0.50	1.00	N/R	0.62	
														0.00	1.61	
Fifth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.81	N/R	29.49	56.62	0.50	0.15	N/R	0.06	1.00
					W3-U	0.68	1.00	1.67	N/R	19.48	56.62	0.50	1.00	N/R	0.52	
					W4-L	0.68	1.00	0.73	N/R	65.04	56.62	0.50	0.15	N/R	0.11	
					W4-U	0.68	1.00	1.50	N/R	61.01	56.62	0.50	1.00	N/R	1.47	
					W5-L	0.68	1.00	0.33	N/R	66.67	56.62	0.50	0.15	N/R	0.05	
					W5-U	0.68	1.00	0.69	N/R	62.36	56.62	0.50	1.00	N/R	0.69	
														0.00	2.90	
Fifth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	62.28	61.14	0.50	0.15	N/R	0.10	1.00
					W6-U	0.68	1.00	1.50	N/R	58.98	61.14	0.50	1.00	N/R	1.31	
					W7-L	0.68	1.00	0.33	N/R	64.70	61.14	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	60.60	61.14	0.50	1.00	N/R	0.62	
														0.00	2.08	
Fifth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	52.63	59.11	0.50	0.15	N/R	0.10	1.00
					W8-U	0.68	1.00	1.68	N/R	36.92	59.11	0.50	1.00	N/R	0.95	
					W9-L	0.68	1.00	0.25	N/R	51.72	59.11	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	33.62	59.11	0.50	1.00	N/R	0.26	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
														0.00	1.34	1.00
Fifth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	46.57	77.93	0.50	0.15	N/R	0.06	1.50
					W10-U	0.68	1.00	1.41	N/R	27.40	77.93	0.50	1.00	N/R	0.45	
					W11-L	0.68	1.00	0.35	N/R	49.83	77.93	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	29.52	77.93	0.50	1.00	N/R	0.25	
					W12-L	0.68	1.00	0.82	N/R	48.28	77.93	0.50	0.15	N/R	0.07	
					W12-U	0.68	1.00	1.68	N/R	28.86	77.93	0.50	1.00	N/R	0.56	
														0.00	1.41	1.50
Fifth	R6	Unit 3	Residential	LKD	W13-L	0.68	1.00	0.25	N/R	50.24	84.35	0.50	0.15	N/R	0.02	1.50
					W13-U	0.68	1.00	0.51	N/R	31.84	84.35	0.50	1.00	N/R	0.17	
					W14-L	0.68	1.00	0.82	N/R	52.54	84.35	0.50	0.15	N/R	0.07	
					W14-U	0.68	1.00	1.68	N/R	36.63	84.35	0.50	1.00	N/R	0.66	
														0.00	0.93	1.50
Fifth	R7	Unit 3	Residential	Bedroom	W15-L	0.68	1.00	0.38	N/R	62.58	68.36	0.50	0.15	N/R	0.05	1.00
					W15-U	0.68	1.00	0.78	N/R	58.66	68.36	0.50	1.00	N/R	0.61	
					W16-L	0.68	1.00	0.68	N/R	60.82	68.36	0.50	0.15	N/R	0.08	
					W16-U	0.68	1.00	1.41	N/R	57.55	68.36	0.50	1.00	N/R	1.07	
														0.00	1.81	1.00
Fifth	R8	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	62.75	75.07	0.50	0.15	N/R	0.04	1.00
					W17-U	0.68	1.00	0.78	N/R	59.33	75.07	0.50	1.00	N/R	0.56	
					W18-L	0.68	1.00	0.68	N/R	62.77	75.07	0.50	0.15	N/R	0.08	
					W18-U	0.68	1.00	1.41	N/R	58.85	75.07	0.50	1.00	N/R	1.00	
					W19-L	0.68	1.00	0.38	N/R	57.59	75.07	0.50	0.15	N/R	0.04	
					W19-U	0.68	1.00	0.78	N/R	54.06	75.07	0.50	1.00	N/R	0.51	
					W20-L	0.68	1.00	0.68	N/R	57.28	75.07	0.50	0.15	N/R	0.07	
					W20-U	0.68	1.00	1.41	N/R	52.19	75.07	0.50	1.00	N/R	0.89	
					W21-L	0.68	1.00	0.77	N/R	34.96	75.07	0.50	0.15	N/R	0.05	
					W21-U	0.68	1.00	1.59	N/R	19.74	75.07	0.50	1.00	N/R	0.38	
														0.00	3.62	1.00
Fifth	R9	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	28.35	113.11	0.50	0.15	N/R	0.03	1.50
					W22-U	0.68	1.00	1.93	N/R	12.96	113.11	0.50	1.00	N/R	0.20	
					W23-L	0.68	1.00	0.60	N/R	31.98	113.11	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.24	N/R	17.48	113.11	0.50	1.00	N/R	0.17	
					W24-L	0.68	1.00	0.64	N/R	72.63	113.11	0.50	0.15	N/R	0.06	
					W24-U	0.68	1.00	1.31	N/R	67.36	113.11	0.50	1.00	N/R	0.71	
					W25-L	0.68	1.00	0.38	N/R	73.61	113.11	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	68.29	113.11	0.50	1.00	N/R	0.43	
					W26-L	0.68	1.00	0.64	N/R	72.76	113.11	0.50	0.15	N/R	0.06	
					W26-U	0.68	1.00	1.31	N/R	67.48	113.11	0.50	1.00	N/R	0.71	
					W27-L	0.68	1.00	0.38	N/R	73.85	113.11	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	68.50	113.11	0.50	1.00	N/R	0.43	
														0.00	2.89	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Fifth	R10	Unit 5	Residential	LKD	W28-L	0.68	1.00	0.64	N/R	72.89	94.95	0.50	0.15	N/R	0.07	1.50
					W28-U	0.68	1.00	1.31	N/R	67.60	94.95	0.50	1.00	N/R	0.85	
					W29-L	0.68	1.00	0.38	N/R	74.06	94.95	0.50	0.15	N/R	0.04	
					W29-U	0.68	1.00	0.78	N/R	68.69	94.95	0.50	1.00	N/R	0.51	
					W30-L	0.68	1.00	0.64	N/R	73.00	94.95	0.50	0.15	N/R	0.07	
					W30-U	0.68	1.00	1.31	N/R	67.70	94.95	0.50	1.00	N/R	0.85	
					W31-L	0.68	1.00	0.38	N/R	74.29	94.95	0.50	0.15	N/R	0.04	
					W31-U	0.68	1.00	0.78	N/R	68.89	94.95	0.50	1.00	N/R	0.52	
													0.00	2.94		
Fifth	R11	Unit 5	Residential	Bedroom	W32-L	0.68	1.00	0.64	N/R	73.30	68.20	0.50	0.15	N/R	0.09	1.00
					W32-U	0.68	1.00	1.31	N/R	67.95	68.20	0.50	1.00	N/R	1.19	
					W33-L	0.68	1.00	0.38	N/R	74.47	68.20	0.50	0.15	N/R	0.06	
					W33-U	0.68	1.00	0.78	N/R	69.06	68.20	0.50	1.00	N/R	0.72	
					W34-L	0.68	1.00	0.38	N/R	57.68	68.20	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	0.78	N/R	53.16	68.20	0.50	1.00	N/R	0.55	
					W35-L	0.68	1.00	0.82	N/R	59.39	68.20	0.50	0.15	N/R	0.10	
					W35-U	0.68	1.00	1.68	N/R	54.27	68.20	0.50	1.00	N/R	1.22	
													0.00	3.97		
Fifth	R12	Unit 6	Residential	LKD	W36-L	0.68	1.00	0.38	N/R	51.61	105.07	0.50	0.15	N/R	0.03	1.50
					W36-U	0.68	1.00	0.78	N/R	47.41	105.07	0.50	1.00	N/R	0.32	
					W37-L	0.68	1.00	0.68	N/R	52.87	105.07	0.50	0.15	N/R	0.05	
					W37-U	0.68	1.00	1.41	N/R	48.18	105.07	0.50	1.00	N/R	0.58	
					W38-L	0.68	1.00	0.68	N/R	43.93	105.07	0.50	0.15	N/R	0.04	
					W38-U	0.68	1.00	1.41	N/R	39.81	105.07	0.50	1.00	N/R	0.48	
					W39-L	0.68	1.00	0.38	N/R	47.54	105.07	0.50	0.15	N/R	0.02	
					W39-U	0.68	1.00	0.78	N/R	42.82	105.07	0.50	1.00	N/R	0.29	
													0.00	1.81		
Fifth	R13	Unit 6	Residential	Bedroom	W40-L	0.68	1.00	0.52	N/R	4.16	60.37	0.50	0.15	N/R	0.00	1.00
					W40-U	0.68	1.00	1.07	N/R	3.43	60.37	0.50	1.00	N/R	0.06	
					W41-L	0.68	1.00	0.38	N/R	18.56	60.37	0.50	0.15	N/R	0.02	
					W41-U	0.68	1.00	0.78	N/R	12.70	60.37	0.50	1.00	N/R	0.15	
													0.00	0.23		
Fifth	R14	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	1.27	N/R	26.38	59.63	0.50	0.15	N/R	0.08	1.00
					W42-U	0.68	1.00	2.62	N/R	17.16	59.63	0.50	1.00	N/R	0.68	
														0.00	0.76	
Fifth	R15	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.31	N/R	8.27	61.96	0.50	0.15	N/R	0.02	1.00
					W43-U	0.68	1.00	2.71	N/R	4.84	61.96	0.50	1.00	N/R	0.19	
														0.00	0.22	
Fifth	R16	Unit 7	Residential	Bedroom	W44-L	0.68	1.00	0.38	N/R	18.28	64.08	0.50	0.15	N/R	0.01	1.00
					W44-U	0.68	1.00	0.78	N/R	11.74	64.08	0.50	1.00	N/R	0.13	
					W45-L	0.68	1.00	0.61	N/R	18.46	64.08	0.50	0.15	N/R	0.02	
					W45-U	0.68	1.00	1.25	N/R	11.78	64.08	0.50	1.00	N/R	0.21	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
														0.00	0.38	1.00
Fifth	R17	Unit 7	Residential	LKD	W46-L	0.68	1.00	0.68	N/R	14.87	100.55	0.50	0.15	N/R	0.01	
					W46-U	0.68	1.00	1.41	N/R	8.79	100.55	0.50	1.00	N/R	0.11	
					W47-L	0.68	1.00	0.38	N/R	24.01	100.55	0.50	0.15	N/R	0.01	
					W47-U	0.68	1.00	0.78	N/R	19.49	100.55	0.50	1.00	N/R	0.14	
														0.00	0.28	1.50
Sixth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	45.52	95.27	0.50	0.15	N/R	0.12	
					W1-U	0.68	1.00	3.78	N/R	24.34	95.27	0.50	1.00	N/R	0.88	
					W2-L	0.68	1.00	1.39	N/R	42.21	95.27	0.50	0.15	N/R	0.08	
					W2-U	0.68	1.00	2.86	N/R	24.75	95.27	0.50	1.00	N/R	0.67	
														0.00	1.75	1.50
Sixth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.77	N/R	29.57	56.62	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.59	N/R	19.42	56.62	0.50	1.00	N/R	0.50	
					W4-L	0.68	1.00	0.73	N/R	67.37	56.62	0.50	0.15	N/R	0.12	
					W4-U	0.68	1.00	1.50	N/R	63.27	56.62	0.50	1.00	N/R	1.52	
					W5-L	0.68	1.00	0.33	N/R	68.90	56.62	0.50	0.15	N/R	0.06	
					W5-U	0.68	1.00	0.69	N/R	64.44	56.62	0.50	1.00	N/R	0.71	
														0.00	2.95	1.00
Sixth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	64.23	61.14	0.50	0.15	N/R	0.10	
					W6-U	0.68	1.00	1.50	N/R	60.85	61.14	0.50	1.00	N/R	1.35	
					W7-L	0.68	1.00	0.33	N/R	66.42	61.14	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	62.06	61.14	0.50	1.00	N/R	0.63	
														0.00	2.14	1.00
Sixth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	52.18	59.11	0.50	0.15	N/R	0.10	
					W8-U	0.68	1.00	1.68	N/R	32.24	59.11	0.50	1.00	N/R	0.83	
					W9-L	0.68	1.00	0.25	N/R	50.74	59.11	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	27.92	59.11	0.50	1.00	N/R	0.22	
														0.00	1.18	1.00
Sixth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	45.34	77.93	0.50	0.15	N/R	0.05	
					W10-U	0.68	1.00	1.41	N/R	22.04	77.93	0.50	1.00	N/R	0.36	
					W11-L	0.68	1.00	0.35	N/R	48.27	77.93	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	23.77	77.93	0.50	1.00	N/R	0.20	
					W12-L	0.68	1.00	0.82	N/R	46.88	77.93	0.50	0.15	N/R	0.07	
					W12-U	0.68	1.00	1.68	N/R	23.23	77.93	0.50	1.00	N/R	0.45	
														0.00	1.16	1.50
Sixth	R6	Unit 3	Residential	Bedroom	W13-L	0.68	1.00	0.25	N/R	49.38	74.30	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	26.17	74.30	0.50	1.00	N/R	0.16	
					W14-L	0.68	1.00	0.82	N/R	51.94	74.30	0.50	0.15	N/R	0.08	
					W14-U	0.68	1.00	1.68	N/R	31.66	74.30	0.50	1.00	N/R	0.65	
														0.00	0.91	1.00
Sixth	R7	Unit 4	Residential	LKD	W17-L	0.68	1.00	0.38	N/R	64.98	148.79	0.50	0.15	N/R	0.02	
					W17-U	0.68	1.00	0.78	N/R	61.60	148.79	0.50	1.00	N/R	0.29	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W18-L	0.68	1.00	0.68	N/R	64.98	148.79	0.50	0.15	N/R	0.04	
					W18-U	0.68	1.00	1.41	N/R	60.96	148.79	0.50	1.00	N/R	0.52	
					W19-L	0.68	1.00	0.38	N/R	59.01	148.79	0.50	0.15	N/R	0.02	
					W19-U	0.68	1.00	0.78	N/R	55.44	148.79	0.50	1.00	N/R	0.26	
					W20-L	0.68	1.00	0.68	N/R	58.51	148.79	0.50	0.15	N/R	0.04	
					W20-U	0.68	1.00	1.41	N/R	53.16	148.79	0.50	1.00	N/R	0.46	
					W21-L	0.68	1.00	0.77	N/R	34.39	148.79	0.50	0.15	N/R	0.02	
					W21-U	0.68	1.00	1.59	N/R	18.70	148.79	0.50	1.00	N/R	0.18	
					W22-L	0.68	1.00	0.94	N/R	27.91	148.79	0.50	0.15	N/R	0.02	
					W22-U	0.68	1.00	1.93	N/R	12.00	148.79	0.50	1.00	N/R	0.14	
					W23-L	0.68	1.00	0.56	N/R	31.75	148.79	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.15	N/R	17.18	148.79	0.50	1.00	N/R	0.12	
					W24-L	0.68	1.00	0.64	N/R	73.47	148.79	0.50	0.15	N/R	0.04	
					W24-U	0.68	1.00	1.31	N/R	68.10	148.79	0.50	1.00	N/R	0.55	
					W25-L	0.68	1.00	0.38	N/R	74.64	148.79	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	69.19	148.79	0.50	1.00	N/R	0.33	
														0.00	3.11	1.50
Sixth	R8	Unit 4	Residential	Bedroom	W26-L	0.68	1.00	0.64	N/R	73.60	79.35	0.50	0.15	N/R	0.08	
					W26-U	0.68	1.00	1.31	N/R	68.21	79.35	0.50	1.00	N/R	1.02	
					W27-L	0.68	1.00	0.38	N/R	74.86	79.35	0.50	0.15	N/R	0.05	
					W27-U	0.68	1.00	0.78	N/R	69.38	79.35	0.50	1.00	N/R	0.62	
														0.00	1.78	1.00
Sixth	R9	Unit 5	Residential	LKD	W28-L	0.68	1.00	0.64	N/R	73.72	94.95	0.50	0.15	N/R	0.07	
					W28-U	0.68	1.00	1.31	N/R	68.31	94.95	0.50	1.00	N/R	0.86	
					W29-L	0.68	1.00	0.38	N/R	75.05	94.95	0.50	0.15	N/R	0.04	
					W29-U	0.68	1.00	0.78	N/R	69.55	94.95	0.50	1.00	N/R	0.52	
					W30-L	0.68	1.00	0.64	N/R	73.82	94.95	0.50	0.15	N/R	0.07	
					W30-U	0.68	1.00	1.31	N/R	68.41	94.95	0.50	1.00	N/R	0.86	
					W31-L	0.68	1.00	0.38	N/R	75.27	94.95	0.50	0.15	N/R	0.04	
					W31-U	0.68	1.00	0.78	N/R	69.74	94.95	0.50	1.00	N/R	0.52	
														0.00	2.98	1.50
Sixth	R10	Unit 5	Residential	Bedroom	W32-L	0.68	1.00	0.64	N/R	74.11	68.20	0.50	0.15	N/R	0.09	
					W32-U	0.68	1.00	1.31	N/R	68.65	68.20	0.50	1.00	N/R	1.20	
					W33-L	0.68	1.00	0.38	N/R	75.43	68.20	0.50	0.15	N/R	0.06	
					W33-U	0.68	1.00	0.78	N/R	69.88	68.20	0.50	1.00	N/R	0.73	
					W34-L	0.68	1.00	0.38	N/R	58.59	68.20	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	0.78	N/R	53.88	68.20	0.50	1.00	N/R	0.56	
					W35-L	0.68	1.00	0.82	N/R	60.16	68.20	0.50	0.15	N/R	0.10	
					W35-U	0.68	1.00	1.68	N/R	55.03	68.20	0.50	1.00	N/R	1.23	
														0.00	4.02	1.00
Sixth	R11	Unit 6	Residential	LKD	W36-L	0.68	1.00	0.38	N/R	52.40	101.93	0.50	0.15	N/R	0.03	
					W36-U	0.68	1.00	0.78	N/R	47.96	101.93	0.50	1.00	N/R	0.33	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W37-L	0.68	1.00	0.68	N/R	53.83	101.93	0.50	0.15	N/R	0.05	
					W37-U	0.68	1.00	1.41	N/R	49.12	101.93	0.50	1.00	N/R	0.61	
					W38-L	0.68	1.00	0.68	N/R	45.05	101.93	0.50	0.15	N/R	0.04	
					W38-U	0.68	1.00	1.41	N/R	40.66	101.93	0.50	1.00	N/R	0.51	
					W39-L	0.68	1.00	0.38	N/R	48.48	101.93	0.50	0.15	N/R	0.02	
					W39-U	0.68	1.00	0.78	N/R	43.67	101.93	0.50	1.00	N/R	0.30	
														0.00	1.90	1.50
Sixth	R12	Unit 6	Residential	Bedroom	W40-L	0.68	1.00	0.61	N/R	4.04	64.09	0.50	0.15	N/R	0.01	
					W40-U	0.68	1.00	1.25	N/R	3.93	64.09	0.50	1.00	N/R	0.07	
					W41-L	0.68	1.00	0.38	N/R	18.03	64.09	0.50	0.15	N/R	0.01	
					W41-U	0.68	1.00	0.78	N/R	12.48	64.09	0.50	1.00	N/R	0.14	
														0.00	0.23	1.00
Sixth	R13	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	1.20	N/R	26.19	57.18	0.50	0.15	N/R	0.07	
					W42-U	0.68	1.00	2.47	N/R	17.17	57.18	0.50	1.00	N/R	0.67	
														0.00	0.75	1.00
Sixth	R14	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.20	N/R	2.60	57.80	0.50	0.15	N/R	0.01	
					W43-U	0.68	1.00	2.47	N/R	2.32	57.80	0.50	1.00	N/R	0.09	
														0.00	0.10	1.00
Sixth	R15	Unit 7	Residential	Bedroom	W44-L	0.68	1.00	0.45	N/R	18.05	62.98	0.50	0.15	N/R	0.02	
					W44-U	0.68	1.00	0.93	N/R	11.78	62.98	0.50	1.00	N/R	0.16	
					W45-L	0.68	1.00	0.61	N/R	18.27	62.98	0.50	0.15	N/R	0.02	
					W45-U	0.68	1.00	1.25	N/R	11.82	62.98	0.50	1.00	N/R	0.21	
														0.00	0.41	1.00
Sixth	R16	Unit 7	Residential	LKD	W46-L	0.68	1.00	0.68	N/R	17.08	100.54	0.50	0.15	N/R	0.02	
					W46-U	0.68	1.00	1.41	N/R	10.43	100.54	0.50	1.00	N/R	0.13	
					W47-L	0.68	1.00	0.38	N/R	25.21	100.54	0.50	0.15	N/R	0.01	
					W47-U	0.68	1.00	0.78	N/R	20.31	100.54	0.50	1.00	N/R	0.14	
														0.00	0.30	1.50
Sixth	R18	Unit 3	Residential	LKD	W15-L	0.68	1.00	0.38	N/R	64.47	68.44	0.50	0.15	N/R	0.05	
					W15-U	0.68	1.00	0.78	N/R	60.32	68.44	0.50	1.00	N/R	0.63	
					W16-L	0.68	1.00	0.68	N/R	62.65	68.44	0.50	0.15	N/R	0.08	
					W16-U	0.68	1.00	1.41	N/R	59.25	68.44	0.50	1.00	N/R	1.10	
														0.00	1.86	1.50
Seventh	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	47.36	95.29	0.50	0.15	N/R	0.12	
					W1-U	0.68	1.00	3.78	N/R	26.61	95.29	0.50	1.00	N/R	0.96	
					W2-L	0.68	1.00	1.39	N/R	43.40	95.29	0.50	0.15	N/R	0.09	
					W2-U	0.68	1.00	2.86	N/R	26.30	95.29	0.50	1.00	N/R	0.72	
														0.00	1.88	1.50
Seventh	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.77	N/R	29.57	56.62	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.59	N/R	19.42	56.62	0.50	1.00	N/R	0.50	
					W4-L	0.68	1.00	0.73	N/R	69.45	56.62	0.50	0.15	N/R	0.12	
					W4-U	0.68	1.00	1.50	N/R	65.08	56.62	0.50	1.00	N/R	1.56	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W5-L	0.68	1.00	0.33	N/R	71.06	56.62	0.50	0.15	N/R	0.06	
					W5-U	0.68	1.00	0.69	N/R	66.40	56.62	0.50	1.00	N/R	0.73	
														0.00	3.03	1.00
Seventh	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	66.32	61.14	0.50	0.15	N/R	0.11	
					W6-U	0.68	1.00	1.50	N/R	62.67	61.14	0.50	1.00	N/R	1.40	
					W7-L	0.68	1.00	0.33	N/R	68.65	61.14	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	64.09	61.14	0.50	1.00	N/R	0.65	
														0.00	2.21	1.00
Seventh	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	54.21	59.11	0.50	0.15	N/R	0.10	
					W8-U	0.68	1.00	1.68	N/R	34.14	59.11	0.50	1.00	N/R	0.88	
					W9-L	0.68	1.00	0.25	N/R	52.80	59.11	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	30.09	59.11	0.50	1.00	N/R	0.24	
														0.00	1.25	1.00
Seventh	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	47.70	77.93	0.50	0.15	N/R	0.06	
					W10-U	0.68	1.00	1.41	N/R	24.74	77.93	0.50	1.00	N/R	0.40	
					W11-L	0.68	1.00	0.35	N/R	50.57	77.93	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	26.34	77.93	0.50	1.00	N/R	0.22	
					W12-L	0.68	1.00	0.82	N/R	49.12	77.93	0.50	0.15	N/R	0.07	
					W12-U	0.68	1.00	1.68	N/R	25.81	77.93	0.50	1.00	N/R	0.50	
														0.00	1.29	1.50
Seventh	R6	Unit 3	Residential	Studio-Apt	W13-L	0.68	1.00	0.25	N/R	51.63	115.64	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	28.65	115.64	0.50	1.00	N/R	0.11	
					W14-L	0.68	1.00	0.82	N/R	54.07	115.64	0.50	0.15	N/R	0.05	
					W14-U	0.68	1.00	1.68	N/R	33.86	115.64	0.50	1.00	N/R	0.45	
					W15-L	0.68	1.00	0.38	N/R	66.84	115.64	0.50	0.15	N/R	0.03	
					W15-U	0.68	1.00	0.78	N/R	62.58	115.64	0.50	1.00	N/R	0.38	
					W16-L	0.68	1.00	0.68	N/R	64.88	115.64	0.50	0.15	N/R	0.05	
					W16-U	0.68	1.00	1.41	N/R	61.41	115.64	0.50	1.00	N/R	0.68	
														0.00	1.77	1.50
Seventh	R7	Unit 4	Residential	LKD	W17-L	0.68	1.00	0.38	N/R	67.40	148.78	0.50	0.15	N/R	0.02	
					W17-U	0.68	1.00	0.78	N/R	63.79	148.78	0.50	1.00	N/R	0.30	
					W18-L	0.68	1.00	0.68	N/R	67.26	148.78	0.50	0.15	N/R	0.04	
					W18-U	0.68	1.00	1.41	N/R	63.15	148.78	0.50	1.00	N/R	0.54	
					W19-L	0.68	1.00	0.38	N/R	61.33	148.78	0.50	0.15	N/R	0.02	
					W19-U	0.68	1.00	0.78	N/R	57.57	148.78	0.50	1.00	N/R	0.28	
					W20-L	0.68	1.00	0.68	N/R	60.68	148.78	0.50	0.15	N/R	0.04	
					W20-U	0.68	1.00	1.41	N/R	55.29	148.78	0.50	1.00	N/R	0.47	
					W21-L	0.68	1.00	0.77	N/R	35.03	148.78	0.50	0.15	N/R	0.02	
					W21-U	0.68	1.00	1.59	N/R	19.43	148.78	0.50	1.00	N/R	0.19	
					W22-L	0.68	1.00	0.94	N/R	30.02	148.78	0.50	0.15	N/R	0.03	
					W22-U	0.68	1.00	1.93	N/R	13.54	148.78	0.50	1.00	N/R	0.16	
					W23-L	0.68	1.00	0.60	N/R	34.09	148.78	0.50	0.15	N/R	0.02	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W23-U	0.68	1.00	1.24	N/R	19.15	148.78	0.50	1.00	N/R	0.15	
					W24-L	0.68	1.00	0.64	N/R	74.18	148.78	0.50	0.15	N/R	0.04	
					W24-U	0.68	1.00	1.31	N/R	68.74	148.78	0.50	1.00	N/R	0.55	
					W25-L	0.68	1.00	0.38	N/R	75.54	148.78	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	70.00	148.78	0.50	1.00	N/R	0.33	
														0.00	3.24	1.50
Seventh	R8	Unit 4	Residential	Bedroom	W26-L	0.68	1.00	0.64	N/R	74.29	79.35	0.50	0.15	N/R	0.08	
					W26-U	0.68	1.00	1.31	N/R	68.83	79.35	0.50	1.00	N/R	1.03	
					W27-L	0.68	1.00	0.38	N/R	75.73	79.35	0.50	0.15	N/R	0.05	
					W27-U	0.68	1.00	0.78	N/R	70.17	79.35	0.50	1.00	N/R	0.63	
														0.00	1.79	1.00
Seventh	R9	Unit 5	Residential	LKD	W28-L	0.68	1.00	0.64	N/R	74.39	84.66	0.50	0.15	N/R	0.08	
					W28-U	0.68	1.00	1.31	N/R	68.92	84.66	0.50	1.00	N/R	0.97	
					W29-L	0.68	1.00	0.38	N/R	75.90	84.66	0.50	0.15	N/R	0.05	
					W29-U	0.68	1.00	0.78	N/R	70.31	84.66	0.50	1.00	N/R	0.59	
					W30-L	0.68	1.00	0.64	N/R	74.49	84.66	0.50	0.15	N/R	0.08	
					W30-U	0.68	1.00	1.31	N/R	69.00	84.66	0.50	1.00	N/R	0.97	
					W31-L	0.68	1.00	0.38	N/R	76.09	84.66	0.50	0.15	N/R	0.05	
					W31-U	0.68	1.00	0.78	N/R	70.47	84.66	0.50	1.00	N/R	0.59	
														0.00	3.37	1.50
Seventh	R10	Unit 5	Residential	Bedroom	W32-L	0.68	1.00	0.64	N/R	74.77	68.20	0.50	0.15	N/R	0.10	
					W32-U	0.68	1.00	1.31	N/R	69.23	68.20	0.50	1.00	N/R	1.21	
					W33-L	0.68	1.00	0.38	N/R	76.24	68.20	0.50	0.15	N/R	0.06	
					W33-U	0.68	1.00	0.78	N/R	70.60	68.20	0.50	1.00	N/R	0.74	
					W34-L	0.68	1.00	0.38	N/R	59.68	68.20	0.50	0.15	N/R	0.05	
					W34-U	0.68	1.00	0.78	N/R	54.96	68.20	0.50	1.00	N/R	0.57	
					W35-L	0.68	1.00	0.82	N/R	61.07	68.20	0.50	0.15	N/R	0.10	
					W35-U	0.68	1.00	1.68	N/R	56.05	68.20	0.50	1.00	N/R	1.25	
														0.00	4.07	1.00
Seventh	R11	Unit 6	Residential	LKD	W36-L	0.68	1.00	0.38	N/R	53.63	101.93	0.50	0.15	N/R	0.03	
					W36-U	0.68	1.00	0.78	N/R	49.21	101.93	0.50	1.00	N/R	0.34	
					W37-L	0.68	1.00	0.68	N/R	54.83	101.93	0.50	0.15	N/R	0.05	
					W37-U	0.68	1.00	1.41	N/R	50.30	101.93	0.50	1.00	N/R	0.63	
					W38-L	0.68	1.00	0.68	N/R	46.46	101.93	0.50	0.15	N/R	0.04	
					W38-U	0.68	1.00	1.41	N/R	42.04	101.93	0.50	1.00	N/R	0.53	
					W39-L	0.68	1.00	0.38	N/R	49.67	101.93	0.50	0.15	N/R	0.03	
					W39-U	0.68	1.00	0.78	N/R	45.02	101.93	0.50	1.00	N/R	0.31	
														0.00	1.96	1.50
Seventh	R12	Unit 6	Residential	Bedroom	W40-L	0.68	1.00	0.61	N/R	3.74	64.09	0.50	0.15	N/R	0.00	
					W40-U	0.68	1.00	1.25	N/R	4.22	64.09	0.50	1.00	N/R	0.07	
					W41-L	0.68	1.00	0.38	N/R	17.94	64.09	0.50	0.15	N/R	0.01	
					W41-U	0.68	1.00	0.78	N/R	12.59	64.09	0.50	1.00	N/R	0.14	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
														0.00	0.23	1.00
Seventh	R13	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	1.20	N/R	26.13	57.18	0.50	0.15	N/R	0.07	1.00
					W42-U	0.68	1.00	2.47	N/R	17.29	57.18	0.50	1.00	N/R	0.68	
														0.00	0.75	1.00
Seventh	R14	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.20	N/R	2.28	57.80	0.50	0.15	N/R	0.01	1.00
					W43-U	0.68	1.00	2.47	N/R	2.80	57.80	0.50	1.00	N/R	0.11	
														0.00	0.11	1.00
Seventh	R15	Unit 7	Residential	Bedroom	W44-L	0.68	1.00	0.45	N/R	17.94	62.98	0.50	0.15	N/R	0.02	1.00
					W44-U	0.68	1.00	0.93	N/R	11.95	62.98	0.50	1.00	N/R	0.16	
					W45-L	0.68	1.00	0.61	N/R	18.17	62.98	0.50	0.15	N/R	0.02	
					W45-U	0.68	1.00	1.25	N/R	11.98	62.98	0.50	1.00	N/R	0.21	
														0.00	0.42	1.00
Seventh	R16	Unit 7	Residential	LKD	W46-L	0.68	1.00	0.68	N/R	19.67	100.55	0.50	0.15	N/R	0.02	1.50
					W46-U	0.68	1.00	1.41	N/R	12.85	100.55	0.50	1.00	N/R	0.16	
					W47-L	0.68	1.00	0.38	N/R	26.85	100.55	0.50	0.15	N/R	0.01	
					W47-U	0.68	1.00	0.78	N/R	21.67	100.55	0.50	1.00	N/R	0.15	
														0.00	0.35	1.50
Eighth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	48.91	95.27	0.50	0.15	N/R	0.13	1.50
					W1-U	0.68	1.00	3.78	N/R	28.58	95.27	0.50	1.00	N/R	1.03	
					W2-L	0.68	1.00	1.39	N/R	44.39	95.27	0.50	0.15	N/R	0.09	
					W2-U	0.68	1.00	2.86	N/R	27.48	95.27	0.50	1.00	N/R	0.75	
														0.00	1.99	1.50
Eighth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.77	N/R	29.57	56.62	0.50	0.15	N/R	0.05	1.00
					W3-U	0.68	1.00	1.59	N/R	19.42	56.62	0.50	1.00	N/R	0.50	
					W4-L	0.68	1.00	0.73	N/R	71.51	56.62	0.50	0.15	N/R	0.13	
					W4-U	0.68	1.00	1.50	N/R	67.02	56.62	0.50	1.00	N/R	1.61	
					W5-L	0.68	1.00	0.33	N/R	73.15	56.62	0.50	0.15	N/R	0.06	
					W5-U	0.68	1.00	0.69	N/R	68.39	56.62	0.50	1.00	N/R	0.75	
														0.00	3.10	1.00
Eighth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	68.50	61.14	0.50	0.15	N/R	0.11	1.00
					W6-U	0.68	1.00	1.50	N/R	64.78	61.14	0.50	1.00	N/R	1.44	
					W7-L	0.68	1.00	0.33	N/R	70.71	61.14	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	66.11	61.14	0.50	1.00	N/R	0.68	
														0.00	2.28	1.00
Eighth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	56.26	59.11	0.50	0.15	N/R	0.11	1.00
					W8-U	0.68	1.00	1.68	N/R	36.32	59.11	0.50	1.00	N/R	0.94	
					W9-L	0.68	1.00	0.25	N/R	54.87	59.11	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	32.46	59.11	0.50	1.00	N/R	0.25	
														0.00	1.33	1.00
Eighth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	49.88	77.93	0.50	0.15	N/R	0.06	1.00
					W10-U	0.68	1.00	1.41	N/R	27.55	77.93	0.50	1.00	N/R	0.45	
					W11-L	0.68	1.00	0.35	N/R	52.66	77.93	0.50	0.15	N/R	0.03	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W11-U	0.68	1.00	0.72	N/R	29.02	77.93	0.50	1.00	N/R	0.24	
					W12-L	0.68	1.00	0.82	N/R	51.17	77.93	0.50	0.15	N/R	0.07	
					W12-U	0.68	1.00	1.68	N/R	28.47	77.93	0.50	1.00	N/R	0.56	
														0.00	1.41	1.50
Eighth	R6	Unit 3	Residential	LKD	W13-L	0.68	1.00	0.25	N/R	53.71	84.38	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	31.24	84.38	0.50	1.00	N/R	0.17	
					W14-L	0.68	1.00	0.82	N/R	56.07	84.38	0.50	0.15	N/R	0.07	
					W14-U	0.68	1.00	1.68	N/R	36.07	84.38	0.50	1.00	N/R	0.65	
														0.00	0.92	1.50
Eighth	R7	Unit 3	Residential	Bedroom	W15-L	0.68	1.00	0.38	N/R	69.18	68.32	0.50	0.15	N/R	0.05	
					W15-U	0.68	1.00	0.78	N/R	64.75	68.32	0.50	1.00	N/R	0.67	
					W16-L	0.68	1.00	0.68	N/R	67.06	68.32	0.50	0.15	N/R	0.09	
					W16-U	0.68	1.00	1.41	N/R	63.48	68.32	0.50	1.00	N/R	1.18	
														0.00	2.00	1.00
Eighth	R8	Unit 4	Residential	LKD	W17-L	0.68	1.00	0.38	N/R	69.88	137.28	0.50	0.15	N/R	0.03	
					W17-U	0.68	1.00	0.78	N/R	65.85	137.28	0.50	1.00	N/R	0.34	
					W18-L	0.68	1.00	0.68	N/R	69.49	137.28	0.50	0.15	N/R	0.05	
					W18-U	0.68	1.00	1.41	N/R	65.19	137.28	0.50	1.00	N/R	0.61	
					W19-L	0.68	1.00	0.38	N/R	63.70	137.28	0.50	0.15	N/R	0.02	
					W19-U	0.68	1.00	0.78	N/R	59.75	137.28	0.50	1.00	N/R	0.31	
					W20-L	0.68	1.00	0.68	N/R	62.87	137.28	0.50	0.15	N/R	0.04	
					W20-U	0.68	1.00	1.41	N/R	57.40	137.28	0.50	1.00	N/R	0.53	
					W21-L	0.68	1.00	0.77	N/R	35.75	137.28	0.50	0.15	N/R	0.03	
					W21-U	0.68	1.00	1.59	N/R	20.40	137.28	0.50	1.00	N/R	0.21	
					W23-L	0.68	1.00	0.94	N/R	31.23	137.28	0.50	0.15	N/R	0.03	
					W23-U	0.68	1.00	1.93	N/R	14.94	137.28	0.50	1.00	N/R	0.19	
					W24-L	0.68	1.00	0.56	N/R	35.87	137.28	0.50	0.15	N/R	0.02	
					W24-U	0.68	1.00	1.15	N/R	20.69	137.28	0.50	1.00	N/R	0.16	
					W25-L	0.68	1.00	0.64	N/R	74.96	137.28	0.50	0.15	N/R	0.05	
					W25-U	0.68	1.00	1.31	N/R	69.57	137.28	0.50	1.00	N/R	0.60	
					W26-L	0.68	1.00	0.38	N/R	76.62	137.28	0.50	0.15	N/R	0.03	
					W26-U	0.68	1.00	0.78	N/R	71.08	137.28	0.50	1.00	N/R	0.37	
														0.00	3.61	1.50
Eighth	R9	Unit 4	Residential	Bedroom	W27-L	0.68	1.00	0.64	N/R	75.07	77.08	0.50	0.15	N/R	0.08	
					W27-U	0.68	1.00	1.31	N/R	69.66	77.08	0.50	1.00	N/R	1.08	
					W28-L	0.68	1.00	0.38	N/R	76.78	77.08	0.50	0.15	N/R	0.05	
					W28-U	0.68	1.00	0.78	N/R	71.21	77.08	0.50	1.00	N/R	0.66	
					W29-L	0.68	1.00	0.64	N/R	75.16	77.08	0.50	0.15	N/R	0.08	
					W29-U	0.68	1.00	1.31	N/R	69.73	77.08	0.50	1.00	N/R	1.08	
					W30-L	0.68	1.00	0.38	N/R	76.93	77.08	0.50	0.15	N/R	0.05	
					W30-U	0.68	1.00	0.78	N/R	71.34	77.08	0.50	1.00	N/R	0.66	
														0.00	3.74	1.00

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Eighth	R10	Unit 4	Residential	Bedroom	W31-L	0.68	1.00	0.64	N/R	75.24	101.69	0.50	0.15	N/R	0.06	1.00
					W31-U	0.68	1.00	1.31	N/R	69.80	101.69	0.50	1.00	N/R	0.82	
					W32-L	0.68	1.00	0.38	N/R	77.08	101.69	0.50	0.15	N/R	0.04	
					W32-U	0.68	1.00	0.78	N/R	71.46	101.69	0.50	1.00	N/R	0.50	
					W33-L	0.68	1.00	0.64	N/R	75.60	101.69	0.50	0.15	N/R	0.06	
					W33-U	0.68	1.00	1.31	N/R	70.09	101.69	0.50	1.00	N/R	0.82	
					W34-L	0.68	1.00	0.38	N/R	77.21	101.69	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	0.78	N/R	71.57	101.69	0.50	1.00	N/R	0.50	
					W35-L	0.68	1.00	0.38	N/R	61.41	101.69	0.50	0.15	N/R	0.03	
					W35-U	0.68	1.00	0.78	N/R	56.84	101.69	0.50	1.00	N/R	0.40	
					W36-L	0.68	1.00	0.82	N/R	62.40	101.69	0.50	0.15	N/R	0.07	
W36-U	0.68	1.00	1.68	N/R	57.63	101.69	0.50	1.00	N/R	0.87						
													0.00	4.21		
Eighth	R11	Unit 5	Residential	LKD	W37-L	0.68	1.00	0.38	N/R	55.50	60.50	0.50	0.15	N/R	0.05	1.50
					W37-U	0.68	1.00	0.78	N/R	51.39	60.50	0.50	1.00	N/R	0.60	
					W38-L	0.68	1.00	0.68	N/R	56.26	60.50	0.50	0.15	N/R	0.09	
					W38-U	0.68	1.00	1.41	N/R	52.09	60.50	0.50	1.00	N/R	1.10	
					W39-L	0.68	1.00	0.77	N/R	1.97	60.50	0.50	0.15	N/R	0.00	
					W39-U	0.68	1.00	1.59	N/R	0.00	60.50	0.50	1.00	N/R	0.00	
													0.00	1.84		
Eighth	R12	Unit 5	Residential	Bedroom	W40-L	0.68	1.00	1.54	N/R	28.05	69.87	0.50	0.15	N/R	0.08	1.00
					W40-U	0.68	1.00	3.18	N/R	18.16	69.87	0.50	1.00	N/R	0.75	
														0.00	0.83	
Eighth	R13	Unit 6	Residential	LKD	W41-L	0.68	1.00	1.06	N/R	45.05	90.32	0.50	0.15	N/R	0.07	1.50
					W41-U	0.68	1.00	2.19	N/R	40.26	90.32	0.50	1.00	N/R	0.88	
					W42-L	0.68	1.00	1.06	N/R	39.07	90.32	0.50	0.15	N/R	0.06	
					W42-U	0.68	1.00	2.19	N/R	34.30	90.32	0.50	1.00	N/R	0.75	
														0.00	1.77	
Eighth	R14	Unit 6	Residential	Bedroom	W43-L	0.68	1.00	2.17	N/R	0.00	59.96	0.50	0.15	N/R	0.00	1.00
					W43-U	0.68	1.00	4.46	N/R	0.00	59.96	0.50	1.00	N/R	0.00	
														0.00	0.00	
Eighth	R15	Unit 7	Residential	Bedroom	W44-L	0.68	1.00	1.10	N/R	10.50	58.96	0.50	0.15	N/R	0.03	1.00
					W44-U	0.68	1.00	2.26	N/R	7.60	58.96	0.50	1.00	N/R	0.26	
														0.00	0.29	
Eighth	R16	Unit 7	Residential	LKD	W45-L	0.68	1.00	0.77	N/R	23.71	98.41	0.50	0.15	N/R	0.03	1.50
					W45-U	0.68	1.00	1.59	N/R	15.01	98.41	0.50	1.00	N/R	0.22	
					W46-L	0.68	1.00	0.68	N/R	22.98	98.41	0.50	0.15	N/R	0.02	
					W46-U	0.68	1.00	1.41	N/R	17.68	98.41	0.50	1.00	N/R	0.23	
					W47-L	0.68	1.00	0.38	N/R	29.05	98.41	0.50	0.15	N/R	0.02	
					W47-U	0.68	1.00	0.78	N/R	24.48	98.41	0.50	1.00	N/R	0.18	
														0.00	0.69	
Ninth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	50.25	98.56	0.50	0.15	N/R	0.13	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W1-U	0.68	1.00	3.78	N/R	30.32	98.56	0.50	1.00	N/R	1.05	
					W2-L	0.68	1.00	1.39	N/R	45.17	98.56	0.50	0.15	N/R	0.09	
					W2-U	0.68	1.00	2.86	N/R	28.48	98.56	0.50	1.00	N/R	0.75	
														0.00	2.02	1.50
Ninth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.77	N/R	29.57	58.74	0.50	0.15	N/R	0.05	
					W3-U	0.68	1.00	1.59	N/R	19.42	58.74	0.50	1.00	N/R	0.48	
					W4-L	0.68	1.00	0.73	N/R	73.43	58.74	0.50	0.15	N/R	0.12	
					W4-U	0.68	1.00	1.50	N/R	68.70	58.74	0.50	1.00	N/R	1.59	
					W5-L	0.68	1.00	0.33	N/R	74.93	58.74	0.50	0.15	N/R	0.06	
					W5-U	0.68	1.00	0.69	N/R	70.02	58.74	0.50	1.00	N/R	0.74	
														0.00	3.05	1.00
Ninth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	70.54	63.31	0.50	0.15	N/R	0.11	
					W6-U	0.68	1.00	1.50	N/R	66.51	63.31	0.50	1.00	N/R	1.43	
					W7-L	0.68	1.00	0.33	N/R	72.70	63.31	0.50	0.15	N/R	0.05	
					W7-U	0.68	1.00	0.69	N/R	67.83	63.31	0.50	1.00	N/R	0.67	
														0.00	2.26	1.00
Ninth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	59.39	61.21	0.50	0.15	N/R	0.11	
					W8-U	0.68	1.00	1.68	N/R	41.77	61.21	0.50	1.00	N/R	1.04	
					W9-L	0.68	1.00	0.25	N/R	58.07	61.21	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	38.22	61.21	0.50	1.00	N/R	0.29	
														0.00	1.47	1.00
Ninth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	53.33	80.45	0.50	0.15	N/R	0.06	
					W10-U	0.68	1.00	1.41	N/R	33.60	80.45	0.50	1.00	N/R	0.53	
					W11-L	0.68	1.00	0.35	N/R	56.26	80.45	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	35.10	80.45	0.50	1.00	N/R	0.28	
					W12-L	0.68	1.00	0.82	N/R	54.58	80.45	0.50	0.15	N/R	0.08	
					W12-U	0.68	1.00	1.68	N/R	34.39	80.45	0.50	1.00	N/R	0.65	
														0.00	1.64	1.50
Ninth	R6	Unit 3	Residential	LKD	W13-L	0.68	1.00	0.25	N/R	57.09	87.07	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	37.31	87.07	0.50	1.00	N/R	0.20	
					W14-L	0.68	1.00	0.82	N/R	59.21	87.07	0.50	0.15	N/R	0.08	
					W14-U	0.68	1.00	1.68	N/R	41.57	87.07	0.50	1.00	N/R	0.73	
														0.00	1.02	1.50
Ninth	R7	Unit 3	Residential	Bedroom	W15-L	0.68	1.00	0.38	N/R	71.48	70.73	0.50	0.15	N/R	0.05	
					W15-U	0.68	1.00	0.78	N/R	66.71	70.73	0.50	1.00	N/R	0.67	
					W16-L	0.68	1.00	0.68	N/R	69.19	70.73	0.50	0.15	N/R	0.09	
					W16-U	0.68	1.00	1.41	N/R	65.33	70.73	0.50	1.00	N/R	1.18	
														0.00	1.99	1.00
Ninth	R8	Unit 4	Residential	LKD	W17-L	0.68	1.00	0.38	N/R	72.31	141.46	0.50	0.15	N/R	0.03	
					W17-U	0.68	1.00	0.78	N/R	67.70	141.46	0.50	1.00	N/R	0.34	
					W18-L	0.68	1.00	0.68	N/R	71.58	141.46	0.50	0.15	N/R	0.05	
					W18-U	0.68	1.00	1.41	N/R	67.06	141.46	0.50	1.00	N/R	0.60	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W19-L	0.68	1.00	0.38	N/R	66.24	141.46	0.50	0.15	N/R	0.02	
					W19-U	0.68	1.00	0.78	N/R	61.63	141.46	0.50	1.00	N/R	0.31	
					W20-L	0.68	1.00	0.68	N/R	65.26	141.46	0.50	0.15	N/R	0.04	
					W20-U	0.68	1.00	1.41	N/R	59.27	141.46	0.50	1.00	N/R	0.53	
					W21-L	0.68	1.00	0.77	N/R	36.87	141.46	0.50	0.15	N/R	0.03	
					W21-U	0.68	1.00	1.59	N/R	22.13	141.46	0.50	1.00	N/R	0.23	
					W22-L	0.68	1.00	0.94	N/R	33.99	141.46	0.50	0.15	N/R	0.03	
					W22-U	0.68	1.00	1.93	N/R	18.28	141.46	0.50	1.00	N/R	0.23	
					W23-L	0.68	1.00	0.56	N/R	38.72	141.46	0.50	0.15	N/R	0.02	
					W23-U	0.68	1.00	1.15	N/R	23.58	141.46	0.50	1.00	N/R	0.17	
					W24-L	0.68	1.00	0.64	N/R	75.57	141.46	0.50	0.15	N/R	0.05	
					W24-U	0.68	1.00	1.31	N/R	70.06	141.46	0.50	1.00	N/R	0.59	
					W25-L	0.68	1.00	0.38	N/R	77.42	141.46	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	71.73	141.46	0.50	1.00	N/R	0.36	
														0.00	3.66	1.50
Ninth	R9	Unit 4	Residential	Bedroom	W26-L	0.68	1.00	0.64	N/R	75.66	79.81	0.50	0.15	N/R	0.08	
					W26-U	0.68	1.00	1.31	N/R	70.14	79.81	0.50	1.00	N/R	1.05	
					W27-L	0.68	1.00	0.38	N/R	77.54	79.81	0.50	0.15	N/R	0.05	
					W27-U	0.68	1.00	0.78	N/R	71.84	79.81	0.50	1.00	N/R	0.64	
					W28-L	0.68	1.00	0.64	N/R	75.72	79.81	0.50	0.15	N/R	0.08	
					W28-U	0.68	1.00	1.31	N/R	70.19	79.81	0.50	1.00	N/R	1.05	
					W29-L	0.68	1.00	0.38	N/R	77.66	79.81	0.50	0.15	N/R	0.05	
					W29-U	0.68	1.00	0.78	N/R	71.94	79.81	0.50	1.00	N/R	0.64	
														0.00	3.64	1.00
Ninth	R10	Unit 4	Residential	Bedroom	W30-L	0.68	1.00	0.64	N/R	75.78	105.08	0.50	0.15	N/R	0.06	
					W30-U	0.68	1.00	1.31	N/R	70.24	105.08	0.50	1.00	N/R	0.80	
					W31-L	0.68	1.00	0.38	N/R	77.78	105.08	0.50	0.15	N/R	0.04	
					W31-U	0.68	1.00	0.78	N/R	72.03	105.08	0.50	1.00	N/R	0.49	
					W32-L	0.68	1.00	0.64	N/R	76.13	105.08	0.50	0.15	N/R	0.06	
					W32-U	0.68	1.00	1.31	N/R	70.52	105.08	0.50	1.00	N/R	0.80	
					W33-L	0.68	1.00	0.38	N/R	77.89	105.08	0.50	0.15	N/R	0.04	
					W33-U	0.68	1.00	0.78	N/R	72.12	105.08	0.50	1.00	N/R	0.49	
					W34-L	0.68	1.00	0.38	N/R	63.45	105.08	0.50	0.15	N/R	0.03	
					W34-U	0.68	1.00	0.78	N/R	59.10	105.08	0.50	1.00	N/R	0.40	
					W35-L	0.68	1.00	0.82	N/R	64.17	105.08	0.50	0.15	N/R	0.07	
					W35-U	0.68	1.00	1.68	N/R	59.59	105.08	0.50	1.00	N/R	0.87	
														0.00	4.14	1.00
Ninth	R11	Unit 5	Residential	LKD	W36-L	0.68	1.00	0.38	N/R	57.90	62.65	0.50	0.15	N/R	0.05	
					W36-U	0.68	1.00	0.78	N/R	54.12	62.65	0.50	1.00	N/R	0.61	
					W37-L	0.68	1.00	0.68	N/R	58.29	62.65	0.50	0.15	N/R	0.09	
					W37-U	0.68	1.00	1.41	N/R	54.40	62.65	0.50	1.00	N/R	1.11	
					W38-L	0.68	1.00	0.77	N/R	6.76	62.65	0.50	0.15	N/R	0.01	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W38-U	0.68	1.00	1.59	N/R	0.00	62.65	0.50	1.00	N/R	0.00	
Ninth	R12	Unit 5	Residential	Bedroom	W39-L	0.68	1.00	1.54	N/R	28.24	72.19	0.50	0.15	N/R	0.08	
					W39-U	0.68	1.00	3.18	N/R	17.90	72.19	0.50	1.00	N/R	0.71	
														0.00	1.87	1.50
Ninth	R13	Unit 6	Residential	LKD	W40-L	0.68	1.00	1.06	N/R	47.92	93.29	0.50	0.15	N/R	0.07	
					W40-U	0.68	1.00	2.19	N/R	43.64	93.29	0.50	1.00	N/R	0.93	
					W41-L	0.68	1.00	1.06	N/R	42.54	93.29	0.50	0.15	N/R	0.07	
					W41-U	0.68	1.00	2.19	N/R	38.46	93.29	0.50	1.00	N/R	0.82	
														0.00	1.89	1.50
Ninth	R14	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	2.17	N/R	0.00	62.04	0.50	0.15	N/R	0.00	
					W42-U	0.68	1.00	4.46	N/R	0.00	62.04	0.50	1.00	N/R	0.00	
														0.00	0.00	1.00
Ninth	R15	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.10	N/R	16.98	61.03	0.50	0.15	N/R	0.04	
					W43-U	0.68	1.00	2.26	N/R	10.31	61.03	0.50	1.00	N/R	0.35	
														0.00	0.39	1.00
Ninth	R16	Unit 7	Residential	LKD	W44-L	0.68	1.00	0.77	N/R	26.17	101.58	0.50	0.15	N/R	0.03	
					W44-U	0.68	1.00	1.59	N/R	15.69	101.58	0.50	1.00	N/R	0.22	
					W45-L	0.68	1.00	0.68	N/R	27.44	101.58	0.50	0.15	N/R	0.03	
					W45-U	0.68	1.00	1.41	N/R	23.94	101.58	0.50	1.00	N/R	0.30	
					W46-L	0.68	1.00	0.38	N/R	32.53	101.58	0.50	0.15	N/R	0.02	
					W46-U	0.68	1.00	0.78	N/R	29.10	101.58	0.50	1.00	N/R	0.20	
														0.00	0.80	1.50
Tenth	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	65.73	106.70	0.50	0.15	N/R	0.15	
					W1-U	0.68	1.00	3.78	N/R	53.16	106.70	0.50	1.00	N/R	1.71	
					W2-L	0.68	1.00	1.39	N/R	51.85	106.70	0.50	0.15	N/R	0.09	
					W2-U	0.68	1.00	2.86	N/R	34.77	106.70	0.50	1.00	N/R	0.84	
					W49-L	0.68	1.00	1.08	N/R	76.61	106.70	0.50	0.15	N/R	0.11	
					W49-U	0.68	1.00	2.23	N/R	71.74	106.70	0.50	1.00	N/R	1.36	
					W50-L	0.68	1.00	1.08	N/R	76.88	106.70	0.50	0.15	N/R	0.11	
					W50-U	0.68	1.00	2.23	N/R	71.59	106.70	0.50	1.00	N/R	1.36	
														0.00	5.73	1.50
Tenth	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.77	N/R	41.97	58.74	0.50	0.15	N/R	0.08	
					W3-U	0.68	1.00	1.59	N/R	27.99	58.74	0.50	1.00	N/R	0.69	
					W4-L	0.68	1.00	0.73	N/R	75.54	58.74	0.50	0.15	N/R	0.13	
					W4-U	0.68	1.00	1.50	N/R	70.27	58.74	0.50	1.00	N/R	1.63	
					W5-L	0.68	1.00	0.33	N/R	76.73	58.74	0.50	0.15	N/R	0.06	
					W5-U	0.68	1.00	0.69	N/R	71.47	58.74	0.50	1.00	N/R	0.76	
														0.00	3.34	1.00
Tenth	R3	Unit 1	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	73.20	63.31	0.50	0.15	N/R	0.11	
					W6-U	0.68	1.00	1.50	N/R	68.36	63.31	0.50	1.00	N/R	1.47	
					W7-L	0.68	1.00	0.33	N/R	74.95	63.31	0.50	0.15	N/R	0.05	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W7-U	0.68	1.00	0.69	N/R	69.55	63.31	0.50	1.00	N/R	0.69	
														0.00	2.32	1.00
Tenth	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	61.13	61.21	0.50	0.15	N/R	0.11	
					W8-U	0.68	1.00	1.68	N/R	43.39	61.21	0.50	1.00	N/R	1.08	
					W9-L	0.68	1.00	0.25	N/R	59.72	61.21	0.50	0.15	N/R	0.03	
					W9-U	0.68	1.00	0.51	N/R	39.84	61.21	0.50	1.00	N/R	0.30	
														0.00	1.52	1.00
Tenth	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	55.12	80.45	0.50	0.15	N/R	0.06	
					W10-U	0.68	1.00	1.41	N/R	35.50	80.45	0.50	1.00	N/R	0.56	
					W11-L	0.68	1.00	0.35	N/R	58.04	80.45	0.50	0.15	N/R	0.03	
					W11-U	0.68	1.00	0.72	N/R	36.95	80.45	0.50	1.00	N/R	0.30	
					W12-L	0.68	1.00	0.82	N/R	56.28	80.45	0.50	0.15	N/R	0.08	
					W12-U	0.68	1.00	1.68	N/R	36.17	80.45	0.50	1.00	N/R	0.68	
														0.00	1.72	1.50
Tenth	R6	Unit 3	Residential	Studio-Apt	W13-L	0.68	1.00	0.25	N/R	58.92	135.24	0.50	0.15	N/R	0.01	
					W13-U	0.68	1.00	0.51	N/R	39.16	135.24	0.50	1.00	N/R	0.13	
					W14-L	0.68	1.00	0.82	N/R	60.96	135.24	0.50	0.15	N/R	0.05	
					W14-U	0.68	1.00	1.68	N/R	43.23	135.24	0.50	1.00	N/R	0.49	
					W15-L	0.68	1.00	0.38	N/R	74.15	135.24	0.50	0.15	N/R	0.03	
					W15-U	0.68	1.00	0.78	N/R	68.77	135.24	0.50	1.00	N/R	0.36	
					W16-L	0.68	1.00	0.68	N/R	71.96	135.24	0.50	0.15	N/R	0.05	
					W16-U	0.68	1.00	1.41	N/R	67.28	135.24	0.50	1.00	N/R	0.63	
														0.00	1.76	1.50
Tenth	R7	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	75.07	72.83	0.50	0.15	N/R	0.05	
					W17-U	0.68	1.00	0.78	N/R	70.10	72.83	0.50	1.00	N/R	0.68	
					W18-L	0.68	1.00	0.68	N/R	73.90	72.83	0.50	0.15	N/R	0.09	
					W18-U	0.68	1.00	1.41	N/R	68.87	72.83	0.50	1.00	N/R	1.20	
														0.00	2.04	1.00
Tenth	R8	Unit 4	Residential	Bedroom	W19-L	0.68	1.00	0.38	N/R	69.93	53.86	0.50	0.15	N/R	0.07	
					W19-U	0.68	1.00	0.78	N/R	65.20	53.86	0.50	1.00	N/R	0.86	
					W20-L	0.68	1.00	0.68	N/R	68.33	53.86	0.50	0.15	N/R	0.12	
					W20-U	0.68	1.00	1.41	N/R	62.69	53.86	0.50	1.00	N/R	1.48	
					W21-L	0.68	1.00	0.77	N/R	36.77	53.86	0.50	0.15	N/R	0.07	
					W21-U	0.68	1.00	1.59	N/R	22.39	53.86	0.50	1.00	N/R	0.60	
														0.00	3.20	1.00
Tenth	R9	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	35.81	120.04	0.50	0.15	N/R	0.04	
					W22-U	0.68	1.00	1.93	N/R	20.55	120.04	0.50	1.00	N/R	0.30	
					W23-L	0.68	1.00	0.60	N/R	40.23	120.04	0.50	0.15	N/R	0.03	
					W23-U	0.68	1.00	1.24	N/R	25.31	120.04	0.50	1.00	N/R	0.24	
					W24-L	0.68	1.00	0.64	N/R	76.08	120.04	0.50	0.15	N/R	0.06	
					W24-U	0.68	1.00	1.31	N/R	70.48	120.04	0.50	1.00	N/R	0.70	
					W25-L	0.68	1.00	0.38	N/R	78.12	120.04	0.50	0.15	N/R	0.03	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W25-U	0.68	1.00	0.78	N/R	72.31	120.04	0.50	1.00	N/R	0.43	
					W26-L	0.68	1.00	0.64	N/R	76.15	120.04	0.50	0.15	N/R	0.06	
					W26-U	0.68	1.00	1.31	N/R	70.53	120.04	0.50	1.00	N/R	0.70	
					W27-L	0.68	1.00	0.38	N/R	78.22	120.04	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	72.39	120.04	0.50	1.00	N/R	0.43	
					W28-L	0.68	1.00	0.64	N/R	76.20	120.04	0.50	0.15	N/R	0.06	
					W28-U	0.68	1.00	1.31	N/R	70.57	120.04	0.50	1.00	N/R	0.70	
					W29-L	0.68	1.00	0.38	N/R	78.31	120.04	0.50	0.15	N/R	0.03	
					W29-U	0.68	1.00	0.78	N/R	72.46	120.04	0.50	1.00	N/R	0.43	
														0.00	4.25	1.50
Tenth	R10	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	76.24	120.56	0.50	0.15	N/R	0.05	
					W30-U	0.68	1.00	1.31	N/R	70.60	120.56	0.50	1.00	N/R	0.70	
					W31-L	0.68	1.00	0.38	N/R	78.40	120.56	0.50	0.15	N/R	0.03	
					W31-U	0.68	1.00	0.78	N/R	72.53	120.56	0.50	1.00	N/R	0.43	
					W32-L	0.68	1.00	0.64	N/R	76.58	120.56	0.50	0.15	N/R	0.06	
					W32-U	0.68	1.00	1.31	N/R	70.86	120.56	0.50	1.00	N/R	0.70	
					W33-L	0.68	1.00	0.38	N/R	78.48	120.56	0.50	0.15	N/R	0.03	
					W33-U	0.68	1.00	0.78	N/R	72.59	120.56	0.50	1.00	N/R	0.43	
					W34-L	0.68	1.00	1.39	N/R	26.42	120.56	0.50	0.15	N/R	0.04	
					W34-U	0.68	1.00	2.86	N/R	13.04	120.56	0.50	1.00	N/R	0.28	
					W35-L	0.68	1.00	1.16	N/R	40.66	120.56	0.50	0.15	N/R	0.05	
					W35-U	0.68	1.00	2.39	N/R	24.44	120.56	0.50	1.00	N/R	0.44	
														0.00	3.24	1.50
Tenth	R11	Unit 5	Residential	Bedroom	W36-L	0.68	1.00	1.84	N/R	41.51	69.25	0.50	0.15	N/R	0.15	
					W36-U	0.68	1.00	3.78	N/R	24.99	69.25	0.50	1.00	N/R	1.24	
														0.00	1.39	1.00
Tenth	R12	Unit 5	Residential	Bedroom	W37-L	0.68	1.00	0.33	N/R	56.19	59.60	0.50	0.15	N/R	0.04	
					W37-U	0.68	1.00	0.69	N/R	54.37	59.60	0.50	1.00	N/R	0.57	
					W38-L	0.68	1.00	0.73	N/R	57.19	59.60	0.50	0.15	N/R	0.10	
					W38-U	0.68	1.00	1.50	N/R	55.01	59.60	0.50	1.00	N/R	1.26	
														0.00	1.96	1.00
Tenth	R13	Unit 6	Residential	LKD	W39-L	0.68	1.00	1.06	N/R	52.48	72.20	0.50	0.15	N/R	0.11	
					W39-U	0.68	1.00	2.19	N/R	49.38	72.20	0.50	1.00	N/R	1.36	
					W40-L	0.68	1.00	1.06	N/R	47.73	72.20	0.50	0.15	N/R	0.10	
					W40-U	0.68	1.00	2.19	N/R	44.93	72.20	0.50	1.00	N/R	1.24	
					W41-L	0.68	1.00	0.77	N/R	8.82	72.20	0.50	0.15	N/R	0.01	
					W41-U	0.68	1.00	1.59	N/R	3.31	72.20	0.50	1.00	N/R	0.07	
														0.00	2.87	1.50
Tenth	R14	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	2.11	N/R	7.23	62.04	0.50	0.15	N/R	0.03	
					W42-U	0.68	1.00	4.35	N/R	1.71	62.04	0.50	1.00	N/R	0.11	
														0.00	0.14	1.00
Tenth	R15	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.10	N/R	19.92	61.03	0.50	0.15	N/R	0.05	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W43-U	0.68	1.00	2.26	N/R	10.31	61.03	0.50	1.00	N/R	0.35	
														0.00	0.40	1.00
Tenth	R16	Unit 7	Residential	LKD	W44-L	0.68	1.00	0.73	N/R	27.12	105.06	0.50	0.15	N/R	0.03	
					W44-U	0.68	1.00	1.50	N/R	15.55	105.06	0.50	1.00	N/R	0.20	
					W45-L	0.68	1.00	0.68	N/R	33.92	105.06	0.50	0.15	N/R	0.03	
					W45-U	0.68	1.00	1.41	N/R	32.45	105.06	0.50	1.00	N/R	0.39	
					W46-L	0.68	1.00	0.38	N/R	37.99	105.06	0.50	0.15	N/R	0.02	
					W46-U	0.68	1.00	0.78	N/R	36.26	105.06	0.50	1.00	N/R	0.25	
					W47-L	0.68	1.00	1.04	N/R	67.32	105.06	0.50	0.15	N/R	0.09	
					W47-U	0.68	1.00	2.15	N/R	67.66	105.06	0.50	1.00	N/R	1.26	
					W48-L	0.68	1.00	1.08	N/R	70.77	105.06	0.50	0.15	N/R	0.10	
					W48-U	0.68	1.00	2.23	N/R	70.55	105.06	0.50	1.00	N/R	1.36	
														0.00	3.72	1.50
Eleven	R1	Unit 1	Residential	LKD	W1-L	0.68	1.00	1.84	N/R	61.82	91.75	0.50	0.15	N/R	0.17	
					W1-U	0.68	1.00	3.78	N/R	46.06	91.75	0.50	1.00	N/R	1.72	
					W2-L	0.68	1.00	1.39	N/R	51.82	91.75	0.50	0.15	N/R	0.11	
					W2-U	0.68	1.00	2.86	N/R	39.58	91.75	0.50	1.00	N/R	1.12	
					W49-L	0.68	1.00	1.08	N/R	78.42	91.75	0.50	0.15	N/R	0.13	
					W49-U	0.68	1.00	2.23	N/R	72.00	91.75	0.50	1.00	N/R	1.59	
					W50-L	0.68	1.00	1.08	N/R	78.60	91.75	0.50	0.15	N/R	0.13	
					W50-U	0.68	1.00	2.23	N/R	72.54	91.75	0.50	1.00	N/R	1.60	
														0.00	6.55	1.50
Eleven	R2	Unit 1	Residential	Bedroom	W3-L	0.68	1.00	0.64	N/R	43.75	67.14	0.50	0.15	N/R	0.06	
					W3-U	0.68	1.00	1.31	N/R	33.30	67.14	0.50	1.00	N/R	0.59	
					W4-L	0.68	1.00	0.73	N/R	77.04	67.14	0.50	0.15	N/R	0.11	
					W4-U	0.68	1.00	1.50	N/R	71.35	67.14	0.50	1.00	N/R	1.45	
					W5-L	0.68	1.00	0.33	N/R	77.90	67.14	0.50	0.15	N/R	0.05	
					W5-U	0.68	1.00	0.69	N/R	72.32	67.14	0.50	1.00	N/R	0.67	
														0.00	2.93	1.00
Eleven	R3	Unit 2	Residential	Bedroom	W6-L	0.68	1.00	0.73	N/R	77.01	55.01	0.50	0.15	N/R	0.14	
					W6-U	0.68	1.00	1.50	N/R	71.33	55.01	0.50	1.00	N/R	1.76	
					W7-L	0.68	1.00	0.33	N/R	77.79	55.01	0.50	0.15	N/R	0.06	
					W7-U	0.68	1.00	0.69	N/R	72.23	55.01	0.50	1.00	N/R	0.82	
														0.00	2.79	1.00
Eleven	R4	Unit 2	Residential	Bedroom	W8-L	0.68	1.00	0.82	N/R	77.85	67.89	0.50	0.15	N/R	0.13	
					W8-U	0.68	1.00	1.68	N/R	71.98	67.89	0.50	1.00	N/R	1.62	
					W9-L	0.68	1.00	0.25	N/R	75.62	67.89	0.50	0.15	N/R	0.04	
					W9-U	0.68	1.00	0.51	N/R	70.54	67.89	0.50	1.00	N/R	0.48	
														0.00	2.26	1.00
Eleven	R5	Unit 2	Residential	LKD	W10-L	0.68	1.00	0.68	N/R	74.79	99.48	0.50	0.15	N/R	0.07	
					W10-U	0.68	1.00	1.41	N/R	69.88	99.48	0.50	1.00	N/R	0.90	
					W11-L	0.68	1.00	0.35	N/R	81.56	99.48	0.50	0.15	N/R	0.04	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W11-U	0.68	1.00	0.72	N/R	75.07	99.48	0.50	1.00	N/R	0.49	
					W12-L	0.68	1.00	0.82	N/R	76.83	99.48	0.50	0.15	N/R	0.09	
					W12-U	0.68	1.00	1.68	N/R	71.55	99.48	0.50	1.00	N/R	1.10	
														0.00	2.68	1.50
Eleven	R6	Unit 3	Residential	Studio-Apt	W13-L	0.68	1.00	0.25	N/R	74.82	135.24	0.50	0.15	N/R	0.02	
					W13-U	0.68	1.00	0.51	N/R	69.81	135.24	0.50	1.00	N/R	0.24	
					W14-L	0.68	1.00	0.82	N/R	77.73	135.24	0.50	0.15	N/R	0.06	
					W14-U	0.68	1.00	1.68	N/R	71.83	135.24	0.50	1.00	N/R	0.81	
					W15-L	0.68	1.00	0.38	N/R	77.61	135.24	0.50	0.15	N/R	0.03	
					W15-U	0.68	1.00	0.78	N/R	72.00	135.24	0.50	1.00	N/R	0.38	
					W16-L	0.68	1.00	0.68	N/R	75.87	135.24	0.50	0.15	N/R	0.05	
					W16-U	0.68	1.00	1.41	N/R	70.39	135.24	0.50	1.00	N/R	0.66	
														0.00	2.25	1.50
Eleven	R7	Unit 4	Residential	Bedroom	W17-L	0.68	1.00	0.38	N/R	77.42	72.83	0.50	0.15	N/R	0.06	
					W17-U	0.68	1.00	0.78	N/R	71.86	72.83	0.50	1.00	N/R	0.70	
					W18-L	0.68	1.00	0.68	N/R	75.70	72.83	0.50	0.15	N/R	0.10	
					W18-U	0.68	1.00	1.41	N/R	70.26	72.83	0.50	1.00	N/R	1.23	
														0.00	2.08	1.00
Eleven	R8	Unit 4	Residential	Bedroom	W19-L	0.68	1.00	0.38	N/R	77.22	53.98	0.50	0.15	N/R	0.07	
					W19-U	0.68	1.00	0.78	N/R	71.71	53.98	0.50	1.00	N/R	0.94	
					W20-L	0.68	1.00	0.68	N/R	75.55	53.98	0.50	0.15	N/R	0.13	
					W20-U	0.68	1.00	1.41	N/R	70.14	53.98	0.50	1.00	N/R	1.66	
					W21-L	0.68	1.00	0.77	N/R	42.08	53.98	0.50	0.15	N/R	0.08	
					W21-U	0.68	1.00	1.59	N/R	27.43	53.98	0.50	1.00	N/R	0.73	
														0.00	3.62	1.00
Eleven	R9	Unit 4	Residential	LKD	W22-L	0.68	1.00	0.94	N/R	45.47	118.63	0.50	0.15	N/R	0.05	
					W22-U	0.68	1.00	1.93	N/R	28.28	118.63	0.50	1.00	N/R	0.42	
					W23-L	0.68	1.00	0.56	N/R	49.02	118.63	0.50	0.15	N/R	0.03	
					W23-U	0.68	1.00	1.15	N/R	31.67	118.63	0.50	1.00	N/R	0.28	
					W24-L	0.68	1.00	0.64	N/R	76.43	118.63	0.50	0.15	N/R	0.06	
					W24-U	0.68	1.00	1.31	N/R	70.78	118.63	0.50	1.00	N/R	0.71	
					W25-L	0.68	1.00	0.38	N/R	78.65	118.63	0.50	0.15	N/R	0.03	
					W25-U	0.68	1.00	0.78	N/R	72.77	118.63	0.50	1.00	N/R	0.44	
					W26-L	0.68	1.00	0.64	N/R	76.47	118.63	0.50	0.15	N/R	0.06	
					W26-U	0.68	1.00	1.31	N/R	70.81	118.63	0.50	1.00	N/R	0.71	
					W27-L	0.68	1.00	0.38	N/R	78.71	118.63	0.50	0.15	N/R	0.03	
					W27-U	0.68	1.00	0.78	N/R	72.81	118.63	0.50	1.00	N/R	0.44	
					W28-L	0.68	1.00	0.64	N/R	76.50	118.63	0.50	0.15	N/R	0.06	
					W28-U	0.68	1.00	1.31	N/R	70.83	118.63	0.50	1.00	N/R	0.71	
					W29-L	0.68	1.00	0.38	N/R	78.77	118.63	0.50	0.15	N/R	0.03	
					W29-U	0.68	1.00	0.78	N/R	72.86	118.63	0.50	1.00	N/R	0.44	
														0.00	4.49	1.50

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
Eleven	R10	Unit 5	Residential	LKD	W30-L	0.68	1.00	0.64	N/R	76.53	115.22	0.50	0.15	N/R	0.06	1.50
					W30-U	0.68	1.00	1.31	N/R	70.85	115.22	0.50	1.00	N/R	0.73	
					W31-L	0.68	1.00	0.38	N/R	78.83	115.22	0.50	0.15	N/R	0.04	
					W31-U	0.68	1.00	0.78	N/R	72.90	115.22	0.50	1.00	N/R	0.45	
					W32-L	0.68	1.00	0.64	N/R	76.84	115.22	0.50	0.15	N/R	0.06	
					W32-U	0.68	1.00	1.31	N/R	71.09	115.22	0.50	1.00	N/R	0.74	
					W33-L	0.68	1.00	0.38	N/R	78.88	115.22	0.50	0.15	N/R	0.04	
					W33-U	0.68	1.00	0.78	N/R	72.94	115.22	0.50	1.00	N/R	0.45	
					W34-L	0.68	1.00	1.39	N/R	31.77	115.22	0.50	0.15	N/R	0.05	
					W34-U	0.68	1.00	2.86	N/R	14.77	115.22	0.50	1.00	N/R	0.33	
					W35-L	0.68	1.00	1.16	N/R	44.15	115.22	0.50	0.15	N/R	0.06	
W35-U	0.68	1.00	2.39	N/R	24.57	115.22	0.50	1.00	N/R	0.46						
														0.00	3.46	
Eleven	R11	Unit 5	Residential	Bedroom	W36-L	0.68	1.00	1.84	N/R	43.86	69.23	0.50	0.15	N/R	0.16	1.00
					W36-U	0.68	1.00	3.78	N/R	25.12	69.23	0.50	1.00	N/R	1.24	
														0.00	1.40	
Eleven	R12	Unit 5	Residential	Bedroom	W37-L	0.68	1.00	0.33	N/R	61.16	59.60	0.50	0.15	N/R	0.05	1.00
					W37-U	0.68	1.00	0.69	N/R	58.83	59.60	0.50	1.00	N/R	0.62	
					W38-L	0.68	1.00	0.73	N/R	61.75	59.60	0.50	0.15	N/R	0.10	
					W38-U	0.68	1.00	1.50	N/R	59.03	59.60	0.50	1.00	N/R	1.35	
														0.00	2.11	
Eleven	R13	Unit 6	Residential	LKD	W39-L	0.68	1.00	1.06	N/R	59.40	81.28	0.50	0.15	N/R	0.11	1.50
					W39-U	0.68	1.00	2.19	N/R	57.05	81.28	0.50	1.00	N/R	1.39	
					W40-L	0.68	1.00	1.06	N/R	56.01	81.28	0.50	0.15	N/R	0.10	
					W40-U	0.68	1.00	2.19	N/R	54.17	81.28	0.50	1.00	N/R	1.32	
					W41-L	0.68	1.00	0.77	N/R	13.29	81.28	0.50	0.15	N/R	0.02	
					W41-U	0.68	1.00	1.59	N/R	4.08	81.28	0.50	1.00	N/R	0.07	
														0.00	3.01	
Eleven	R14	Unit 6	Residential	Bedroom	W42-L	0.68	1.00	2.11	N/R	19.06	62.04	0.50	0.15	N/R	0.09	1.00
					W42-U	0.68	1.00	4.35	N/R	1.90	62.04	0.50	1.00	N/R	0.12	
														0.00	0.21	
Eleven	R15	Unit 7	Residential	Bedroom	W43-L	0.68	1.00	1.10	N/R	27.53	61.03	0.50	0.15	N/R	0.07	1.00
					W43-U	0.68	1.00	2.26	N/R	10.30	61.03	0.50	1.00	N/R	0.35	
														0.00	0.41	
Eleven	R16	Unit 7	Residential	LKD	W44-L	0.68	1.00	0.73	N/R	28.68	105.06	0.50	0.15	N/R	0.03	1.00
					W44-U	0.68	1.00	1.50	N/R	16.97	105.06	0.50	1.00	N/R	0.22	
					W45-L	0.68	1.00	0.68	N/R	43.29	105.06	0.50	0.15	N/R	0.04	
					W45-U	0.68	1.00	1.41	N/R	42.70	105.06	0.50	1.00	N/R	0.52	
					W46-L	0.68	1.00	0.38	N/R	45.64	105.06	0.50	0.15	N/R	0.02	
					W46-U	0.68	1.00	0.78	N/R	44.84	105.06	0.50	1.00	N/R	0.30	
					W47-L	0.68	1.00	1.04	N/R	70.95	105.06	0.50	0.15	N/R	0.10	
					W47-U	0.68	1.00	2.15	N/R	66.56	105.06	0.50	1.00	N/R	1.23	

Project Name: Example
 Project No.: 1
 Report Title: Average Daylight Analysis - Neighbour Test
 Date: 05-Mar-18

Floor Ref.	Room Ref.	Room Attribute	Property Type	Room Use.	Window Ref.	Glass Transmittance	Maintenance Factor	Glazed Area	Clear Sky Angle Existing	Clear Sky Angle Proposed	Room Surface Area	Average Surface Reflectance	Below Working Plane Factor	ADF Existing	ADF Proposed	Req'd Value
					W48-L	0.68	1.00	1.08	N/R	73.94	105.06	0.50	0.15	N/R	0.10	
					W48-U	0.68	1.00	2.23	N/R	69.04	105.06	0.50	1.00	N/R	1.33	
														0.00	3.89	1.50

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
Proposed										
First	R1	Residential	LKD	W1	Existing	N/R	56°N		*North*	*North*
					Proposed	3.51				
				W2	Existing	N/R	56°N		*North*	*North*
					Proposed	3.59				
	R2	Residential	Bedroom	W3	Existing	N/R	326°N		*North*	*North*
				Proposed	2.90					
				W4	Existing	N/R	56°N		*North*	*North*
					Proposed	21.86				
				W5	Existing	N/R	56°N		*North*	*North*
					Proposed	23.33				
	R3	Residential	Bedroom	W6	Existing	N/R	56°N		*North*	*North*
				Proposed	20.28					
				W7	Existing	N/R	56°N		*North*	*North*
					Proposed	20.92				
	R4	Residential	Bedroom	W8	Existing	N/R	56°N		*North*	*North*
				Proposed	7.52					
				W9	Existing	N/R	56°N		*North*	*North*
					Proposed	5.65				
	R5	Residential	LKD	W10	Existing	N/R	56°N		*North*	*North*
				Proposed	2.88					
				W11	Existing	N/R	56°N		*North*	*North*
					Proposed	3.18				
				W12	Existing	N/R	56°N		*North*	*North*
					Proposed	3.13				
	R6	Residential	Bedroom	W13	Existing	N/R	56°N		*North*	*North*
				Proposed	4.94					
				W14	Existing	N/R	56°N		*North*	*North*
					Proposed	7.23				
	R7	Residential	LKD	W15	Existing	N/R	56°N		*North*	*North*
				Proposed	19.83					
				W16	Existing	N/R	56°N		*North*	*North*
					Proposed	19.72				
	R8	Residential	Bedroom	W17	Existing	N/R	56°N		*North*	*North*
				Proposed	21.56					
				W18	Existing	N/R	56°N		*North*	*North*
					Proposed	21.07				

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex		
	R9	Residential	Bedroom	W19	Existing	N/R			*North*	*North*		
				Proposed	17.76							
				W20	Existing	N/R	56°N		*North*	*North*		
					Proposed	15.99						
				W21	Existing	N/R	0	0.00	0	0.00		
					Proposed	3.69	5		4			
	R10	Residential	LKD	W22	Existing	N/R			*North*	*North*		
				Proposed	0.95							
				W23	Existing	N/R	56°N		*North*	*North*		
					Proposed	2.88						
				W24	Existing	N/R	146°		0	0.00	0	0.00
					Proposed	28.80		56		22		
				W25	Existing	N/R	146°		0	0.00	0	0.00
					Proposed	29.82		52		17		
				W26	Existing	N/R	146°		0	0.00	0	0.00
		Proposed	28.83		53		20					
	W27	Existing	N/R	146°		0	0.00	0	0.00			
		Proposed	29.93		49		15					
	W28	Existing	N/R	146°		0	0.00	0	0.00			
		Proposed	28.96		54		21					
	W29	Existing	N/R	146°		0	0.00	0	0.00			
		Proposed	30.08		50		16					
	R11	Residential	LKD	W30	Existing	N/R	146°	0	0.00	0	0.00	
				Proposed	29.08		55		22			
				W31	Existing	N/R	146°		0	0.00	0	0.00
					Proposed	30.23		51		17		
				W32	Existing	N/R	146°		0	0.00	0	0.00
					Proposed	29.28		54		21		
				W33	Existing	N/R	146°		0	0.00	0	0.00
					Proposed	30.37		50		16		
				W34	Existing	N/R	236°		0	0.00	0	0.00
		Proposed	2.46		3		3					
	W35	Existing	N/R	215°		0	0.00	0	0.00			
		Proposed	6.65		7		7					
	W36	Existing	N/R	215°		0	0.00	0	0.00			
		Proposed	7.25		8		8					
	W37	Existing	N/R	215°		0	0.00	0	0.00			
		Proposed	6.75		9		9					
	R12	Residential	Bedroom	W38	Existing	N/R	215°	0	0.00	0	0.00	
				Proposed	14.11		21		11			
				W39	Existing	N/R	215°		0	0.00	0	0.00
					Proposed	13.94						
	W40	Existing	N/R	215°		0	0.00	0	0.00			

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W41	Proposed 10.84 Existing N/R Proposed 10.74	215°	18 0 25	0.00	10 0 13	0.00
	R14	Residential	LKD	W42	Existing N/R Proposed 8.01	215°	0 10	0.00	0 5	0.00
				W43	Existing N/R Proposed 8.06	215°	0 18	0.00	0 10	0.00
	R15	Residential	Bedroom	W44	Existing N/R Proposed 0.00	215°	0 0	0.00	0 0	0.00
				W45	Existing N/R Proposed 0.08	215°	0 0	0.00	0 0	0.00
	R16	Residential	Bedroom	W46	Existing N/R Proposed 0.37	215°	0 1	0.00	0 1	0.00
	R17	Residential	Bedroom	W47	Existing N/R Proposed 1.06	215°	0 1	0.00	0 1	0.00
Second	R1	Residential	LKD	W1	Existing N/R Proposed 4.90	56°N		*North*		*North*
				W2	Existing N/R Proposed 4.94	56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing N/R Proposed 3.57	326°N		*North*		*North*
				W4	Existing N/R Proposed 23.59	56°N		*North*		*North*
				W5	Existing N/R Proposed 25.12	56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing N/R Proposed 21.90	56°N		*North*		*North*
				W7	Existing N/R Proposed 22.60	56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing N/R Proposed 8.86	56°N		*North*		*North*
				W9	Existing N/R Proposed 7.05	56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing N/R Proposed 4.07	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
				W11	Existing Proposed	N/R 56°N				*North*	*North*
				W12	Existing Proposed	N/R 56°N				*North*	*North*
	R6	Residential	Studio-Apt	W13	Existing Proposed	N/R 56°N				*North*	*North*
				W14	Existing Proposed	N/R 56°N				*North*	*North*
				W15	Existing Proposed	N/R 56°N				*North*	*North*
				W16	Existing Proposed	N/R 56°N				*North*	*North*
	R7	Residential	Bedroom	W17	Existing Proposed	N/R 56°N				*North*	*North*
				W18	Existing Proposed	N/R 56°N				*North*	*North*
	R8	Residential	Bedroom	W19	Existing Proposed	N/R 56°N				*North*	*North*
				W20	Existing Proposed	N/R 56°N				*North*	*North*
				W21	Existing Proposed	N/R 146°	0 5	0.00	0 4	0.00	0.00
	R9	Residential	LKD	W22	Existing Proposed	N/R 56°N				*North*	*North*
				W23	Existing Proposed	N/R 56°N				*North*	*North*
				W24	Existing Proposed	N/R 146°	0 56	0.00	0 22	0.00	0.00
				W25	Existing Proposed	N/R 146°	0 52	0.00	0 17	0.00	0.00
				W26	Existing Proposed	N/R 146°	0 54	0.00	0 21	0.00	0.00
				W27	Existing Proposed	N/R 146°	0 50	0.00	0 16	0.00	0.00
				W28	Existing Proposed	N/R 146°	0 55	0.00	0 22	0.00	0.00
				W29	Existing Proposed	N/R 146°	0 51	0.00	0 17	0.00	0.00
	R10	Residential	LKD	W30	Existing Proposed	N/R 146°	0 55	0.00	0 22	0.00	0.00
				W31	Existing Proposed	N/R 146°	0 52	0.00	0 17	0.00	0.00
				W32	Existing	N/R 146°	0	0.00	0	0.00	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W33	Proposed 30.92 Existing N/R	146°	55 0	0.00	22 0	0.00
				W34	Proposed 32.05 Existing N/R	236°	52 0	0.00	17 0	0.00
				W35	Proposed 3.23 Existing N/R	215°	4 0	0.00	4 0	0.00
					Proposed 6.95		7		7	
	R11	Residential	Bedroom	W36	Existing N/R Proposed 7.35	215°	0 9	0.00	0 9	0.00
	R12	Residential	Bedroom	W37	Existing N/R Proposed 14.86	215°	0 22	0.00	0 11	0.00
				W38	Existing N/R Proposed 14.58	215°	0 31	0.00	0 16	0.00
	R13	Residential	Bedroom	W39	Existing N/R Proposed 11.35	215°	0 18	0.00	0 10	0.00
				W40	Existing N/R Proposed 11.26	215°	0 25	0.00	0 13	0.00
	R14	Residential	LKD	W41	Existing N/R Proposed 8.42	215°	0 10	0.00	0 5	0.00
				W42	Existing N/R Proposed 8.48	215°	0 18	0.00	0 10	0.00
	R15	Residential	Bedroom	W43	Existing N/R Proposed 0.00	215°	0 0	0.00	0 0	0.00
				W44	Existing N/R Proposed 0.17	215°	0 0	0.00	0 0	0.00
	R16	Residential	Bedroom	W45	Existing N/R Proposed 0.33	215°	0 0	0.00	0 0	0.00
	R18	Residential	Bedroom	W46	Existing N/R Proposed 1.04	215°	0 1	0.00	0 1	0.00
Third	R1	Residential	LKD	W1	Existing N/R Proposed 6.27	56°N		*North*		*North*
				W2	Existing N/R Proposed 6.19	56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing N/R Proposed 4.14	326°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W4	Existing Proposed	N/R 56°N		*North*		*North*
				W5	Existing Proposed	N/R 56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 56°N		*North*		*North*
				W7	Existing Proposed	N/R 56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 56°N		*North*		*North*
				W9	Existing Proposed	N/R 56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing Proposed	N/R 56°N		*North*		*North*
				W11	Existing Proposed	N/R 56°N		*North*		*North*
				W12	Existing Proposed	N/R 56°N		*North*		*North*
	R6	Residential	Studio-Apt	W13	Existing Proposed	N/R 56°N		*North*		*North*
				W14	Existing Proposed	N/R 56°N		*North*		*North*
				W15	Existing Proposed	N/R 56°N		*North*		*North*
				W16	Existing Proposed	N/R 56°N		*North*		*North*
	R7	Residential	Bedroom	W17	Existing Proposed	N/R 56°N		*North*		*North*
				W18	Existing Proposed	N/R 56°N		*North*		*North*
	R8	Residential	Bedroom	W19	Existing Proposed	N/R 56°N		*North*		*North*
				W20	Existing Proposed	N/R 56°N		*North*		*North*
				W21	Existing Proposed	N/R 146°	0 5	0.00	0 4	0.00
	R9	Residential	LKD	W22	Existing Proposed	N/R 56°N		*North*		*North*
				W23	Existing	N/R 56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W24	Proposed 3.40 Existing N/R	146°	0 56	0.00	0 22	0.00
				W25	Proposed 31.14 Existing N/R	146°	0 53	0.00	0 17	0.00
				W26	Proposed 32.32 Existing N/R	146°	0 56	0.00	0 22	0.00
				W27	Proposed 31.23 Existing N/R	146°	0 53	0.00	0 17	0.00
				W28	Proposed 32.45 Existing N/R	146°	0 55	0.00	0 22	0.00
				W29	Proposed 31.36 Existing N/R Proposed 32.58	146°	0 52	0.00	0 17	0.00
	R10	Residential	LKD	W30	Existing N/R Proposed 31.46	146°	0 55	0.00	0 22	0.00
				W31	Existing N/R Proposed 32.72	146°	0 52	0.00	0 17	0.00
				W32	Existing N/R Proposed 31.64	146°	0 55	0.00	0 22	0.00
				W33	Existing N/R Proposed 32.82	146°	0 52	0.00	0 17	0.00
				W34	Existing N/R Proposed 3.30	236°	0 4	0.00	0 4	0.00
				W35	Existing N/R Proposed 7.12	215°	0 7	0.00	0 7	0.00
	R11	Residential	Bedroom	W36	Existing N/R Proposed 7.59	215°	0 10	0.00	0 10	0.00
	R12	Residential	Bedroom	W37	Existing N/R Proposed 15.25	215°	0 22	0.00	0 11	0.00
				W38	Existing N/R Proposed 14.97	215°	0 31	0.00	0 16	0.00
	R13	Residential	Bedroom	W39	Existing N/R Proposed 11.68	215°	0 18	0.00	0 10	0.00
				W40	Existing N/R Proposed 11.60	215°	0 25	0.00	0 13	0.00
	R14	Residential	LKD	W41	Existing N/R Proposed 8.71	215°	0 10	0.00	0 5	0.00
				W42	Existing N/R Proposed 8.77	215°	0 18	0.00	0 10	0.00
	R15	Residential	Bedroom	W43	Existing N/R Proposed 0.00	215°	0 0	0.00	0 0	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
				W44	Existing Proposed	N/R 0.14	215°	0 0	0.00	0 0	0.00
	R16	Residential	Bedroom	W45	Existing Proposed	N/R 0.38	215°	0 0	0.00	0 0	0.00
	R17	Residential	Bedroom	W46	Existing Proposed	N/R 1.13	215°	0 1	0.00	0 1	0.00
Fourth	R1	Residential	LKD	W1	Existing Proposed	N/R 7.73	56°N		*North*		*North*
				W2	Existing Proposed	N/R 7.40	56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 4.63	326°N		*North*		*North*
				W4	Existing Proposed	N/R 26.93	56°N		*North*		*North*
				W5	Existing Proposed	N/R 28.50	56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 25.17	56°N		*North*		*North*
				W7	Existing Proposed	N/R 25.97	56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 11.56	56°N		*North*		*North*
				W9	Existing Proposed	N/R 9.81	56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing Proposed	N/R 6.56	56°N		*North*		*North*
				W11	Existing Proposed	N/R 7.18	56°N		*North*		*North*
				W12	Existing Proposed	N/R 7.12	56°N		*North*		*North*
	R6	Residential	LKD	W13	Existing Proposed	N/R 8.91	56°N		*North*		*North*
				W14	Existing Proposed	N/R 11.27	56°N		*North*		*North*
	R7	Residential	Bedroom	W15	Existing	N/R	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W16	Proposed 24.61 Existing N/R Proposed 24.27	56°N		*North*		*North*
	R8	Residential	LKD	W17	Existing N/R Proposed 26.19	56°N		*North*		*North*
				W18	Existing N/R Proposed 25.48	56°N		*North*		*North*
				W19	Existing N/R Proposed 22.17	56°N		*North*		*North*
				W20	Existing N/R Proposed 20.18	56°N		*North*		*North*
				W21	Existing N/R Proposed 4.95	146°	0 6	0.00	0 5	0.00
				W22	Existing N/R Proposed 2.02	56°N		*North*		*North*
				W23	Existing N/R Proposed 3.78	56°N		*North*		*North*
				W24	Existing N/R Proposed 31.78	146°	0 52	0.00	0 21	0.00
				W25	Existing N/R Proposed 33.03	146°	0 44	0.00	0 12	0.00
	R9	Residential	Bedroom	W26	Existing N/R Proposed 31.87	146°	0 56	0.00	0 22	0.00
				W27	Existing N/R Proposed 33.16	146°	0 53	0.00	0 17	0.00
				W28	Existing N/R Proposed 31.99	146°	0 56	0.00	0 22	0.00
				W29	Existing N/R Proposed 33.28	146°	0 53	0.00	0 17	0.00
	R10	Residential	LKD	W30	Existing N/R Proposed 32.10	146°	0 55	0.00	0 22	0.00
				W31	Existing N/R Proposed 33.42	146°	0 52	0.00	0 17	0.00
				W32	Existing N/R Proposed 32.28	146°	0 55	0.00	0 22	0.00
				W33	Existing N/R Proposed 33.52	146°	0 52	0.00	0 17	0.00
				W34	Existing N/R Proposed 2.64	236°	0 3	0.00	0 3	0.00
				W35	Existing N/R Proposed 7.42	215°	0 7	0.00	0 7	0.00
	R11	Residential	Bedroom	W36	Existing N/R Proposed 7.77	215°	0 9	0.00	0 9	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
	R12	Residential	Bedroom	W37	Existing Proposed	N/R 215°	0 20	0.00	0 10	0.00
				W38	Existing Proposed	N/R 215°	0 31	0.00	0 16	0.00
	R13	Residential	Bedroom	W39	Existing Proposed	N/R 215°	0 18	0.00	0 10	0.00
				W40	Existing Proposed	N/R 215°	0 25	0.00	0 13	0.00
	R14	Residential	LKD	W41	Existing Proposed	N/R 215°	0 10	0.00	0 5	0.00
				W42	Existing Proposed	N/R 215°	0 18	0.00	0 10	0.00
	R15	Residential	Bedroom	W43	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
				W44	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
	R16	Residential	Bedroom	W45	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
	R17	Residential	Bedroom	W46	Existing Proposed	N/R 215°	0 1	0.00	0 1	0.00
Fifth	R1	Residential	LKD	W1	Existing Proposed	N/R 56°N		*North*		*North*
				W2	Existing Proposed	N/R 56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 326°N		*North*		*North*
				W4	Existing Proposed	N/R 56°N		*North*		*North*
				W5	Existing Proposed	N/R 56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 56°N		*North*		*North*
				W7	Existing Proposed	N/R 56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing	N/R 56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W9	Proposed 16.18 Existing N/R Proposed 14.99	56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing N/R Proposed 11.42	56°N		*North*		*North*
				W11	Existing N/R Proposed 12.34	56°N		*North*		*North*
				W12	Existing N/R Proposed 12.11	56°N		*North*		*North*
	R6	Residential	LKD	W13	Existing N/R Proposed 14.10	56°N		*North*		*North*
				W14	Existing N/R Proposed 15.90	56°N		*North*		*North*
	R7	Residential	Bedroom	W15	Existing N/R Proposed 26.44	56°N		*North*		*North*
				W16	Existing N/R Proposed 25.90	56°N		*North*		*North*
	R8	Residential	Bedroom	W17	Existing N/R Proposed 27.57	56°N		*North*		*North*
				W18	Existing N/R Proposed 26.94	56°N		*North*		*North*
				W19	Existing N/R Proposed 23.92	56°N		*North*		*North*
				W20	Existing N/R Proposed 22.22	56°N		*North*		*North*
				W21	Existing N/R Proposed 5.94	146°	0 6	0.00	0 4	0.00
	R9	Residential	LKD	W22	Existing N/R Proposed 3.27	56°N		*North*		*North*
				W23	Existing N/R Proposed 5.09	56°N		*North*		*North*
				W24	Existing N/R Proposed 32.32	146°	0 56	0.00	0 22	0.00
				W25	Existing N/R Proposed 33.65	146°	0 53	0.00	0 17	0.00
				W26	Existing N/R Proposed 32.41	146°	0 56	0.00	0 22	0.00
				W27	Existing N/R Proposed 33.77	146°	0 53	0.00	0 17	0.00
	R10	Residential	LKD	W28	Existing N/R Proposed 32.53	146°	0 56	0.00	0 22	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W29	Existing Proposed	N/R 146°	0 53	0.00	0 17	0.00
				W30	Existing Proposed	N/R 146°	0 56	0.00	0 22	0.00
				W31	Existing Proposed	N/R 146°	0 53	0.00	0 17	0.00
	R11	Residential	Bedroom	W32	Existing Proposed	N/R 146°	0 56	0.00	0 22	0.00
				W33	Existing Proposed	N/R 146°	0 54	0.00	0 17	0.00
				W34	Existing Proposed	N/R 215°	0 36	0.00	0 17	0.00
				W35	Existing Proposed	N/R 215°	0 43	0.00	0 21	0.00
	R12	Residential	LKD	W36	Existing Proposed	N/R 215°	0 28	0.00	0 14	0.00
				W37	Existing Proposed	N/R 215°	0 34	0.00	0 17	0.00
				W38	Existing Proposed	N/R 215°	0 25	0.00	0 13	0.00
				W39	Existing Proposed	N/R 215°	0 31	0.00	0 16	0.00
	R13	Residential	Bedroom	W40	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
				W41	Existing Proposed	N/R 215°	0 3	0.00	0 3	0.00
	R14	Residential	Bedroom	W42	Existing Proposed	N/R 215°	0 4	0.00	0 4	0.00
	R15	Residential	Bedroom	W43	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
	R16	Residential	Bedroom	W44	Existing Proposed	N/R 215°	0 0	0.00	0 0	0.00
				W45	Existing Proposed	N/R 215°	0 2	0.00	0 2	0.00
	R17	Residential	LKD	W46	Existing Proposed	N/R 215°	0 1	0.00	0 0	0.00
				W47	Existing Proposed	N/R 215°	0 10	0.00	0 4	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
Sixth	R1	Residential	LKD	W1	Existing Proposed	N/R 10.27	56°N		*North*	*North*	
				W2	Existing Proposed	N/R 9.22	56°N		*North*	*North*	
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 4.95	326°N		*North*	*North*	
				W4	Existing Proposed	N/R 29.72	56°N		*North*	*North*	
				W5	Existing Proposed	N/R 31.29	56°N		*North*	*North*	
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 27.88	56°N		*North*	*North*	
				W7	Existing Proposed	N/R 28.63	56°N		*North*	*North*	
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 14.35	56°N		*North*	*North*	
				W9	Existing Proposed	N/R 12.58	56°N		*North*	*North*	
	R5	Residential	LKD	W10	Existing Proposed	N/R 9.29	56°N		*North*	*North*	
				W11	Existing Proposed	N/R 10.02	56°N		*North*	*North*	
				W12	Existing Proposed	N/R 9.85	56°N		*North*	*North*	
	R6	Residential	Bedroom	W13	Existing Proposed	N/R 11.80	56°N		*North*	*North*	
				W14	Existing Proposed	N/R 14.06	56°N		*North*	*North*	
	R7	Residential	LKD	W17	Existing Proposed	N/R 28.86	56°N		*North*	*North*	
				W18	Existing Proposed	N/R 28.18	56°N		*North*	*North*	
				W19	Existing Proposed	N/R 24.68	56°N		*North*	*North*	
				W20	Existing Proposed	N/R 22.76	56°N		*North*	*North*	
				W21	Existing Proposed	N/R 5.51	146°	0 6	0.00	0 5	0.00
				W22	Existing Proposed	N/R 2.90	56°N		*North*	*North*	

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W23	Existing Proposed	N/R 4.80			*North*	*North*
				W24	Existing Proposed	N/R 32.78	0 57	0.00	0 23	0.00
				W25	Existing Proposed	N/R 34.18	0 55	0.00	0 18	0.00
	R8	Residential	Bedroom	W26	Existing Proposed	N/R 32.86	0 58	0.00	0 24	0.00
				W27	Existing Proposed	N/R 34.29	0 56	0.00	0 19	0.00
	R9	Residential	LKD	W28	Existing Proposed	N/R 32.97	0 58	0.00	0 24	0.00
				W29	Existing Proposed	N/R 34.39	0 56	0.00	0 19	0.00
				W30	Existing Proposed	N/R 33.05	0 58	0.00	0 24	0.00
				W31	Existing Proposed	N/R 34.50	0 56	0.00	0 19	0.00
	R10	Residential	Bedroom	W32	Existing Proposed	N/R 33.22	0 58	0.00	0 24	0.00
				W33	Existing Proposed	N/R 34.58	0 56	0.00	0 19	0.00
				W34	Existing Proposed	N/R 24.82	0 36	0.00	0 17	0.00
				W35	Existing Proposed	N/R 24.29	0 43	0.00	0 21	0.00
	R11	Residential	LKD	W36	Existing Proposed	N/R 21.05	0 28	0.00	0 14	0.00
				W37	Existing Proposed	N/R 20.53	0 34	0.00	0 17	0.00
				W38	Existing Proposed	N/R 16.23	0 24	0.00	0 12	0.00
				W39	Existing Proposed	N/R 17.51	0 31	0.00	0 16	0.00
	R12	Residential	Bedroom	W40	Existing Proposed	N/R 0.15	0 0	0.00	0 0	0.00
				W41	Existing Proposed	N/R 2.12	0 3	0.00	0 3	0.00
	R13	Residential	Bedroom	W42	Existing Proposed	N/R 3.95	0 5	0.00	0 5	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
	R14	Residential	Bedroom	W43	Existing Proposed	N/R 0.05	215°	0 0	0.00	0 0	0.00
	R15	Residential	Bedroom	W44	Existing Proposed	N/R 1.89	215°	0 2	0.00	0 2	0.00
				W45	Existing Proposed	N/R 1.89	215°	0 2	0.00	0 2	0.00
	R16	Residential	LKD	W46	Existing Proposed	N/R 4.50	215°	0 1	0.00	0 0	0.00
				W47	Existing Proposed	N/R 6.00	215°	0 10	0.00	0 4	0.00
	R18	Residential	LKD	W15	Existing Proposed	N/R 27.40	56°N		*North*		*North*
				W16	Existing Proposed	N/R 26.94	56°N		*North*		*North*
Seventh	R1	Residential	LKD	W1	Existing Proposed	N/R 11.33	56°N		*North*		*North*
				W2	Existing Proposed	N/R 9.92	56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 4.95	326°N		*North*		*North*
				W4	Existing Proposed	N/R 30.90	56°N		*North*		*North*
				W5	Existing Proposed	N/R 32.51	56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 29.10	56°N		*North*		*North*
				W7	Existing Proposed	N/R 29.90	56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 15.62	56°N		*North*		*North*
				W9	Existing Proposed	N/R 13.85	56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing Proposed	N/R 10.66	56°N		*North*		*North*
				W11	Existing Proposed	N/R 11.38	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W12	Existing Proposed	N/R 11.17				
	R6	Residential	Studio-Apt	W13	Existing Proposed	N/R 13.16				
				W14	Existing Proposed	N/R 15.36				
				W15	Existing Proposed	N/R 28.76				
				W16	Existing Proposed	N/R 28.25				
	R7	Residential	LKD	W17	Existing Proposed	N/R 30.20				
				W18	Existing Proposed	N/R 29.49				
				W19	Existing Proposed	N/R 26.08				
				W20	Existing Proposed	N/R 24.07				
				W21	Existing Proposed	N/R 5.85	0 6	0.00	0 5	0.00
				W22	Existing Proposed	N/R 3.51				
				W23	Existing Proposed	N/R 5.74				
				W24	Existing Proposed	N/R 33.18	0 57	0.00	0 23	0.00
				W25	Existing Proposed	N/R 34.65	0 55	0.00	0 18	0.00
	R8	Residential	Bedroom	W26	Existing Proposed	N/R 33.25	0 58	0.00	0 24	0.00
				W27	Existing Proposed	N/R 34.74	0 56	0.00	0 19	0.00
	R9	Residential	LKD	W28	Existing Proposed	N/R 33.33	0 58	0.00	0 24	0.00
				W29	Existing Proposed	N/R 34.82	0 56	0.00	0 19	0.00
				W30	Existing Proposed	N/R 33.41	0 58	0.00	0 24	0.00
				W31	Existing Proposed	N/R 34.92	0 56	0.00	0 19	0.00
	R10	Residential	Bedroom	W32	Existing Proposed	N/R 33.56	0 58	0.00	0 24	0.00
				W33	Existing	N/R	0	0.00	0	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W34	Proposed 34.99 Existing N/R	215°	56 0	0.00	19 0	0.00
				W35	Proposed 25.56 Existing N/R	215°	36 0	0.00	17 0	0.00
					Proposed 24.94		43		21	
	R11	Residential	LKD	W36	Existing N/R Proposed 21.90	215°	0 29	0.00	0 14	0.00
				W37	Existing N/R Proposed 21.26	215°	0 34	0.00	0 17	0.00
				W38	Existing N/R Proposed 17.15	215°	0 24	0.00	0 12	0.00
				W39	Existing N/R Proposed 18.39	215°	0 31	0.00	0 16	0.00
	R12	Residential	Bedroom	W40	Existing N/R Proposed 0.13	215°	0 0	0.00	0 0	0.00
				W41	Existing N/R Proposed 2.11	215°	0 3	0.00	0 3	0.00
	R13	Residential	Bedroom	W42	Existing N/R Proposed 3.93	215°	0 4	0.00	0 4	0.00
	R14	Residential	Bedroom	W43	Existing N/R Proposed 0.05	215°	0 0	0.00	0 0	0.00
	R15	Residential	Bedroom	W44	Existing N/R Proposed 1.88	215°	0 2	0.00	0 2	0.00
				W45	Existing N/R Proposed 1.88	215°	0 2	0.00	0 2	0.00
	R16	Residential	LKD	W46	Existing N/R Proposed 5.37	215°	0 1	0.00	0 0	0.00
				W47	Existing N/R Proposed 6.86	215°	0 10	0.00	0 4	0.00
Eighth	R1	Residential	LKD	W1	Existing N/R Proposed 12.18	56°N		*North*		*North*
				W2	Existing N/R Proposed 10.43	56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing N/R Proposed 4.95	326°N		*North*		*North*
				W4	Existing N/R Proposed 31.94	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex		
				W5	Existing Proposed	N/R 33.52					*North*	*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 30.20					*North*	*North*
				W7	Existing Proposed	N/R 31.00					*North*	*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 16.75					*North*	*North*
				W9	Existing Proposed	N/R 14.94					*North*	*North*
	R5	Residential	LKD	W10	Existing Proposed	N/R 11.85					*North*	*North*
				W11	Existing Proposed	N/R 12.56					*North*	*North*
				W12	Existing Proposed	N/R 12.31					*North*	*North*
	R6	Residential	LKD	W13	Existing Proposed	N/R 14.39					*North*	*North*
				W14	Existing Proposed	N/R 16.54					*North*	*North*
	R7	Residential	Bedroom	W15	Existing Proposed	N/R 30.07					*North*	*North*
				W16	Existing Proposed	N/R 29.48					*North*	*North*
	R8	Residential	LKD	W17	Existing Proposed	N/R 31.49					*North*	*North*
				W18	Existing Proposed	N/R 30.72					*North*	*North*
				W19	Existing Proposed	N/R 27.51					*North*	*North*
				W20	Existing Proposed	N/R 25.37					*North*	*North*
				W21	Existing Proposed	N/R 6.16	0 7	0.00	0 5	0.00		
				W23	Existing Proposed	N/R 3.93					*North*	*North*
				W24	Existing Proposed	N/R 6.28					*North*	*North*
				W25	Existing Proposed	N/R 33.55	0 57	0.00	0 23	0.00		
				W26	Existing	N/R	0	0.00	0	0.00		

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
					Proposed	35.09	56		19	
	R9	Residential	Bedroom	W27	Existing	N/R	0	0.00	0	0.00
					Proposed	33.61	58		24	
				W28	Existing	N/R	0	0.00	0	0.00
					Proposed	35.17	56		19	
				W29	Existing	N/R	0	0.00	0	0.00
					Proposed	33.68	58		24	
				W30	Existing	N/R	0	0.00	0	0.00
					Proposed	35.24	56		19	
	R10	Residential	Bedroom	W31	Existing	N/R	0	0.00	0	0.00
					Proposed	33.75	58		24	
				W32	Existing	N/R	0	0.00	0	0.00
					Proposed	35.31	56		19	
				W33	Existing	N/R	0	0.00	0	0.00
					Proposed	33.89	58		24	
				W34	Existing	N/R	0	0.00	0	0.00
					Proposed	35.37	56		19	
				W35	Existing	N/R	0	0.00	0	0.00
					Proposed	26.56	37		17	
				W36	Existing	N/R	0	0.00	0	0.00
					Proposed	25.84	44		21	
	R11	Residential	LKD	W37	Existing	N/R	0	0.00	0	0.00
					Proposed	23.07	29		14	
				W38	Existing	N/R	0	0.00	0	0.00
					Proposed	22.28	36		17	
				W39	Existing	N/R		*North*		*North*
					Proposed	0.00				
	R12	Residential	Bedroom	W40	Existing	N/R	0	0.00	0	0.00
					Proposed	4.48	5		5	
	R13	Residential	LKD	W41	Existing	N/R	0	0.00	0	0.00
					Proposed	15.51	26		12	
				W42	Existing	N/R	0	0.00	0	0.00
					Proposed	12.68	17		7	
	R14	Residential	Bedroom	W43	Existing	N/R	0	0.00	0	0.00
					Proposed	0.00	0		0	
	R15	Residential	Bedroom	W44	Existing	N/R	0	0.00	0	0.00
					Proposed	0.77	0		0	

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
	R16	Residential	LKD	W45	Existing Proposed	N/R 125°	0 4	0.00	0 4	0.00
				W46	Existing Proposed	N/R 215°	0 4	0.00	0 0	0.00
				W47	Existing Proposed	N/R 215°	0 13	0.00	0 4	0.00
Ninth	R1	Residential	LKD	W1	Existing Proposed	N/R 56°N		*North*		*North*
				W2	Existing Proposed	N/R 56°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 326°N		*North*		*North*
				W4	Existing Proposed	N/R 56°N		*North*		*North*
				W5	Existing Proposed	N/R 56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 56°N		*North*		*North*
				W7	Existing Proposed	N/R 56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 56°N		*North*		*North*
				W9	Existing Proposed	N/R 56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing Proposed	N/R 56°N		*North*		*North*
				W11	Existing Proposed	N/R 56°N		*North*		*North*
				W12	Existing Proposed	N/R 56°N		*North*		*North*
	R6	Residential	LKD	W13	Existing Proposed	N/R 56°N		*North*		*North*
				W14	Existing Proposed	N/R 56°N		*North*		*North*
	R7	Residential	Bedroom	W15	Existing Proposed	N/R 56°N		*North*		*North*
				W16	Existing Proposed	N/R 56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
R8	Residential	LKD	W17	Existing	N/R	56°N				*North*	*North*
			Proposed	32.84							
			W18	Existing	N/R	56°N				*North*	*North*
			Proposed	31.84							
			W19	Existing	N/R	56°N				*North*	*North*
			Proposed	28.89							
			W20	Existing	N/R	56°N				*North*	*North*
			Proposed	26.75							
			W21	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	6.80	10	6					
W22	Existing	N/R	56°N				*North*	*North*			
Proposed	5.18										
W23	Existing	N/R	56°N				*North*	*North*			
Proposed	7.70										
W24	Existing	N/R	146°	0	0.00	0	0.00				
Proposed	33.87	58	24								
W25	Existing	N/R	146°	0	0.00	0	0.00				
Proposed	35.47	57	20								
R9	Residential	Bedroom	W26	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	33.92	59	25					
			W27	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	35.53	57	20					
			W28	Existing	N/R	146°	0	0.00	0	0.00	
Proposed	33.97	59	25								
W29	Existing	N/R	146°	0	0.00	0	0.00				
Proposed	35.59	57	20								
R10	Residential	Bedroom	W30	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	34.02	59	25					
			W31	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	35.65	57	20					
			W32	Existing	N/R	146°	0	0.00	0	0.00	
			Proposed	34.15	59	25					
			W33	Existing	N/R	146°	0	0.00	0	0.00	
Proposed	35.69	57	20								
W34	Existing	N/R	215°	0	0.00	0	0.00				
Proposed	27.90	40	17								
W35	Existing	N/R	215°	0	0.00	0	0.00				
Proposed	27.07	47	21								
R11	Residential	LKD	W36	Existing	N/R	215°	0	0.00	0	0.00	
			Proposed	24.69	33	14					
			W37	Existing	N/R	215°	0	0.00	0	0.00	
Proposed	23.73	39	17								
W38	Existing	N/R	305°N				*North*	*North*			
Proposed	0.00										

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
	R12	Residential	Bedroom	W39	Existing Proposed	N/R 4.41	215°	0 5	0.00	0 5	0.00
	R13	Residential	LKD	W40	Existing Proposed	N/R 17.39	215°	0 30	0.00	0 12	0.00
				W41	Existing Proposed	N/R 14.77	215°	0 21	0.00	0 7	0.00
	R14	Residential	Bedroom	W42	Existing Proposed	N/R 0.00	215°	0 0	0.00	0 0	0.00
	R15	Residential	Bedroom	W43	Existing Proposed	N/R 1.48	215°	0 2	0.00	0 2	0.00
	R16	Residential	LKD	W44	Existing Proposed	N/R 3.18	125°	0 4	0.00	0 4	0.00
				W45	Existing Proposed	N/R 8.76	215°	0 5	0.00	0 0	0.00
				W46	Existing Proposed	N/R 10.13	215°	0 14	0.00	0 4	0.00
Tenth	R1	Residential	LKD	W1	Existing Proposed	N/R 24.89	56°N		*North*		*North*
				W2	Existing Proposed	N/R 14.95	56°N		*North*		*North*
				W49	Existing Proposed	N/R 34.33	305°N		*North*		*North*
				W50	Existing Proposed	N/R 34.41	305°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing Proposed	N/R 9.67	326°N		*North*		*North*
				W4	Existing Proposed	N/R 33.97	56°N		*North*		*North*
				W5	Existing Proposed	N/R 35.37	56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing Proposed	N/R 32.74	56°N		*North*		*North*
				W7	Existing Proposed	N/R 33.57	56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing Proposed	N/R 20.31	56°N		*North*		*North*
				W9	Existing	N/R	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
					Proposed	18.68				
	R5	Residential	LKD	W10	Existing	N/R		*North*		*North*
					Proposed	15.59				
				W11	Existing	N/R		*North*		*North*
					Proposed	16.40				
				W12	Existing	N/R		*North*		*North*
					Proposed	15.97				
	R6	Residential	Studio-Apt	W13	Existing	N/R		*North*		*North*
					Proposed	18.32				
				W14	Existing	N/R		*North*		*North*
					Proposed	20.15				
				W15	Existing	N/R		*North*		*North*
					Proposed	33.07				
				W16	Existing	N/R		*North*		*North*
					Proposed	32.16				
	R7	Residential	Bedroom	W17	Existing	N/R		*North*		*North*
					Proposed	34.37				
				W18	Existing	N/R		*North*		*North*
					Proposed	33.09				
	R8	Residential	Bedroom	W19	Existing	N/R		*North*		*North*
					Proposed	31.40				
				W20	Existing	N/R		*North*		*North*
					Proposed	28.99				
				W21	Existing	N/R	0	0.00	0	0.00
					Proposed	7.04	8		6	
	R9	Residential	LKD	W22	Existing	N/R		*North*		*North*
					Proposed	6.12				
				W23	Existing	N/R		*North*		*North*
					Proposed	8.81				
				W24	Existing	N/R	0	0.00	0	0.00
					Proposed	34.14	59		25	
				W25	Existing	N/R	0	0.00	0	0.00
					Proposed	35.81	57		20	
				W26	Existing	N/R	0	0.00	0	0.00
					Proposed	34.18	59		25	
				W27	Existing	N/R	0	0.00	0	0.00
					Proposed	35.85	57		20	
				W28	Existing	N/R	0	0.00	0	0.00
					Proposed	34.21	59		25	
				W29	Existing	N/R	0	0.00	0	0.00
					Proposed	35.89	57		20	

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
	R10	Residential	LKD	W30	Existing N/R	146°	0	0.00	0	0.00
					Proposed 34.25		59		25	
				W31	Existing N/R	146°	0	0.00	0	0.00
					Proposed 35.93		57		20	
				W32	Existing N/R	146°	0	0.00	0	0.00
					Proposed 34.37		59		25	
				W33	Existing N/R	146°	0	0.00	0	0.00
	Proposed 35.97		57		20					
	R11	Residential	Bedroom	W36	Existing N/R	215°	0	0.00	0	0.00
					Proposed 8.13		9		9	
	R12	Residential	Bedroom	W37	Existing N/R	215°	0	0.00	0	0.00
					Proposed 25.43		27		7	
				W38	Existing N/R	215°	0	0.00	0	0.00
					Proposed 24.18		42		16	
	R13	Residential	LKD	W39	Existing N/R	215°	0	0.00	0	0.00
					Proposed 20.65		37		12	
				W40	Existing N/R	215°	0	0.00	0	0.00
					Proposed 18.26		29		8	
			W41	Existing N/R	305°N		*North*		*North*	
				Proposed 0.16						
	R14	Residential	Bedroom	W42	Existing N/R	215°	0	0.00	0	0.00
					Proposed 0.02		0		0	
	R15	Residential	Bedroom	W43	Existing N/R	215°	0	0.00	0	0.00
					Proposed 1.51		2		2	
	R16	Residential	LKD	W44	Existing N/R	125°	0	0.00	0	0.00
					Proposed 3.46		5		5	
				W45	Existing N/R	215°	0	0.00	0	0.00
					Proposed 12.24		10		0	
				W46	Existing N/R	215°	0	0.00	0	0.00
					Proposed 13.58		20		5	
			W47	Existing N/R	305°N		*North*		*North*	
				Proposed 29.69						
			W48	Existing N/R	305°N		*North*		*North*	
				Proposed 31.63						
Eleven	R1	Residential	LKD	W1	Existing N/R	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W2	Proposed 21.25 Existing N/R	56°N		*North*		*North*
				W49	Proposed 16.09 Existing N/R	305°N		*North*		*North*
				W50	Proposed 34.95 Existing N/R Proposed 35.12	305°N		*North*		*North*
	R2	Residential	Bedroom	W3	Existing N/R Proposed 12.50	326°N		*North*		*North*
				W4	Existing N/R Proposed 34.63	56°N		*North*		*North*
				W5	Existing N/R Proposed 35.93	56°N		*North*		*North*
	R3	Residential	Bedroom	W6	Existing N/R Proposed 34.58	56°N		*North*		*North*
				W7	Existing N/R Proposed 35.87	56°N		*North*		*North*
	R4	Residential	Bedroom	W8	Existing N/R Proposed 34.91	56°N		*North*		*North*
				W9	Existing N/R Proposed 35.35	56°N		*North*		*North*
	R5	Residential	LKD	W10	Existing N/R Proposed 33.74	56°N		*North*		*North*
				W11	Existing N/R Proposed 36.25	56°N		*North*		*North*
				W12	Existing N/R Proposed 34.61	56°N		*North*		*North*
	R6	Residential	Studio-Apt	W13	Existing N/R Proposed 35.03	56°N		*North*		*North*
				W14	Existing N/R Proposed 34.82	56°N		*North*		*North*
				W15	Existing N/R Proposed 35.60	56°N		*North*		*North*
				W16	Existing N/R Proposed 34.08	56°N		*North*		*North*
	R7	Residential	Bedroom	W17	Existing N/R Proposed 35.52	56°N		*North*		*North*
				W18	Existing N/R Proposed 34.00	56°N		*North*		*North*

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex	
	R8	Residential	Bedroom	W19	Existing	N/R	56°N		*North*		*North*
					Proposed	35.44					
				W20	Existing	N/R	56°N		*North*		*North*
					Proposed	33.93					
				W21	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	9.93	13		6		
	R9	Residential	LKD	W22	Existing	N/R	56°N		*North*		*North*
					Proposed	10.83					
				W23	Existing	N/R	56°N		*North*		*North*
					Proposed	13.37					
				W24	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	34.33	59		25		
				W25	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	36.07	57		20		
				W26	Existing	N/R	146°	0	0.00	0	0.00
	Proposed	34.36	59		25						
			W27	Existing	N/R	146°	0	0.00	0	0.00	
				Proposed	36.09	57		20			
			W28	Existing	N/R	146°	0	0.00	0	0.00	
				Proposed	34.38	59		25			
			W29	Existing	N/R	146°	0	0.00	0	0.00	
				Proposed	36.12	57		20			
	R10	Residential	LKD	W30	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	34.40	59		25		
				W31	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	36.14	57		20		
				W32	Existing	N/R	146°	0	0.00	0	0.00
					Proposed	34.51	59		25		
				W33	Existing	N/R	146°	0	0.00	0	0.00
	Proposed	36.17	57		20						
			W34	Existing	N/R	236°	0	0.00	0	0.00	
				Proposed	4.90	5		3			
			W35	Existing	N/R	215°	0	0.00	0	0.00	
				Proposed	9.26	9		9			
	R11	Residential	Bedroom	W36	Existing	N/R	215°	0	0.00	0	0.00
					Proposed	9.40	10		10		
	R12	Residential	Bedroom	W37	Existing	N/R	215°	0	0.00	0	0.00
					Proposed	27.59	43		12		
				W38	Existing	N/R	215°	0	0.00	0	0.00
					Proposed	26.58	50		18		
	R13	Residential	LKD	W39	Existing	N/R	215°	0	0.00	0	0.00
					Proposed	25.29	47		15		
				W40	Existing	N/R	215°	0	0.00	0	0.00

Project Name: Example
 Project No.: 1
 Report Title: Daylight & Sunlight - Neighbour Analysis Test
 Date of Analysis: 05-Mar-18

Floor Ref.	Room Ref.	Property Type	Room Use.	Window Ref.	VSC	Window Orientation	Annual	Pr/Ex	Winter	Pr/Ex
				W41	Proposed 23.61 Existing N/R Proposed 0.42	305°N	42	*North*	11	*North*
	R14	Residential	Bedroom	W42	Existing N/R Proposed 0.42	215°	0 0	0.00	0 0	0.00
	R15	Residential	Bedroom	W43	Existing N/R Proposed 2.47	215°	0 3	0.00	0 3	0.00
	R16	Residential	LKD	W44	Existing N/R Proposed 4.27	125°	0 8	0.00	0 8	0.00
				W45	Existing N/R Proposed 16.65	215°	0 28	0.00	0 4	0.00
				W46	Existing N/R Proposed 18.05	215°	0 34	0.00	0 8	0.00
				W47	Existing N/R Proposed 31.18	305°N		*North*		*North*
				W48	Existing N/R Proposed 32.77	305°N		*North*		*North*