

Project No.224: 95 Avenue Road, London, NW8 6HY

Lighting Assessment

March 19, 2018

224-455 Revision B

page 1 of 1

Planning Department
London Borough of Camden
5 Pancras Square, Floor 2
London N1C 4AG

The application is for a minor alteration to an existing entrance. The proposal is to remodel the entrance to allow for better safety, lighting and accessibility.

Lighting Assessment:

For details of external lighting please see generally plans, sections and elevations attached, including document 443-B-external lighting specifications.

The existing canopy has a series of large under mounted lights that are non-directional and spill light generally.

The proposed lighting scheme is to remove these lights and incorporate directional down lights with focused lighting where required for safety purposes, navigation, or to help facilitate access.

Exterior Lighting Schedule:

- 5 number directional downlights, ambient safety, low glare to minimise any light spill out of the property. These are positioned as indicated on the Proposed Roof Plan 224-1.008-C.
- 1 linear LED flexible lighting strip, located in canopy niche as per drawing 224-1.008-C and 8.008-D. - with waterproof casing option for exterior use.
- Same linear LED specifications for halo lighting behind metal lettering, as per drawing 224-8.004-C.

END

FINE architecture

T 08454 300 120

1 Westmoreland Terrace, London, SW1V 4AG