

Proposed 20-25cm girth tree planted at nursery level

Proposed 50mm depth of high grade ornamental bark mulch  
NBS: Q28.155A

Tree uplighter  
To Engineers specification

Proposed 600mm depth of imported and approved topsoil  
NBS: Q28.330B

Proposed 300mm depth of imported and approved subsoil

Proposed root barrier  
Installed to manufacturer's recommendations  
NBS: Q31.510A

Edge Type 2 - with 125mm upstand  
Concrete haunch to engineers specification  
NBS: Q10.110A

Slot drain  
To Engineers specification

Paving Type 11 - Textured concrete paving  
NBS: Q25.315A

Paving Build-up  
To Engineers specification

Indicative rootball size to be confirmed by selected nursery

Proposed Planting

Proposed Greenblue Urban's Rootrain Civic Irrigation System, or similar approved  
Installed to manufacturer's specification/recommendations  
NBS: Q31.512D

Proposed min. 300mm drainage layer with non fine clean gravel and lined geotextile, or similar approved  
NBS: Q31.515A

Paving Type 12 - Textured concrete paving  
NBS: Q25.310B

Paving Build-up  
To Engineers specification

DRAINAGE PIPE  
TO ENGINEERS SPECIFICATION

PROPOSED GreenBlue Urban's ARBORGUY TREE GUYING SYSTEM, OR SIMILAR APPROVED  
INSTALLED TO MANUFACTURER'S SPECIFICATION/RECOMMENDATIONS  
NBS: Q31.512E

**Notes:**

1. Final tree pit size will vary dependent on size of rootball and tree stock. Landscape architect to inspect tree pits prior to planting.
2. Additional support for trees may be required if ground conditions become too wet for ground anchors to provide support.
3. Final location of trees is subject to location of services that are to be confirmed by engineer.

**General Notes:**


1. This drawing is the property of fabrik. It must not be copied or reproduced without written consent.
2. This drawing shall be read in conjunction with all relevant contract drawings and fabrik Landscape Specification with any conflicting information to be brought to the attention of fabrik before work commences
3. All dimensions are in millimetres unless otherwise specified
4. All levels in metres unless otherwise specified
5. Only figured dimensions are to be taken from this drawing. All contractors must visit site and be responsible for taking and checking all dimensions related to the works shown on the drawing.
6. All dimensions and sizes of units to be verified by the contractor on shop drawings for each element before the commencement of works
7. All construction base layers to engineer's specification
8. All steelwork to be galvanised unless otherwise stated
9. All concrete structures/members to structural engineer's/architect's detail
10. All supports/fixings to manufacturer's/engineer's detail
11. All exposed concrete faces to waterproofing engineer's/contractor's details
12. All eyebolts to be stainless steel unless otherwise specified and to engineers detail
13. All trees/shrubs/hedges planted at nursery level
14. Falls are for guidance purposes only, setting out shall be to spot levels
15. All concrete paving and associated foundation to comply with BS 7533:2006 Pavements constructed with clay, natural stone or concrete pavers;

**Location Plan:**



No.	Date	Reason	mb
P1	23.04.18	Issued for planning approval	mn
C2	28.07.2017	Issued for Construction Post VE	mb
C1	12.04.2017	Issued for Construction	mb

Revisions



**fabrik**

First Floor  
4-8 Emerson Street  
London  
SE1 9DU

T: 0207 620 1453  
F: 0207 261 9126  
E: london@fabrik.com  
W: www.fabrikuk.com

Project

Camden Lock Village, Camden  
for MACE

Drawing

Tree in Soft Landscape - Typical Detail

Scale	Date	Checked	Drawn
1:10 @ A1	March '17	NB	MB

Drawing No.	Revision
D2456 L.466	P1

<input type="checkbox"/> Preliminary	<input type="checkbox"/> Issued for Design/Information
<input checked="" type="checkbox"/> Issued for Planning Approval	<input type="checkbox"/> Issued for Tender
<input type="checkbox"/> Issued for Construction	<input type="checkbox"/> As Built