

Boundary Type 7 - Timber gate Post fixed to upstand - TBC by Structural Engineer Boundary Type 6 - 1.1m HT Timber Screen NBS: Q40,570A Paving Type 26 - 20mm grade granite chipping − Paving Type 24 - Sandstone paving Installed on pedestal support system NBS: Q25.310E Furniture Type 24 - Freestanding timber planter system
Plant area side of timber planter installed without coping
NBS: Q31.296B Furniture Type 24 - Modular timber planter Boundary Type 5 - 1.5m HT timber screen Post fixed to planter - To manufacturers detail Paving Type 26 - 20mm grade granite chipping Balustrade To Architects detail APARTMENT D.5.3 PLANT ZONE APARTMENT D.5.5 PRIVATE TERRACE PRIVATE TERRACE SSL +45.465 Proposed Planting Proposed drainage and protection mat with filter fleece Insulation layer To Architects specification Slab waterproofing To Engineers specification Structural slab To Engineers design

Section Through Building DE Level 6 Roof Terrace


SCALE 1:25@A1

General Notes:

- This drawing is the property of fabrik. It must not be copied or reproduced without written consent.
 This drawing shall be read in conjunction with all relevant contract drawings and fabrik Landscape Specification with any conflicting information to be brought to the attention of fabrik before work commences
 All dimensions are in millimetres unless otherwise specified
- 4. All levels in metres unless otherwise specified
- 5. Only figured dimensions are to be taken from this drawing. All contractors must visit site and be responsible for taking and checking all dimensions related to the works shown on the drawing.
- 6. All dimensions and sizes of units to be verified by the contractor on shop drawings for each element before the
- commencement of works 7. All construction base layers to engineer's specification
- 8. All steelwork to be galvanised unless otherwise stated 9. All concrete structures/members to structural engineer's/architect's detail
- All supports/fixings to manufacturer's/engineer's detail
 All exposed concrete faces to waterproofing engineer's/contractor's details
- 12. All tree supporting measures to contractor design and approved by Fabrik Ltd. and the engineer 13. All eyebolts to be stainless steel unless otherwise specified and to engineers detail
- 14. All trees/shrubs/hedges planted at nursery level 15. Falls are for guidance purposes only, setting out shall be to spot levels
- 16. All concrete paving and associated foundation to comply with BS 7533:2006 'Pavements constructed with clay, natural stone or concrete pavers;

Location Plan:

Roof Light



P1 23.04.18 Issued for planning approval C2 28.07.2017 Level 1 boundary height amended per AHMM comment C1 12.04.2017 Issued for construction

Revisions



MB MB

fabrik First Floor

4-8 Emerson Street London SE1 9DU

T: 0207 620 1453

F: 0207 261 9126 E: london@fabrikuk.com

W: www.fabrikuk.com

Camden Lock Village, Camden for MACE

Building DE Roof Terraces - Typical Sections Sheet 1

Checked Drawn NB MB As Noted @ A1 March'17 Drawing No. Revision D2456 L.491 P1

Preliminary Issued for Design/Information Issued for Planning Approval Issued for Tender As Built Issued for Construction

Copyright Reserved f CDrawing sheet size - A1