


White Hall Hotel



- BUILDING DESIGN PARTNERSHIP LTD SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.
- ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
- DO NOT SCALE FROM THIS DRAWING.
- ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP LTD AT THE ADDRESS SHOWN BELOW.
- ### NOTES
- EXISTING STRUCTURE
 - NEW CONSTRUCTION
 - EXISTING DOOR
 - NEW DOOR
 - NEW DOOR TO REPLACE EXISTING ASBESTOS CONTAINING DOOR
 - EXISTING WINDOW NUMBERS
 - NEW WINDOW NUMBERS
 - INTERNAL OPENING DETAIL
 - DRILL HALL HIRAYAMA CONSERVATION STUDIO - NO PROPOSED WORKS
 - DOOR HOLD OPEN DEVICE
 - EXISTING POSITION ELECTRICAL FLOOR OUTLET BOX
 - NEW ELECTRICAL FLOOR OUTLET BOX
 - REVISION CLOUD REFERS TO VRF REMOVED OR RADIATOR ADDED

REVISION / DESCRIPTION	DRAWN	CHECKED	DATE
D - For Planning and Listed Building Consent Application	MF	AC	24/04/18
C - For Planning and Listed Building Consent Application	LBE	MB	23/06/17
B - For Planning and Listed Building Consent Application	LBE	MB	01/06/17
A - For comments	LBE	MB	12/05/17
FIRST ISSUE	LBE	MB	28/04/17

Lath and plaster to be overboarded to achieve 30 minute fire protection. Existing cornice and skirting carefully removed, set aside with care and reinstated when the overboarding is completed.

Remove all vegetation. Allow for repair to existing roof cover

Lath and plaster above timber panel to be overboarded to achieve 30 minute fire protection. Existing dado carefully removed, set aside with care and reinstated when the overboarding is completed

New FD60 door to match existing. Connecting opening may be blocked up in future, i.e. not a fire escape.

Lath and plaster to be overboarded to achieve 30 minute fire protection.

Removal of door to be agreed with fire officer

Wall to be overboarded to achieve 30 minute fire protection (TBC). Existing cornice and skirting carefully removed, set aside with care and reinstated when the overboarding is completed.

Bars in windows to be removed

Reinstatement of existing arched opening. Refer to structural drawings for details and specifications.

Allow for "Manual Cycle Wheel Ramps" to existing metal stairs for manoeuvring bikes up and down by Falco.

Existing staircase to be reinstated to provide a secondary mean of escape



BDP.

18 Brewhouse Yard
Clerkenwell
London, EC1V 4LJ
United Kingdom

T +44 (0)20 7812 8000
F +44 (0)20 7812 8399
www.bdp.com

British Museum Perimeter Properties Refurbishment		
P2007246		
DRAWING TITLE	SCALE	DATE
1-1A Montague Street Proposed Ground Floor Plan	1:50@A1	April '17
PLANNING AND LBC APPLICATION	REVISION	
(15)AP002	D	