

Dawson (development), Barry

From: BCTAdmin@thameswater.co.uk
Sent: 19 April 2018 15:38
To: Planning
Subject: 3rd Party Planning Application - 2018/1541/P

London Borough of Camden
Camden Town Hall
Argyle Street
Euston Road
London
WC1H 8EQ

Our DTS Ref: 22652
Your Ref: 2018/1541/P

19 April 2018

Dear Sir/Madam

Re: LAND TO WEST OF ROYAL MAIL SORTING OFFICE, BOUNDED BY PHOENIX PLACE,
MOUNT PLEASANT,, GOUGH STREET AND CALTHORPE STREET, LONDON, WC1

Waste Comments

Water Comments

Thank you for consulting Thames Water for the discharge of matters relating to water networks. Thames Water confirm that they are happy for the water networks condition referenced, to be discharged based on the information submitted.

Supplementary Comments

Water: Thames Water agree to discharge Condition 8. The modelling study Mount Pleasant Mail Centre Development Modelling Report- Additional Property Request was completed in March 2018. The developer must adhere to all recommendations and conclusions and work with Thames Water.

Yours faithfully
Development Planning Department

Development Planning,
Thames Water,
Maple Lodge STW,
Denham Way,
Rickmansworth,
WD3 9SQ
Tel:020 3577 9998
Email: devcon.team@thameswater.co.uk

This is an automated email, please do not reply to the sender. If you wish to reply to this email, send to devcon.team@thameswater.co.uk