

Email: planning@camden.gov.uk
Phone: 020 7974 4444
Fax: 020 7974 1680

Development Management
Camden Town Hall Extension
Argyle Street
London WC1H 8EQ

Application for approval of details reserved by condition.
Town and Country Planning Act 1990
Planning (Listed Buildings and Conservation Areas) Act 1990

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website.
If you require any further clarification, please contact the Authority's planning department.

1. Applicant Name, Address and Contact Details

Title:	<input type="text" value="Mr"/>	First Name:	<input type="text" value="Cemal"/>	Surname:	<input type="text" value="Polat"/>
Company name:	<input type="text"/>				
Street address:	<input type="text" value="59 Cazenove Road"/>				
	<input type="text"/>				
	<input type="text"/>				
Telephone number:	<input type="text"/>				
Mobile number:	<input type="text"/>				
Town/City:	<input type="text" value="London"/>				
Fax number:	<input type="text"/>				
Country:	<input type="text"/>				
Email address:	<input type="text"/>				
Postcode:	<input type="text" value="N16 6PA"/>				
Are you an agent acting on behalf of the applicant?					
<input checked="" type="radio"/> Yes <input type="radio"/> No					

2. Agent Name, Address and Contact Details

Title:	<input type="text" value="Ms"/>	First Name:	<input type="text" value="Tuba"/>	Surname:	<input type="text" value="Korkmaz"/>
Company name:	<input type="text" value="Seesaw Studios"/>				
Street address:	<input type="text" value="30 Shacklewell Lane"/>				
	<input type="text"/>				
	<input type="text"/>				
Telephone number:	<input type="text" value="02072545671"/>				
Mobile number:	<input type="text"/>				
Town/City:	<input type="text" value="London"/>				
Fax number:	<input type="text"/>				
Country:	<input type="text"/>				
Email address:	<input type="text"/>				
Postcode:	<input type="text" value="E8 2EZ"/>				
	<input type="text" value="info@seesaw-studios.com"/>				

3. Site Address Details

Full postal address of the site (including full postcode where available)

House: Suffix:

House name:

Street address:

Town/City:

Postcode:

Description of location or a grid reference
(must be completed if postcode is not known):

Easting:

Northing:

Description:

4. Pre-application Advice

Has assistance or prior advice been sought from the local authority about this application?

Yes No

5. Description of the Proposal

Please provide a description of the approved development as shown on the decision letter:

Variation of condition 3 (approved plans) of planning permission 2012/1400/P dated 31/01/2013 (for erection of single storey glazed extension with associated roof terraces and new rooftop plant to provide additional office space (Class B1) at 9th floor level (following removal of existing 9th floor rooftop plant), change of use from offices to three flexible retail or restaurant units (Class A1/A3) at part ground floor level, reconfiguration of front entrance to corner of Bloomsbury Way and New Oxford Street, replacement of ground and first floor façade with double storey glazed frontages to all elevations and associated alterations for refurbishment of existing offices (Class B1)), namely to change use of part ground floor office (Class B1) to retail (Class A1), enlarged roof terrace at 9th floor level, provision of acoustic screen at roof level and associated external and internal alterations (part retrospective).

Application reference number:

Date of decision:

Please state the condition number(s) to which this application relates:

Condition number(s):

Condition 6 - Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment (or any part of it) is in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive facade shall be at least 10dB(A) below the LA90, expressed in dB(A). Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 (Managing the impact of growth and development) of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 (Managing the impact of development on occupiers and neighbours) and DP28 (Noise and vibration) of the London Borough of Camden Local Development Framework Development Policies.

Condition 8 - No fixed ventilation plant and /or machinery associated with the specified following uses [(a) The retail (Class A1) use at part ground floor level; (b) The flexible retail or restaurant units (Class A1/A3) at part ground floor level] shall come into operation until full details of the plant and machinery serving the relevant part of the development hereby permitted, and any mitigation measures to prevent odour nuisances where applicable, has been submitted to and approved in writing by the Council. The plant/machinery shall thereafter be maintained in effective order to the reasonable satisfaction of the Council. In the event of no satisfactory ventilation plant and / or machinery being provided, no primary cooking shall take place on the premises. Page 5 of 9 2014/2783/P Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 (Managing the impact of growth and development) of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 (Managing the impact of development on occupiers and neighbours) and DP28 (Noise and vibration) of the London Borough of Camden Local Development Framework Development Policies.

Has the development already started?

Yes No

If Yes, please state when the development was started:

Has the development been completed?

Yes No

If Yes, please state when the development was completed:

6. Discharge of Condition(s)

Please provide a full description and/or list of the materials/details that are being submitted for approval:

Condition 6 - Noise Impact Assessment Report: Mechanical Plant
Condition 8 - Odour impact assessment relating to selected ventilation plant/machinery
SE1443 - Proposed Plan & Elevation detailing proposed extractor placement

7. Part Discharge of Condition(s)

Are you seeking to discharge only part of a condition?

Yes No

8. Site Visit

Can the site be seen from a public road, public footpath, bridleway or other public land?

Yes No

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one)

The agent The applicant Other person

9. Declaration

I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/drawings and additional information. I/we confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.



Date

09/05/2018