

bility				© copyright BISSET ADAMS	Notes
Suitability Revision	Date	Comments	A1		contra
D3 P1	05/03/18	Issue for Information			all din
D4 P2	25/04/18	Issue for Information			This c
D4 P3	10/05/18	INFORMATION ABOUT CEILINGS AND CORNICES ADDED			11115 C
D4 P4	17/05/18	WORDING ON BUTRESSES REVISED. KEY NOTE ADDED.			Сору
				Do not ocolo	drawi reproc
				Do not scale All dimensions to be checked	perso
				on site	conse

imensions are to be scaled from this drawing. The actor / manufacturer is responsible for checking mensions and querying any discrepancies.

drawing is the property of Bisset Adams Ltd.

right is reserved by Bisset Adams Ltd. and the ing is issued on condition that it is not copied, duced, retained or disclosed to any unauthorised on, either wholly or in part, without written

Project Wohl Wolfson Toddler lab

> 32 Torrington Square and Annex Bloomsbury London WC1E7HX Birbeck University of London



Logo

Demolition	Key
	-

Hatch denotes existing building



Dashed red line denotes demolition

Hatch denotes structure deamed historical / original to be demolished & formation of new openings

Intrusive Investigations approved 2017/0611/PRE

Stripout:

Where strip out occurs, all areas to be made good to match existing retained using like-for-like traditional materials. Remove all redundant modern services and modern pipework. All walls to be repaired using traditional lath and plaster and painted.

All existing non-historic floor coverings are to be removed to make way for new floor coverings. Careful raising of the floorboards, documenting the location and type of fixing of each when removed. Ends not to be broken or cut. To be refixed in place using reclaimed or original iron nails, not screws of stainless steel nails. Note if boards are board end nailed when lifted.

Removal of MDF later panels to 4-panelled historic doors.

Non historic skirtings not require to be retained.

Ceilings to be retained and made good.

Strengthening notes generally and cornice demolition details to respond to Condition 4 of the Planning Decision 217/5851/L

P4

For proposed works please refer to GA plans and Schedule of Works

Redundant cables and conduits to be removed throughout

Redundant UPVC exhaust pipe to

be removed

Form 1no. openings in existing external wall to connect to annex Form 1no. openings in existing wall to allow for new door

Removal of modern floor covering (generally).

······

Installation of new support timbers to existing staircase to third floor to provide reinforcement further to fire damaged TBC by structural Eng.

Partition to be removed (Non historical element. Modern studwork) Retain skirtings for any repair works

Rebuilding of front elevation in line with LBC 2015/5575/L using like-for-like materials, i.e. reclaimed brickwork of the same age, size and colour and lime mortar

Date 18.05	3.05	Drawn	RP	Checked	IJ	Scale	1:50		BISSE
Project No.	Originator	Zone	Level	Туре	Role	Number	Suitability	Revision	
BB029	BA	Z2	01 - 02	DR	Α	1102	D4	P4	