


ALL CONCRETE REPAIR PRODUCTS TO BE USED IN ACCORDANCE WITH THE MANUFACTURERS' INSTRUCTIONS AND RECOMMENDATIONS.



NOTES

**COATING TO UNPAINTED CONCRETE
ROOF PARAPET**
LIGHT SCABBLE OR GRIT BLAST
CONCRETE. TREAT MOSS WITH
BIOCIDE. APPLY RENDEROC ST05
AND DEKGUARD W. (DECKGUARD
COLOUR MATCHED TO EXISTING
PAINT COLOUR RAL 7044M).

SPALLED CONCRETE ESTIMATED REPAIR AREAS

A 450x450mm
B 300x900mm
C 450x1200mm

[illegible]

C01	25-04-18	TH	BG	Tender Issue
Rev	Date	By	Chk	Comment



BRINGING IDEAS TO LIFE



FRANKHAM

Frankham Consultancy Group Limited

E: enquiries@frankham.com
www.frankham.com

SIDCUP OFFICE

Irene House,
Five Archers Business Centre,
 Maidstone Road,
 Sidcup, Kent, DA15 5AE
 T: 020 8509 7777

OXFORD OFFICE

Wootton Business Park
 Beechcroft High Road
 Wootton, Oxfordshire,
 Oxfordshire, OX13 6DF
 T: 01865 327200

LONDON OFFICE

3rd Floor,
 Baird House,
 15-17 St Cross Street,
 London, EC1N 8JW
 T: 020 7651 0700

STIRVENAGE OFFICE

Suite 208,
 Kings Court Business Centre,
 London Road, Stevenage,
 Herts, SG1 2NG
 T: 01438 678610

Client:

London Borough
Of Camden

Project Title:

Acland Burghley School

Drawing Title:

Assembly Building
Existing Elevations
Marked With Concrete Repairs
To External Walls, Columns
And Roof Parapet
Sheet 2

Status:

TENDER ISSUE

Drawn By: KC	Designed By: PA	Checked By: PA	Approved By: GL
-----------------	--------------------	-------------------	--------------------

Original Issue Date: 30/04/2018	Scale @ A1: 1:100
------------------------------------	----------------------

Job No/ File Ref 226549		Originator FCG	Zone EL	Level EL
Type DR	Discipline S	Number 4302	Suitability S4	Revision T1