


Cill material tbc Existing Window:WG-09 Ground Floor Elevation


835 (Existing Frame)


552 (Existing Frame)


552 (Existing Frame)




Existing Window:WG-12, WG-18 Ground Floor Elevation









Existing Window:WG-12 Ground Floor Plan

Note: * indicates frosted glass panel to be replaced with clear glass

General Notes for Existing Windows:

1. Existing timber frames and cills: Refer to Window Frame Key for elements to be retained or replaced.

- Overall finish between retained and replacements elements in finished complete state to be equal in finish and appearance. Repairs & Refurbished frames to be inspected for elements of rotten timber to frames, if present elements are to be cut out, removed and replaced like for like to match the existing frame. Existing frames to be stripped back to timber, sanded back and initially primed. Two part filler application to be applied with sanding & flattening between applications. Initial undercoat to be applied with any final filling elements being completed. Final external grade paint application to be applied in two coats. Contractor to provide sample finishes of both Spray and Brush finish applications for final approval by Kyson & Client. Finishes to match existing. Replacement frames to be replaced like for like. Samples and templates to be approved by Kyson. Where windows are being replaced profiles, frames, mullions, transoms, beading, details and all dimensions to be adhered to and replaced as existing. Replacement frames to be in Hardwood to be FSC sourced. Contractor to provide sample finishes of both Spray and Brush finish applications for final
- approval by Kyson & Client to allow comparison and ensure existing & replacement elements match. 2. Existing stone cills: Where stone cills are to be retained and repaired to match existing material and appearance unless specified differently. Where existing stone cills to be replaced they should be replaced like for like. Samples and templates to be approved
- 3. Existing brick arches: Brick arches are to be retained and made good where required. Where any brick elements are to be replaced they should be replaced like for like. Samples and templates to be approved by Kyson.

4. Existing decorative window surrounds: Decorative window surrounds are to be retained and made good where required. Where any decorative window surrounds are to be replaced they should be replaced like for like. Samples and templates to be approved

- 5. Existing stone structural frames: Stone structural frames are to be retained and made good where required. Where any stone structural frames are to be replaced they should be replaced like for like. Samples and templates to be approved by Kyson.
- 6. Ironmongery: Existing to be replaced with Carlisle Brass Range in Satin Nickel finish.



Do not scale this drawing All dimensions must be checked on site

All rights reserved. No reproduction in any material form is permitted

PLAN	NING		
Client:			
-			
Project Title: 24 Heath Drive.	London. NW3 7	SB	
Drawing Title:			
Proposed Window Sched	ule - Ground Floo	or	
Scale:	Date:	Drawn:	Checked:
1:20@A1	JAN 18	ST	H\/

