


Provider Details		Client Details		Risk Address	
Name:	MHN Ltd	Insurance Co.:		Occupier:	Mr David Blagbrough
Date of Issue:	7/1/13	Client Name:	[REDACTED]	Address:	160 Camden Road
		Contact:	[REDACTED]	Address:	
		Email:	[REDACTED]	Town:	London
		Client Ref:	[REDACTED]	County:	
		Address:	[REDACTED]	Post Code:	NW1 9HJ
		Address:	[REDACTED]	Tel Home:	0207 267 7701
		Town:	[REDACTED]	Tel Work:	[REDACTED]
		County:	[REDACTED]	Mobile:	[REDACTED]
		Post Code:	[REDACTED]	Other:	[REDACTED]
		Other Email:	[REDACTED]	Other:	[REDACTED]


		Target Date:												
		Reading Date:		2/1/18		6/2/18		10/3/18						
		Issue Date:												
Row No.	Point Name	X Co-ordinate	Y Co-ordinate	49	50	51	52	53	54	55	56	57	58	59
1		0.00	0.00											
2	1	5.40	0.00	9.7316	9.7314	9.7324								
3	2	5.40	-0.50	9.5766	9.5765	9.5763								
4	3	5.40	-1.00	10.0240	10.0239	10.0238								
5	4	7.80	-1.00	10.0000	10.0000	10.0000								
6	5	7.80	0.00	9.8161	9.8158	9.8159								
7	6	7.80	1.60	9.7953	9.7955	9.7966								
8	7	7.80	4.60	9.7237	9.7238	9.7259								
9	8	7.80	7.50	9.5582	9.5593	9.5605								
10	9	7.80	11.15	9.4752	9.4775	9.4785								
11		0.00	11.15											
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														
24														
25														
26														
27														
28														
29														
30														
31														
32														



- 10/03/2018
The Occupier raised no new concerns
- Due to the render surface of the property was not possible to install all stations the same brick course. Therefore readings can not be interpreted as Data
- Readings are relative to level station requested. It has an assumed value of 10.0000m
- Further readings to be taken in April

Client: Marishal Thompson

Client Ref: M384



Reading 49 (2/1/18)	Reading 50 (6/2/18)	Reading 51 (10/3/18)	Reading 52 (0/1/00)	Reading 53 (0/1/00)	Reading 54 (0/1/00)
Reading 55 (0/1/00)	Reading 56 (0/1/00)	Reading 57 (0/1/00)	Reading 58 (0/1/00)	Reading 59 (0/1/00)	Reading 60 (0/1/00)

Notes:
Vertical distorted scale 1: 20

Point labels give level difference of last reading from original datum in mm.

