

Application ref: 2018/0483/P
Contact: Gideon Whittingham
Tel: 020 7974 5180
Date: 5 July 2018

Development Management
Regeneration and Planning
London Borough of Camden
Town Hall
Judd Street
London
WC1H 9JE
Phone: 020 7974 4444
camden.gov.uk
planning@camden.gov.uk
www.camden.gov.uk

Planning Guys
Admark House
2 West Street
EWELL
KT17 1UU

Dear Sir/Madam

DECISION

Town and Country Planning Act 1990 (as amended)

Full Planning Permission Granted

Address:
100-102 Judd Street
LONDON
WC1H 9NT

Proposal:
Change of use from A1 (Coffee Shop) to A3 (Restaurant) with provisions for a kitchen extract system.
Drawing Nos: Existing floor plans and elevations including site location and section - 01; Proposed floor plans and elevations including site location and section - 02A; NOISE IMPACT ASSESSMENT - Report 13274-NIA-01-RevA - Prepared on 04 May 2018; Letter by Ghaith Zen 28th February 2018; Letter by Matt Markwick Ref: 13274-180517-L1 - 17 May 2018, Report by Fan Services dated 28th February 2018.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy D1 and D2 of the London Borough of Camden Local Plan 2017.

- 3 The development hereby permitted shall be carried out in accordance with the following approved plans [Existing floor plans and elevations including site location and section - 01; Proposed floor plans and elevations including site location and section - 02A; NOISE IMPACT ASSESSMENT - Report 13274-NIA-01-RevA - Prepared on 04 May 2018; Letter by Ghaith Zen 28th February 2018; Letter by Matt Markwick Ref: 13274-180517-L1 - 17 May 2018, Report by Fan Services dated 28th February 2018.]

Reason: For the avoidance of doubt and in the interest of proper planning.

- 4 The use hereby permitted shall not be carried out outside the following times 08:00am - 07:00pm Monday to Friday and 09:00am - 05:00pm Saturdays, Sundays and Bank Holidays.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies G1, CC1, D1, A1, A4, TC1, TC3 of the London Borough of Camden Local Plan 2017.

- 5 No music shall be played on the premises in such a way as to be audible within any adjoining premises or on the adjoining highway.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies G1, CC1, D1, A1, A4, TC1, TC3 of the London Borough of Camden Local Plan 2017.

- 6 Before the use commences, the extract ventilating system shall be provided with sound attenuation and anti-vibration measures in accordance with the scheme approved in writing by the local planning authority. All such measures shall thereafter be retained and maintained in accordance with the manufacturers' recommendations.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies G1, CC1, D1, A1, A4, TC1, TC3 of the London Borough of Camden Local Plan 2017.

- 7 Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment (or any part of it) is in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive façade shall be at least 10dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the [adjoining] premises [and the area generally] in accordance with the requirements of policies G1, CC1, D1, and A1 of the London Borough of Camden Local Plan 2017.

Informative(s):

- 1 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts that cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (tel: 020-7974 6941).
- 2 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Noise and Licensing Enforcement Team, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (Tel. No. 020 7974 4444 or search for 'environmental health' on the Camden website or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.
- 3 This consent is without prejudice to, and shall not be construed as derogating from, any of the rights, powers, and duties of the Council pursuant to any of its statutory functions or in any other capacity and, in particular, shall not restrict the Council from exercising any of its powers or duties under the Highways Act 1980 (as amended). In particular your attention is drawn to the need to obtain permission for any part of the structure which overhangs the public highway (including footway). Permission should be sought from the Council's Engineering Service Network Management Team, Town Hall, Argyle Street WC1H 8EQ, (tel: 020 7974 2410) or email highwayengineering@camden.gov.uk.
- 4 Your attention is drawn to the need for compliance with the requirements of the Environmental Health regulations, Compliance and Enforcement team, [Regulatory Services] Camden Town Hall, Argyle Street, WC1H 8EQ, (tel: 020 7974 4444) particularly in respect of arrangements for ventilation and the extraction of cooking fumes and smells.
- 5 You are advised that condition 4 means that no customers shall be on the premises and no noise generating activities associated with the use, including preparation and clearing up, shall be carried out otherwise than within the permitted time.
- 6 You are reminded that filled refuse sacks shall not be deposited on the public footpath, or forecourt area until within half an hour of usual collection times. For further information please contact the Council's Environment Services (Rubbish Collection) on 020 7974 6914/5. or on the website <http://www.camden.gov.uk/ccm/content/contacts/council-contacts/environment/contact-street-environment-services.en>.


- 7 This permission is granted without prejudice to the necessity of obtaining consent under the Town and Country Planning (Control of Advertisements) (England) Regulations 2007. Application forms may be obtained from the Council's website, www.camden.gov.uk/planning or the Camden Contact Centre on Tel: 020 7974 4444 or email env.devcon@camden.gov.uk).

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraphs 186 and 187 of the National Planning Policy Framework.

You can find advice about your rights of appeal at:

<http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent>

Yours faithfully

A handwritten signature in black ink that reads "David T. Joyce". The signature is written in a cursive, slightly slanted style.

David Joyce
Director of Regeneration and Planning