

# **Finishes Schedule - Appendix O1**

## **Rev /**

# FF - Floor Finishes






	FF-01	<p>POLISHED CONCRETE</p> <p><b>COLOUR:</b> TO MATCH EXISTING</p> <p><b>PRODUCT:</b> TBC</p> <p><b>REF:</b> TBC</p> <p><b>FINISH:</b> TO MATCH EXISTING AREAS. FINAL REQUIREMENTS TBC FOLLOWING FULL SITE SURVEY</p>	<p>SUPPLIER: TBC</p> <p>CONTACT: TBC</p> <p>T: E:</p>
	FF-02	<p>DESIGN STUDIO ENGINEERED PLANK</p> <p><b>COLOUR:</b> OAK</p> <p><b>PRODUCT:</b> DESTINY VENTURE PLANK</p> <p><b>REF:</b> HW3967</p>	<p>SUPPLIER: HAVWOODS</p> <p>CONTACT:</p> <p>T: 01524 737000 E: W: WWW.HAVWOODS.CO.UK</p>
	FF-03	<p>KIDS ENGINEERED PLANK</p> <p><b>COLOUR:</b> OAK</p> <p><b>PRODUCT:</b> TERLET RUSTIC 180MM WIDE</p> <p><b>REF:</b> HW9508</p>	<p>SUPPLIER: HAVWOODS</p> <p>CONTACT:</p> <p>T: 01524 737000 E: W: WWW.HAVWOODS.CO.UK</p>
	FF-01	<p>EXTERIOR ENTRANCE FLOOR TILE</p> <p><b>COLOUR:</b> GREY <b>PRODUCT:</b> HOLWELL</p> <p><b>REF:</b> 2TOR101 <b>FINISH:</b> BOCCIADATO R11 <b>SIZE:</b> 800MM X 800MM <b>GROUT SPEC:</b> MAPEI 'CEMENT GREY 113'</p>	<p><b>SUPPLIER:</b> SOLUS CERAMICS</p> <p><b>CONTACT:</b></p> <p>T: 020 7935 7355 E: THECREATIVECENTRE@ SOLUSCERAMICS.COM W: SOLUSCERAMICS.COM</p>







# **WF - Wall Finishes**

	WF-01	<u>WALL EMULSION PAINT FINISH</u> <b>COLOUR:</b> VARIOUS <b>PRODUCT:</b> VARIOUS <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u>  <b>CONTACT:</b>  T: E: W:
	WF-02	<u>RAW COLUMN PAINT FINISH</u> <b>COLOUR:</b> WHITE <b>PRODUCT:</b> TBC UPON SITE INSPECTION <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u>  <b>CONTACT:</b>  T: E: W:
	WF-03	<u>RAW COLUMN PAINT FINISH</u> <b>COLOUR:</b> BLACK <b>PRODUCT:</b> TBC UPON SITE INSPECTION <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u>  <b>CONTACT:</b>  T: E: W:
	WF-04	<u>TIMBER WALL PANELLING</u> <b>COLOUR:</b> ASH, BIRCH OR OAK TBC <b>PRODUCT:</b> <b>REF:</b>	<u>SUPPLIER:</u>  <b>CONTACT:</b>  T: E: W:
	WF-05	<u>FEATURE WALL TILE</u> <b>COLOUR:</b> GRIGIO SCURO GLAZED TILE <b>PRODUCT:</b> CERAMICA <b>REF:</b>	<u>SUPPLIER:</u> MUTINA ITALY  <b>CONTACT:</b>  T: +39 0536 812800 E: INFO@MUTINA.IT W: WWW.MUTINA.IT




	WF-06	<u>WALL TILE</u> <b>COLOUR:</b> <b>PRODUCT:</b> <b>REF:</b>	<u>SUPPLIER:</u>  <b>CONTACT:</b>  T: E: W:
	WF-07	<u>W.C WALL TILE</u> <b>COLOUR:</b> GELATO ROSE GLAZED TILE <b>PRODUCT:</b> GELATO <b>REF:</b>	<u>SUPPLIER:</u> MANDARIN STONE  <b>CONTACT:</b>  T: 01600 715444 E: INFO@MANDARINSTONE.COM W: WWW.MANDARINSTONE.COM

# J - Joinery Finishes

	<b>J-01</b>	<u>SATIN METAL FINISH</u>  <b>COLOUR:</b> SATIN BLACK POWDER COATING  <b>PRODUCT:</b> N/A  <b>REF:</b> N/A  <b>FINISH:</b> SATIN	SUPPLIER:  CONTACT:  T: E: W:
	<b>J-02</b>	<u>OAK FINISH</u>  <b>COLOUR:</b> EUROPEAN OAK  <b>PRODUCT:</b> N/A  <b>REF:</b> N/A  <b>FINISH:</b> CLEAR NATURAL LACQUER	SUPPLIER:  CONTACT:  T: E: W:
	<b>J-03</b>	<u>GREEN RESIN MARBLE</u>  <b>COLOUR:</b> VERDE ALPI  <b>PRODUCT:</b> VERDE ALPI  <b>REF:</b> N/A  <b>FINISH:</b> N/A	SUPPLIER: MARMI SCALA (ITALY)  CONTACT:  T: +39 045 907190 E: INFO@MARMISCALA.COM W: WWW.MARMISCALA.COM
	<b>J-04</b>	<u>MIRROR POLISHED STAINLESS</u>  <b>COLOUR:</b>  <b>PRODUCT:</b> 'SUPER MIRROR'  <b>REF:</b> N/A  <b>FINISH:</b> N/A	SUPPLIER: RIMEX METALS  CONTACT:  T: 020 8804 0633 E: RIMEXMETALS.COM W:
	<b>J-05</b>	<u>BRUSHED STAINLESS/ CHROME</u>  <b>COLOUR:</b> CHROME BRUSH  <b>PRODUCT:</b> COLOURED STAINLESS STEEL PVD COATING  <b>REF:</b> N/A  <b>FINISH:</b> CHROME BRUSH	SUPPLIER: JOHN DESMOND  CONTACT:  T: 020 8946 8295 E: CONTACT@JOHNDESMOND.COM W: WWW.JOHNDESMOND.COM

	<b>J-06</b>	<u>WHITE OPAL ACRYLIC</u>  <b>COLOUR:</b>  <b>PRODUCT:</b>  <b>REF:</b> N/A  <b>FINISH:</b> N/A	SUPPLIER:  CONTACT:  T: E: W:
	<b>J-07</b>	<u>BLACK VALCHROMAT</u>  <b>COLOUR:</b> BLACK  <b>PRODUCT:</b>  <b>REF:</b> BL (BLACK)  <b>FINISH:</b> CLEAR MATTE LACQUER	SUPPLIER: VALCHROMAT  CONTACT:  T: 0113 3870830 E: W: LATHAMTIMBER.CO.UK
	<b>J-08</b>	<u>CEMENT MARBLE FINISH</u>  <b>COLOUR:</b> GRISCAL  <b>PRODUCT:</b> CEMENT MARBLE  <b>REF:</b> GRISCAL  <b>FINISH:</b> THICKNESS TBC	SUPPLIER: MARMI SCALA (ITALY)  CONTACT:  T: +39 045 907190 E: INFO@MARMISCALA.COM W: WWW.MARMISCALA.COM
	<b>J-09</b>	<u>STAFFORDSHIRE RED BRICK SLIPS</u>  <b>COLOUR:</b> RED  <b>PRODUCT:</b> EXTRUDED BRICK SLIPS  <b>REF:</b>  <b>FINISH:</b> SMOOTH	SUPPLIER: KETLEY BRICKS  CONTACT:  T: 01384 78361 E: SALES@KETLEY-BRICK.CO.UK W: WWW.KETLEY-BRICK.CO.UK
	<b>J-10</b>	<u>STAFFORDSHIRE BLUE BRICK SLIPS</u>  <b>COLOUR:</b> BLUE  <b>PRODUCT:</b> EXTRUDED BRICK SLIPS  <b>REF:</b>  <b>FINISH:</b> SMOOTH	SUPPLIER: KETLEY BRICKS  CONTACT:  T: 01384 78361 E: SALES@KETLEY-BRICK.CO.UK W: WWW.KETLEY-BRICK.CO.UK

	<b>J-11</b>	<u>SATIN METAL FINISH</u>  <b>COLOUR:</b> BLACK IS BLACK BRUSH  <b>PRODUCT:</b> COLOURED STAINLESS STEEL PVD COATING  <b>REF:</b> N/A  <b>FINISH:</b> BLACK IS BLACK BRUSH	<u>SUPPLIER:</u> JOHN DESMOND  CONTACT:  T: 020 8946 8295 E: CONTACT@JOHNDESMOND.COM W: WWW.JOHNDESMOND.COM
	<b>J-12</b>	<u>GLASS BALLUSTRADE</u>  <b>COLOUR:</b> BLUE/ GOLD MULTI COLOURED <b>PRODUCT:</b> NARIMA BLUE/ GOLD NON TEMPERED - THICKNESS 4MM (TO BE LAMINATED BOTH SIDES TO TOUGH-END GLASS FOR GLASS BALLUSTRADES. <b>CONTRACTOR TO ADVISE</b>	<u>SUPPLIER:</u> SCHOTT GLASS  CONTACT:  T: 01785 223166 E: W: SCHOTT.COM
	<b>J-13</b>	<u>DISPLAY PLINTH FINISH</u>  <b>COLOUR:</b> ALBA (MULTICOLOURED)  <b>PRODUCT:</b>  <b>REF:</b>  <b>FINISH:</b>	<u>SUPPLIER:</u> SMILE PLASTICS  CONTACT:  T: E: INFO@SMILE-PLASTICS.COM W: WWW.SMILE-PLASTICS.COM
	<b>J-14</b>	<u>DISPLAY PLINTH FINISH</u>  <b>COLOUR:</b> ALBA (BLACK & WHITE)  <b>PRODUCT:</b>  <b>REF:</b>  <b>FINISH:</b>	<u>SUPPLIER:</u> SMILE PLASTICS  CONTACT:  T: E: INFO@SMILE-PLASTICS.COM W: WWW.SMILE-PLASTICS.COM
	<b>J-15</b>	<u>DISPLAY PLINTH FINISH</u>  <b>COLOUR:</b> COTTON WHITE  <b>PRODUCT:</b> KVADRAT 'REALLY' SOLID TEXTILE BOARD  <b>REF:</b> COTTON WHITE  <b>FINISH:</b>	<u>SUPPLIER:</u> KVADRAT  CONTACT:  T: 02073245555 E: UK@KVADRAT.ORG W: KVADRAT.DK

	<b>J-16</b>	<u>DISPLAY PLINTH FINISH</u>  <b>COLOUR:</b> ALBA (BLACK)  <b>PRODUCT:</b>  <b>REF:</b>  <b>FINISH:</b>	<u>SUPPLIER:</u> SMILE PLASTICS  CONTACT:  T: E: INFO@SMILE-PLASTICS.COM W: WWW.SMILE-PLASTICS.COM
	<b>J-17</b>	<u>RAL POWDER COAT FINISH</u>  <b>COLOUR:</b> RAL 7021 SATIN  <b>PRODUCT:</b>  <b>REF:</b>  <b>FINISH:</b> SATIN	<u>SUPPLIER:</u>  CONTACT:  T: E: W:
	<b>J-18</b>	<u>W.C COUNTER TOP FINISH</u>  <b>COLOUR:</b> CARGREY  <b>PRODUCT:</b> CEMENT MARBLE  <b>REF:</b> CARGREY  <b>FINISH:</b> SATIN	<u>SUPPLIER:</u> MARMISCALE (ITALY)  CONTACT:  T: +39 045 907190 E: INFO@MARMISCALE.COM W: WWW.MARMISCALE.COM



# U - Upholstery Finishes

	U-01	<u>ARCHITECTURAL CURTAIN</u> <b>COLOUR:</b> 0154 (GREY) <b>PRODUCT:</b> ZULU 2 <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> KVADRAT  CONTACT:  T: 02073245555 E: UK@KVADRAT.ORG W: KVADRAT.DK
	U-02	<u>ARCHITECTURAL CURTAIN</u> <b>COLOUR:</b> 0662 (PURPLE) <b>PRODUCT:</b> ZULU 2 <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> KVADRAT  CONTACT:  T: 02073245555 E: UK@KVADRAT.ORG W: KVADRAT.DK
	U-03	<u>SEAT CUSHION UPHOLSTERY</u> <b>COLOUR:</b> 782 BLUE <b>PRODUCT:</b> BALDER 3 RAF SIMONS <b>REF:</b> 782 <b>FINISH:</b>	<u>SUPPLIER:</u> KVADRAT  CONTACT:  T: 02073245555 E: UK@KVADRAT.ORG W: KVADRAT.DK


# **Furniture Schedule - Appendix 02**

## **Rev /**

REF/ PRODUCT SKU	IMAGE	NAME	LOCATION	COLOUR	INFORMATION	QUANTITY	PRICE PER UNIT

MADE TO CONFIRM

# **Fittings & Hardware Schedule - Appendix O3**



## **Rev /**

	<b>FS-00</b>	<u>CUSTOMER W.C TOILET</u> <b>COLOUR:</b> WHITE <b>PRODUCT:</b> DURAVIT ME BY STARCK <b>CODE:</b> CDUR0102169090000 <b>REF:</b> BACK TO WALL PAN <b>FINISH:</b> N/A	<u>SUPPLIER:</u> C.P HART CONTACT: T: 03458 731 121 E: W: WWW.OPHART.CO.UK
	<b>FS-01</b>	<u>CUSTOMER W.C WASH BOWL</u> <b>COLOUR:</b> WHITE <b>PRODUCT:</b> DURAVIT VERO WASHBOWL 600MM <b>REF:</b> VE45560WW <b>FINISH:</b>	<u>SUPPLIER:</u> C.P HART CONTACT: T: 03458 731 121 E: W: WWW.OPHART.CO.UK
	<b>FS-02</b>	<u>CUSTOMER W.C BASIN TAP</u> <b>COLOUR:</b> MATTE BLACK <b>PRODUCT:</b> LUSSO LUXE WALL MOUNT BASIN MIXER TAP SPOUT AND VALVE <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> LUSSO STONE CONTACT: T: 0203 370 4057 E: W: WWW.LUSSOSTONE.COM
	<b>FS-03</b>	<u>CUSTOMER W.C HAND DRYER</u> <b>COLOUR:</b> NICKEL <b>PRODUCT:</b> DYSON AIRBLADE V <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> DYSON UK CONTACT: T: 0800 298 0298 E: W: WWW.DYSON.CO.UK
	<b>FS-04</b>	<u>DDA (DOC M) DISABLED TOILET PACK</u> <b>COLOUR:</b> WHITE <b>PRODUCT:</b> PREMIER (FULL SET) <b>REF:</b> DOCMP001 <b>FINISH:</b> N/A	<u>SUPPLIER:</u> VICTORIAN PLUMBING CONTACT: T: 0345 862 2878 E: W: VICTORIANPLUMBING.CO.UK

	<b>FS-05</b>	<u>BARISTA COFFEE MACHINE</u> <b>COLOUR:</b> CHROME <b>PRODUCT:</b> ROCKET BOXER 2 GROUP AUTO V2 <b>REF:</b> <b>FINISH:</b> CHROME	<u>SUPPLIER:</u> MACHINA COFFEE CONTACT: T: 0131 656 9565 E: W: WWW.MACHINA-COFFEE.CO.UK
	<b>FS-06</b>	<u>COFFEE GRINDER</u> <b>COLOUR:</b> SILVER/ BLACK <b>PRODUCT:</b> MAHLKONIG TANZANIA <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> MACHINA COFFEE CONTACT: T: 0131 656 9565 E: W: WWW.MACHINA-COFFEE.CO.UK
	<b>FS-07</b>	<u>UNDERCOUNTER FRIDGE</u> <b>COLOUR:</b> STAINLESS <b>PRODUCT:</b> ELSTER ARR140 <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> INTERLEVIN UK CONTACT: T: 01332 850090 E: W: WWW.INTERLEVIN.CO.UK
	<b>FS-08</b>	<u>BACK BAR COOLER</u> <b>COLOUR:</b> BLACK <b>PRODUCT:</b> DB200H-I DOUBLE BACK BAR COOLER <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> TEFCOLD CONTACT: T: E: W: WWW.TEFCOLD.DK
	<b>FS-09</b>	<u>SELF CONTAINED ICE MACHINE</u> <b>COLOUR:</b> STAINLESS/ BLACK <b>PRODUCT:</b> SCOTSMAN ACM46 SELF CONTAINED 24KG/24HR 9KG BIN <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> CATER-KWIK LTD CONTACT: T: 01229 480001 E: W: WWW.CATERKWIK.CO.UK

	<b>FS-10</b>	<u>CAFE UNDERCOUNTER DISHWASHER</u> <b>COLOUR:</b> STAINLESS STEEL <b>PRODUCT:</b> HOBART ECOMAX F504 <b>CODE:</b> F504 <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> HOBART DISHWASHER CONTACT: T: 0845 287 3120 E: W: WWW.HOBARTDISHWASHER.CO.UK
	<b>FS-11</b>	<u>CAFE SOUP KETTLE</u> <b>COLOUR:</b> BLACK <b>PRODUCT:</b> BUFFALO L715 10 LTR <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> CATERING APPLIANCE CONTACT: T: 0333 800 1000 E: W: WWW.CATERING-APPLIANCE.COM
	<b>FS-12</b>	<u>CAFE HOT PLATE</u> <b>COLOUR:</b> STAINLESS <b>PRODUCT:</b> LINCAT SEAL HB2 <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> NISBETS UK CONTACT: T: 0117 316 5000 E: W: WWW.NISBETS.CO.UK
	<b>FS-13</b>	<u>CAFE INTERGRATED SINK</u> <b>COLOUR:</b> STAINLESS <b>PRODUCT:</b> NEW YORK 72X40 OKG (L) <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> REGINOX CONTACT: T: 01260 28 00 33 E: W: WWW.REGINOX.CO.UK
	<b>FS-14</b>	<u>CAFE MIXER TAP</u> <b>COLOUR:</b> STAINLESS <b>PRODUCT:</b> CLEARWATER BELLATRIX MONO KITCHEN MIXER <b>FINISH:</b> N/A	<u>SUPPLIER:</u> TAPWAREHOUSE.COM CONTACT: T: 01202 55 66 55 E: W: WWW.TAPWAREHOUSE.COM

	<b>FS-15</b>	<u>CAFE ZIP TAP</u> <b>COLOUR:</b> STAINLESS <b>PRODUCT:</b> ZIP HYDROTAP G4 CLASSIC BCS <b>FINISH:</b> N/A	<u>SUPPLIER:</u> ZIP WATER CONTACT: T: 03456 005 005 E: W: WWW.ZIPWATER.CO.UK
	<b>FS-16</b>	<u>DOUBLE CONTACT GRILL</u> <b>COLOUR:</b> STAINLESS/ BLACK <b>PRODUCT:</b> BUFFALO L554 DOUBLE CONTACT GRILL <b>FINISH:</b> N/A	<u>SUPPLIER:</u> CATER-KWIK CONTACT: T: 01229 480001 E: W: WWW.CATER-KWIK.CO.UK
	<b>FS-17</b>	<u>SUSPENDED FIRE EXIT SIGNAGE</u> <b>COLOUR:</b> N/A <b>PRODUCT:</b> SUSPENDED LED EMERGENCY EXIT SIGN <b>REF:</b> 20293 <b>FINISH:</b> N/A	<u>SUPPLIER:</u> LIGHTING.STYLES CONTACT: T: 01780 767617 E: INFO@LIGHTINGSTYLES.CO.UK W: WWW.LIGHTINGSTYLES.CO.UK
	<b>FS-18</b>	<u>DOUBLE SOCKET</u> <b>COLOUR:</b> BRUSHED STAINLESS STEEL W/ GREY SLOTS <b>PRODUCT:</b> SUSPENDED LED EMERGENCY EXIT SIGN <b>REF:</b> <b>FINISH:</b>	<u>SUPPLIER:</u> CONTACT: T: E: W:
	<b>FS-19</b>	<u>CABINET BARREL LOCK</u> <b>COLOUR:</b> N/A <b>PRODUCT:</b> 'T LINE' BARREL LOCK OR SIMILAR <b>REF:</b> <b>FINISH:</b> N/A	<u>SUPPLIER:</u> KENSTON LOCKS CONTACT: T: 0 E: W: KENSTAN.COM

	<b>FS-20</b>	<u>STEP NOSING</u>  <b>COLOUR:</b> STAINLESS STEEL  <b>PRODUCT:</b> TREP-E STEP NOSING <b>CODE:</b>  <b>REF:</b>  <b>FINISH:</b> STAINLESS STEEL	<u>SUPPLIER: SCHLUTER</u>  CONTACT:  T: 01530 813396 E: W: WWW.SCHLUTER.CO.UK				
	<b>FS-21</b>	<u>W.C FLUSH PUSH PLATE</u>  <b>COLOUR:</b> STAINLESS STEEL  <b>PRODUCT:</b> GEBERIT SIGMA01 DUAL FLUSH PLATE MATT CHROME  <b>CODE:</b> GERPP2  <b>REF:</b>	<u>SUPPLIER: VICTORIA PLUM</u>  CONTACT:  T: 0344 804 48 48 E: W: VICTORIAPLUM.COM				



# **Specialist & Digital Schedule - Appendix O4**

## **Rev /**

# SF-O1 - Sliding Panel Track System

## RAILS EN OPHANGING

### Easy to use right down to the smallest detail

Thanks to the well-balanced construction of the track and the precision running gear, Multiwal moveable walls can easily be moved by hand. Based on years of experience, Multiwal has developed a number of silent track systems that can be used for all of its moveable walls. Multiwal has three standard types, each with its own roller technology. In addition to the three standard types, special bespoke track systems can be developed upon request.




Track type MA



Track type MR-1 with ceiling support flange  
Track type MR without ceiling support flange



Track type MR-S




- All tracks are aluminium with precision bearing rollers
- Standard powder-coating colour is RAL 9010
- All other colours can be provided upon request

### Track suspension


Tracks can be installed with or without a sound baffle between the ceiling and the building structure as required. The desired sound insulation is achieved by using soundproofing materials such as a compressed mineral wool slab, Sonorex or plasterboard.

The bracket suspension system ensures a precise track height and comprises:


- Tubular steel sections 40 x 50 mm
- Galvanized steel assembly plates
- Adjustable threaded steel connection rods at the base
- Soundproofing materials, dependent on the desired sound insulation



Sectional track drawing showing bracket suspension




Sectional track drawing showing bracket suspension with acoustic baffle/barrier



### Single suspension point, MA track

Each panel is suspended by one centrally fixed, quadruple surface, bearing roller. This enables panels to be easily moved to the parking position without the use of an auxiliary track.













### Double suspension point, MR/MR-1 and MR-S track

Each panel is suspended by two bearing rollers, which enables it to be moved in every required direction to the parking position using an auxiliary track.

### Customised parking

The eight most common standard parking positions are shown below. The Multiwal track constructions allow a variety of possibilities to achieve practically all imaginable parking solutions.



### SF-O1 SLIDING PANEL TRACK SYSTEM


**REF:** DOUBLE SUSPENSION POINT - MR/MR-1 & MR-S TRACK

**SUPPLIER:** MULTI WAL UK LTD

**CONTACT:** JAMES HANNAH

T: 016 705 4308  
E: INFO@MULTIWAL.COM  
W: WWW.MULTIWAL.COM

# SF-O2 - 22” Digital Screen



## Chromebase Commercial

*Commercial Grade Chrome Based 22” All-in-One Touch Display*

Introducing the Chromebase Commercial 22”; especially designed for commercial use. The Chrome based multi-touch display is ultra-thin and exceptionally powerful.

The Chromebase Commercial is a solid-state device designed to be extremely robust and secure, making it ideal for interactive public display in high traffic environments (i.e. as a digital signage, POS or kiosk system). For connecting other devices such as POS peripherals and authentication devices (i.e. Biometrics), the Chromebase Commercial has commercial ports, ruling out the need for multiple power cables.

Chrome device management allows administrators to manage their organization's Chrome devices from a single place. Integrators can also use the signage app of their preference available via the Chrome Web Store to control what's on the screen.

*The advantages of the Chromebase Commercial 22”:*

- A commercial grade multi-touch, all-in-one display that is based on Chrome OS.
- Tough and tamperproof design for 24/7 operability in public spaces.
- Commercial ports for connecting POS peripherals and authentication devices.
- Good viewing angles in landscape and portrait.
- Endless mounting options: recessed into surfaces e.g. benches, walls and kiosks; mounted on a wall.
- Optional Chrome Device Management on request to save valuable time and thus costs on installation, programming and maintenance.



Image 1: Example of Chromebase Commercial used as POS, second screen and mount sold separately.



Image 2: Chromebase Commercial Kiosk applications. Mount sold separately and may differ based on regions.



[www.aopen.com](http://www.aopen.com)

# SF-O3 - 55” Video Wall



## Datasheet



### Walls of Desire

Attract and engage your audience; the new 55” UN551S shapes emotion and desire with NEC’s most compelling video wall experience to date.

The new frameless design forms an entirely flat seamless digital canvas allowing a completely homogeneous image across multiple unified screens. The huge digital surface creates an unhindered viewing experience for your audience with a minimal image interruption of just 0.9mm per screen. The S-IPS panel provides superior picture quality and excellent colour reproduction in both landscape and portrait orientation ensuring perfect visibility even at extreme viewing angles which constantly change as the viewer passes by. At a high brightness level of 700 cd/m² your message will be well received with effortless readability even in the brightest ambient light conditions. An advanced set of intelligent features make the displays easy to install and operate and supports significantly reduced maintenance requirements.

The MultiSync® UN551S is the perfect choice for stunning seamless display surfaces in retail environments, corporate applications, quick service restaurants and all other public spaces.

### Benefits

**Seamless Video Wall Surface** – perfect visual appearance and image homogeneity thanks to frameless design with a minimal inactive screen area of just 0.9 mm.

**Reduced Installation and Operating Costs** – highly energy efficient LED backlit display ensures low power consumption, longer backlight lifetime and lighter design for easy transportation, mounting and integration.

**Smart Way to Large Scale perfectly detailed Imagery** – native UHD Daisy Chaining enables the user to create UHD video walls with either a single UHD image or 4 different Full HD sources.

**Easy Setup** – Auto TileMatrix offers time and cost savings during installation. Configure just one display in order to complete the set up for the entire wall.

**Perfect Visual Experience** – FrameComp supports a seamless appearance, crucial for fast moving content, creating one stunning image by synchronising the content across the entire video wall.



# SF-O4 - 84” Multisync Screen



## Datasheet



### NEC MultiSync® X841UHD-2 SST - CAD/CAM and Visualisation of Big Data

The seamless operation of presentation systems is essential to achieving productivity. If the visualization of detailed information in perfect colour fidelity is vital for success in your business, then the 10-real-touch point accuracy of ShadowSense™ technology with Ultra-High Definition pixel-free details is the perfect combination to achieve extraordinary results. The 84” multi-touch-display with 500 cd/m² eye-pleasing brightness offers the ideal platform to facilitate creative and efficient meetings.

All in all a perfect custom-tailored solution for mid-sized meeting rooms to visualize your assets most efficiently, saving you valuable time and money for a secure investment into a brighter future.

### Benefits

**Impressive Visualization** – no parallax issues with zero airgap ZG™ technology, pixel-free and colourfast details in Ultra-High Resolution thanks to the NEC SpectraView® colour engine.

**Intuitive Touch Behaviour** – enjoy intuitive working and let the display automatically detect and switch between interactions like finger whipping, stylus writing and erasing.

**Save Time and Work more Efficiently** – ShadowSense™ touch technology offers real-time collaboration in meetings, tracking all 10 touch points with the highest touch point accuracy.

**Simple Plug & Play** – easy set-up without the need to install any drivers on the host PC for all major operating systems.

**Ease of Use** – enhance the display with an optional “Windows based” Slot-in-PC using the integrated Ultra High Resolution OPS option slot, thereby simplifying installations and reducing the points of failure.

**Reliability at High Ambient Light Operation** – enhanced filtering and special sensors allow operation even in the brightest ambient light conditions without causing ghost touches.

## **SF-O4 - Curtain Track System**

**FINAL SPEC TBC**