



**DEMISE AREA**



**EXITING LEGEND**



**TOILETS COUNT**

TYPE	COUNT
BT FLOOR	
COUNT_DISABLED	1
COUNT_FEMALE WC	6
COUNT_MALE WC	5
COUNT_URINAL	4
2ND FLOOR B2-B3	
COUNT_DISABLED	1
COUNT_FEMALE WC	6
COUNT_MALE WC	5
COUNT_URINAL	4
4TH FLOOR B2	
COUNT_DISABLED	1
COUNT_FEMALE WC	2
COUNT_MALE WC	4
COUNT_URINAL	4
4TH FLOOR B3	
COUNT_DISABLED	1
COUNT_FEMALE WC	3
COUNT_MALE WC	3
COUNT_URINAL	2
5TH FLOOR	
COUNT_DISABLED	1
COUNT_FEMALE WC	3
COUNT_MALE WC	3
COUNT_URINAL	2
6TH FLOOR	
COUNT_DISABLED	2
COUNT_FEMALE WC	3
COUNT_MALE WC	2
COUNT_URINAL	2
Grand total:	67

TYPE	COUNT
4TH FLOOR B3	
COUNT_FEMALE WC	3
5TH FLOOR B2	
COUNT_FEMALE WC	2
5TH FLOOR UPPER B2	
COUNT_MALE WC	1
5TH FLOOR UPPER B3	
COUNT_DISABLED	1
COUNT_FEMALE WC	3
COUNT_MALE WC	3
COUNT_URINAL	3
5TH FLOOR B2	
COUNT_DISABLED	1
COUNT_FEMALE WC	3
COUNT_MALE WC	3
COUNT_URINAL	2
6TH FLOOR	
COUNT_DISABLED	2
COUNT_FEMALE WC	3
COUNT_MALE WC	2
COUNT_URINAL	2
Grand total:	67

**DESK COUNT**

A-1.0_DESK COUNT	
LEVEL	COUNT
BT FLOOR	0
1ST FLOOR	0
2ND FLOOR	0
3RD FLOOR	0
4TH FLOOR B2	0
4TH FLOOR B3	0
5TH FLOOR	67
6TH FLOOR	0
Grand total:	67

**SHEET NOTES**

1. MAIN CONTRACTOR SHALL SUBMIT FOR THE ARCHITECT'S APPROVAL DETAILED SHOP DRAWINGS FOR ALL JOINERY ITEMS PRIOR TO FABRICATION.
2. ALL EXISTING AND NEW FLOOR SLAB PENETRATIONS FOR CORE DRILLS AND/OR PIPING SHALL BE FULLY PACKED AND SEALED WITH APPROVED FIRE STOPPING MATERIALS.
3. PATCH, REPAIR OR REPLACE AS REQUIRED FIREPROOFING ON BASE BUILDING STRUCTURE EITHER MISSING OR DAMAGED IN THE COURSE OF DEMOLITION OR CONSTRUCTION.
4. PROTECT ALL EXISTING CONDITIONS AND REPAIR ANY DAMAGE CAUSED BY THE WORKS.
5. MAKE GOOD CONTRACTOR TO THOROUGHLY INSPECT THE PREMISES PRIOR TO COMMENCING THE WORK AND REPORT TO THE OWNER AND ARCHITECT ALL DAMAGE FOUND.
6. MAKE GOOD ALL EXISTING SURFACES AND PREPARE TO RECEIVE NEW FINISHES AS SHOWN ON FINISHES PLAN.
7. ALL ENCLOSED SPACES WITH DOORS TO ACHIEVE MIN. OF 1/800 ACQUISITION BATTING UNLESS OTHERWISE NOTED.
8. PARTITIONING MUST MEET AND COORDINATE WITH EXISTING SECURITY. GUARD WALLS, COVERED CEILING, HANGING BEAM, ETC.
9. IF MORE PARTS OF THE BUILDING MIGHT EVACUATE THROUGH THESE STAIRS, FIRE STRATEGY SHOULD BE REVIEWED.

**ALL FIRE DOORS TO BE PROVIDED WITH SMOKE SEALS**

**REFER TO ENGINEERS FIRE STRATEGY REPORT FOR FURTHER DETAILS**

**DESK NOTES**



This schedule shows numbers of office desks counting the 'ghost' desks.