

LEGEND



PARTITIONS SCHEDULE

A-3.0 _ PLASTERBOARD PARTITION SCHEDULE (UK)

-	MARK	FIRE RATING	DESCRIPTION	MAX HT	WIDTH	INS.	MANUFACTURER
	CL-1	-	GYPSUM CLADDING (12x1.0)	4200	100	MW	GC
	CL-1/R	-	GYPSUM CLADDING REINFORCED (12x1.0+1.0)	4200	100	MW	GC
	CL-3	-	PERETTI BACK WALL: GYPSUM CLADDING RE-ENFORCED WITH CLEARANCE BEHIND (18x1.0+12)	4200	100	MW	GC
	CL-4	-	TV RECESS ALL: GYPSUM CLADDING REINFORCED AND WALLBOX (18x1.0+12)	4200	100	MW	GC
	FR-60	60Min	60MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (12+12+75+12+12)	4200	150	MW	GC
	FR-120	120Min	120MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (12+12+75+12+12)	4200	150	MW	GC
	PR-120	120Min	120MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (12+12+75+12+12)	4200	150	MW	GC
	PT-0	-	ACT STUD DOUBLE PARTITION	3200	75	-	GC
	PT-1	-	GYPSUM PARTITION (12+75+12)	4200	100	MW	GC
	PT-1/R	-	GYPSUM PARTITION WITH ONE SIDE REINFORCED (12+75+12+12)	4200	150	MW	GC
	PT-4	-	TV RECESS ALL: GYPSUM PARTITION WITH ONE SIDE REINFORCED AND WITH ONE SIDE WALLBOX (18x1.0+12+12)	4200	150	MW	GC
	PT-4/R	-	TV RECESS ALL: GYPSUM PARTITION WITH BOTH SIDES REINFORCED AND WITH ONE SIDE WALLBOX (18x1.0+18x1.0+12+12)	4200	150	MW	GC
	PT-5	-	200MM GYPSUM PARTITION AL BOLEARDO (12+12+75+12+12)	4200	150	MW	GC
	PT-5/R	-	300mm THICK (12+12+75+12+12) SOLID REINFORCED GYPSUM PARTITION	4200	150	MW	GC

A-3.0 _ STOREFRONT PARTITION SCHEDULE

-	MARK	FIRE RATING	DESCRIPTION	Mounts/Section
	SF-1	-	STOREFRONT CORRIDORS INCL. MANIFESTATION DOTS VINYL. BULKHEAD W =500MM	EXTRAVEGA (BULKHEAD BY GC)
	SF-2	-	STOREFRONT BETWEEN OFFICES INCL. FROST VINYL BULKHEAD W =500MM	EXTRAVEGA (BULKHEAD BY GC)

PARTITION DETAILS



DETAILS LEGEND

Note Number	Note Text
01	BOTTOM OF STRUCTURE
02	CONTINUOUS ACOUSTIC SEALANT
03	CEILING GRID SUSPENDED FROM STRUCTURE ABOVE. FINISH BRIGHT ANODISED
04	ACOUSTIC FIBREGLASS INSULATION - 90mm MIN DIMENSION
05	GLASS PARTITION SYSTEM
06	GLASS PROFILE ATTACHED TO EXISTING WALL ACCORDING TO MANUFACTURERS RECOMMENDATIONS
07	WALL BASE - 150X12.5mm - SEE 8.4 TWELL FOR FINISHES
08	TOP OF FLOOR - SEE 8.4 FOR FLOOR FINISHES PLANS
09	ACOUSTIC BARRIER
10	TOP OF STRUCTURE
11	EXISTING STRUCTURE
12	PLASTERBOARD CEILING ABOVE - 12.5mm
13	ACOUSTIC FIBREGLASS INSULATION - 90mm CLUD DIMENSION
14	PLASTERBOARD RISER/CABINET - 12.5mm
15	PLASTERBOARD OF 12MM FIRE RATED PLASTERBOARD IN EACH SIDE
16	GLAZED SLIDING DOOR - LEFT HANDED
17	GLAZED SLIDING DOOR - RIGHT HANDED
18	STOREFRONT GLAZE ACCORDING TO SPECIFICATION

DOOR SCHEDULE (BY GC)

A-3.0 _ DOOR TYPE TOTALS SCHEDULE - BY GENERAL CONTRACTOR

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
D-SLID	1HR RATED SOLID DOOR WITH VISION PANEL - LEFT HANDED	6	60 MIN TBC
D-SLIDR	1HR RATED SOLID DOOR WITH VISION PANEL - RIGHT HANDED	1	60 MIN TBC
D-GLAS	GLASS DOOR - LEFT HANDED	1	-
D-GLAR	GLASS FRAMELESS DOOR - RIGHT HANDED	1	-
D-SOL	SOLID DOOR - LEFT HANDED	7	-
D-SOLR	SOLID DOOR - RIGHT HANDED	7	-
DOR-L	SOLID DOOR W/C STALLS - LEFT HANDED	43	-
		66	

FIRE RATING TBC BY FIRE ENGINEER

DOOR SCHEDULE (BY EXTRAVEGA)

A-3.0 _ DOOR TYPE SCHEDULE - BY EXTRAVEGA

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
GSL	GLAZED SLIDING DOOR - LEFT HANDED	38	N/A
GSR	GLAZED SLIDING DOOR - RIGHT HANDED	32	N/A
GFL	GLAZED FRAMELESS DOOR - LEFT HANDED	16	N/A
GFR	GLAZED FRAMELESS DOOR - RIGHT HANDED	4	N/A

MANIFESTATION/PRIVACY VINYL



BULKHEAD DETAILS



SHEET NOTES

1. MAIN CONTRACTOR SHALL SUBMIT FOR THE ARCHITECT'S APPROVAL SHOP DRAWINGS AND SAMPLES FOR ALL JOINERY ITEMS PRIOR TO FABRICATION.
2. ALL EXISTING AND NEW FLOOR SLAB PENETRATIONS FOR CORE DRILLS AND/OR PIPING SHALL BE FULLY PACKED AND SEALED WITH APPROVED FIRE STOPPING MATERIAL.
3. PATCH, REPAIR, OR REPLACE AS REQUIRED FIREPROOFING ON BASE BUILDING STRUCTURE DAMAGED BY THE WORKS DURING THE COURSE OF DEMOLITION OR CONSTRUCTION.
4. PROTECT ALL EXISTING CONDITIONS AND REPAIR ANY DAMAGE CAUSED BY THE WORKS.
5. MAIN CONTRACTOR TO THOROUGHLY INSPECT THE EXISTING CONDITIONS PRIOR TO TENDERING AND REPORT TO THE OWNER AND ARCHITECT ALL DISCREPANCIES.
6. MAIN CONTRACTOR TO ALLOW FOR ALL NECESSARY MAKE GOOD ALL EXISTING SURFACES AND PREPARE TO RECEIVE NEW FINISHES AS SHOWN ON FINISHES PLANS.
7. ALL ENCLOSED SPACES WITH DOORS TO ADHERE MIN. OF 56DB ACOUSTICAL RATING. LOOK **CONSTRUCTION DETAILS FOR ACOUSTIC ASSEMBLIES WITH EXISTING GEOMETRY. SUPPLY WALLS, COVING CEILINGS, ETC.**
8.
9.
10.

Rev	Description	Date
B	ISSUE FOR CONSTRUCTION - FULL PACK	18/07/16
A	ISSUE FOR TENDER	18/06/29

labit group
Avda. de America 52
CP 28028 Madrid
Spain
E: info@labit.es
W: www.labit.es
T: +34 915 103 093

METERS

Reproduction or disclosure to third parties without the express written authorisation of labit group is strictly prohibited. Copyright labit group

Client: wework

Project: LONDON 1 Waterhouse Sq

Address: Waterhouse SQ 1, LONDON

Client´s representative: WeWork

Signature:

Architect: Elviira Conejero Crespo

Signature:

Job No: LB-PR-WWH-1B

Scale: As indicated@A0

Title: 2ND FLOOR - PARTITIONS

Sheet: A-3.0 L02 | Rev: B



LEGEND



INTERIOR WINDOW TO BE REPLACED IF REQUIRED. TBC BY WW

PARTITIONS SCHEDULE

A-3.0 _ PLASTERBOARD PARTITION SCHEDULE (UK)

-	MARK	FIRE RATING	DESCRIPTION	MAX HT	WIDTH	INS.	MANUFACTURER
	CL-1	-	GYPSUM CLADDING (12x13)	4200	65	MW	GC
	CL-1/R	-	GYPSUM CLADDING REINFORCED (12x13+13)	4200	105	MW	GC
	CL-3	-	PLASTBY BACK WALL GYPSUM CLADDING IN REFORCED WITH CLEARANCE BEHIND (18x13+13)	4200	105	MW	GC
	CL-4	-	TV RECESS ALL GYPSUM CLADDING REINFORCED AND W/LLBOX (18x13+13)	4200	105	MW	GC
	FR-60	60MIN	60MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (13+13+75+13+13)	4200	150	MW	GC
	FR-120	120MIN	120MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (13+13+75+13+13)	4200	150	MW	GC
	PR-120	60MIN	60MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (13+13+75+13+13)	4200	150	MW	GC
	PT-0	-	NOT TO BE USED	3200	75	-	GC
	PT-1	-	GYPSUM PARTITION (75+75+13)	4200	150	MW	GC
	PT-1/R	-	GYPSUM PARTITION WITH ONE SIDE REINFORCED (13+75+13+13)	4200	150	MW	GC
	PT-4	-	TV RECESS ALL GYPSUM PARTITION WITH ONE SIDE REINFORCED AND WITH ONE SIDE W/LLBOX (18x13+13+75+13+13)	4200	150	MW	GC
	PT-4/R	-	TV RECESS ALL GYPSUM PARTITION WITH BOTH SIDES REINFORCED AND WITH ONE SIDE W/LLBOX (18x13+18x13+75+13+13)	4200	150	MW	GC
	PT-5	-	WIDE GYPSUM PARTITION & BULKHEAD (13+13+75+13+13)	4200	150	MW	GC
	PT-5/R	-	300mm THICK (13+13+75+13+13) SOLID REINFORCED GYPSUM PARTITION	4200	150	MW	GC

A-3.0 _ STOREFRONT PARTITION SCHEDULE

-	MARK	FIRE RATING	DESCRIPTION	Mfacturer/Installer
	SF-1	-	STOREFRONT CORRIDORS INCL. MANIFESTATION DOTS VINYL. BULKHEAD to +3200MM	EXTRAVEGA (BULKHEAD BY GC)
	SF-2	-	STOREFRONT BETWEEN OFFICES INCL. FROST VINYL BULKHEAD to +3200MM	EXTRAVEGA (BULKHEAD BY GC)

PARTITION DETAILS



DETAILS LEGEND

Note Number	Note Text
01	BOTTOM OF STRUCTURE
02	CONTINUOUS ACOUSTIC SEALANT
03	GLASS PROFILE ATTACHED TO STRUCTURAL ABOVE. POWER DRIVEN FASTENERS
04	ACOUSTIC FIBERGLASS INSULATION - 75mm. STUD DIMENSION
05	EXISTING STRUCTURE
06	GLASS PROFILE ATTACHED TO EXISTING WALL ACCORDING TO MANUFACTURER'S RECOMMENDATIONS
07	WALL BASE - 100X12.5mm - SEE 3-07 WALL BASE DETAIL
08	TOP OF FLOOR - SEE 3-4.0 FLOOR FINISHES PLANS
09	ACOUSTIC BARRIER
10	TOP OF STRUCTURE
11	EXISTING STRUCTURE
12	PLYWOOD REINFORCEMENT - 13 mm
13	ACOUSTIC FIBERGLASS INSULATION - 50mm. STUD DIMENSION
14	PLYWOOD REINFORCEMENT - 13 mm
15	LAYERS OF 15MM FIRE RATED PLASTERBOARD IN EACH SIDE
16	GLASS PARTITION
17	TEMPERED GLASS ACCORDING TO SPECIFICATION

DOOR SCHEDULE (BY GC)

A-3.0 _ DOOR TYPE TOTALS SCHEDULE - BY GENERAL CONTRACTOR

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
D-1.0	FIRE RATED SOLID DOOR WITH VISION PANEL - LEFT HANDED	3	60 MIN TBC
D-1.0/R	FIRE RATED SOLID DOOR WITH VISION PANEL - RIGHT HANDED	1	60 MIN TBC
D-2.0	SOLID FRAMELESS DOOR - LEFT HANDED	7	-
D-2.0/R	SOLID FRAMELESS DOOR - RIGHT HANDED	7	-
D-3.0	SOLID DOOR - LEFT HANDED	2	-
D-3.0/R	SOLID DOOR - RIGHT HANDED	1	-
SCWC-1	SOLID DOOR W/C STALLS - LEFT HANDED	40	-
		60	

FIRE RATING TBC BY FIRE ENGINEER

DOOR SCHEDULE (BY EXTRAVEGA)

A-3.0 _ DOOR TYPE SCHEDULE - BY EXTRAVEGA

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
SLD-L	GLAZED SLIDING DOOR - LEFT HANDED	28	NO
SLD-R	GLAZED SLIDING DOOR - RIGHT HANDED	30	NO
SWG-L	GLAZED SWINGING DOOR - LEFT HANDED	16	NO
SWG-R	GLAZED SWINGING DOOR - RIGHT HANDED	4	NO

MANIFESTATION/PRIVACY VINYL



BULKHEAD DETAILS



SHEET NOTES

1. MAIN CONTRACTOR SHALL SUBMIT FOR THE ARCHITECT'S APPROVAL SHOP DRAWINGS AND SAMPLES FOR ALL JOINERY ITEMS PRIOR TO FABRICATION.
2. ALL EXISTING AND NEW FLOOR SLAB PENETRATIONS FOR CORE DRILLS AND/OR PIPING SHALL BE FULLY PACKED AND SEALED WITH APPROVED FIRE STOPPING MATERIAL.
3. PATCH, REPAIR, OR REPLACE AS REQUIRED FIREPROOFING ON BASE BUILDING STRUCTURE DAMAGED BY CONTRACTOR DURING THE COURSE OF DEMOLITION OR CONSTRUCTION.
4. PROTECT ALL EXISTING CONDITIONS AND REPAIR ANY DAMAGE CAUSED BY THE WORKS.
5. MAIN CONTRACTOR TO THOROUGHLY INSPECT THE EXISTING CONDITIONS PRIOR TO CONSTRUCTION AND REPORT TO THE OWNER AND ARCHITECT ALL DISCREPANCIES.
6. MAKE GOOD ALL EXISTING SURFACES AND PREPARE TO RECEIVE NEW FINISHES AS SHOWN ON FINISHES PLANS.
7. ALL ENCLOSED SPACES WITH DOORS TO ADHERE MIN. OF 34DB ACOUSTICAL RATING. LOOK **FOR ACOUSTICAL SEALS AT DOOR JAMB CONDUITS WITH EXISTING GEOMETRY. SUPPOD WALLS, CURVED CEILINGS, ETC.**

Rev	Description	Date
B	ISSUE FOR CONSTRUCTION - FULL PACK	18/07/16
A	ISSUE FOR TENDER	18/06/29

labit group
Avda. de America 52
CP 28028 Madrid
Spain
E: info@labit.es
W: www.labit.es
T: +34 915 103 093

Reproduction or any other appropriation by the author. Do not scale from this drawing. Copyright Labit Group

Client: wework

Project: LONDON 1 Waterhouse Sq

Address: Waterhouse SQ 1, LONDON

Client´s representative: WeWork

Signature:

Architect: Elvira Conejero Crespo

Signature:

Job No: LB-PR-WWH-1B

Scale: As indicated@A0

Title: 4TH FLOOR - PARTITIONS

Sheet: A-3.0 L04

Rev: B



LEGEND



INTERIOR WINDOW TO BE REPLACED IF REQUIRED. TBC BY WW

PARTITIONS SCHEDULE

A-3.0 _ PLASTERBOARD PARTITION SCHEDULE (UK)

-	MARK	FIRE RATING	DESCRIPTION	MAX HT	WIDTH	INS.	MANUFACTURER
	CL-1	-	1 LAYER GLASSWOOL CLADDING (12x1.5)	4200	165	MW	GC
	CL-1/R	-	1LAYER GLASSWOOL CLADDING REINFORCED (12x1.5+1.5)	4200	165	MW	GC
	CL-2	-	PARTITY BACK WALL GYPSUM CLADDING RE-ENFORCED WITH CLEARANCE BEHIND (15x1.5+12)	4200	165	MW	GC
	CL-3	-	TV BACKWALL GYPSUM CLADDING REINFORCED AND WALLBOX (15x1.5+12)	4200	165	MW	GC
	FR-60	60Min	60MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (15+15+75+15+15)	4200	150	MW	GC
	FR-120	120Min	120MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (15+15+75+15+15)	4200	150	MW	GC
	PFR-120	120Min	120MIN FIRE RATED GYPSUM PARTITION SLAB TO SLAB (15+15+75+15+15)	4200	150	MW	GC
	PT-0	-	1HR STEEL DOUBLE PARTITION	3200	75	-	GC
	PT-1	-	GYPSUM PARTITION (15+75+15)	4200	105	MW	GC
	PT-1/R	-	GYPSUM PARTITION WITH ONE SIDE REINFORCED (15+75+15+15)	4200	110	MW	GC
	PT-4	-	TV BACKWALL GYPSUM PARTITION WITH ONE SIDE REINFORCED AND WITH ONE SIDE WALLBOX (15+75+15+15+15)	4200	150	MW	GC
	PT-4/R	-	TV BACKWALL GYPSUM PARTITION WITH BOTH SIDES REINFORCED AND WITH ONE SIDE WALLBOX (15+15+75+15+15+15)	4200	165	MW	GC
	PT-5	-	WIDE GYPSUM PARTITION & BULKHEAD (15+15+75+15+15)	4200	135	MW	GC
	PT-5/R	-	300mm THICK (15+15+75+15+15) SOLID REINFORCED GYPSUM PARTITION	4200	330	MW	GC

A-3.0 _ STOREFRONT PARTITION SCHEDULE

-	MARK	FIRE RATING	DESCRIPTION	Whole Section
	SF-1	-	STOREFRONT CORRIDORS INCL. MANIFESTATION DOTS VINYL. BULKHEAD at +3200MM	EXTRAVEGA (BULKHEAD BY GC)
	SF-2	-	STOREFRONT BETWEEN OFFICES INCL. FROST VINYL BULKHEAD at +3200MM	EXTRAVEGA (BULKHEAD BY GC)

PARTITION DETAILS



DETAILS LEGEND

Note Number	Note Text
A	SECTION OF STRUCTURE
B	CONSTRUCTION JOINT/ TIE IN JOINT
C	SECTION OF PARTITION - 12mm THK. MINIMUM ABOVE POWER OUTLET FASTENERS
D	100/50/50 T BEVELLED INSULATION - 90mm TOTAL DIMENSION
E	100/50/50 T BEVELLED INSULATION - 90mm
F	BASE PROFILE ATTACHED TO EXISTING WALL ACCORDING TO MANUFACTURER'S RECOMMENDATIONS
G	SKIRTING BASE - 150X12.5mm - SEE A-6.1 WALL FINISHES
H	TOP OF FLOOR - SEE A-6.0 FLOOR FINISHES PLANS
I	ACOUSTIC BARRIER
J	TOP OF STRUCTURE
K	EXISTING STRUCTURE
L	PLYWOOD REINFORCEMENT - 12 mm
M	50MM ACOUSTIC BATT INSULATION - 100mm TOTAL DIMENSION
N	PLYWOOD REINFORCEMENT - 15 mm
O1	LAYERS OF 15MM FIRE RATED PLASTERBOARD IN EACH SIDE
P	15MM FIRE RATED PLASTERBOARD
Q	TEMPERED GLASS AS ACCORDING TO SPECIFICATION

DOOR SCHEDULE (BY GC)

A-3.0 _ DOOR TYPE TOTALS SCHEDULE - BY GENERAL CONTRACTOR

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
D-1-LH	45MIN RATED SOLID DOOR WITH VISION PANEL - LEFT HANDED	11	60 MIN TBC
D-1-RH	45MIN RATED SOLID DOOR WITH VISION PANEL - RIGHT HANDED	11	60 MIN TBC
D-2	SOLID DOOR - DOUBLE	1	-
D-2-GH	SOLID FRAMELESS DOOR - RIGHT HANDED	1	-
D-3-LH	SOLID DOOR - LEFT HANDED	7	-
D-3-RH	SOLID DOOR - RIGHT HANDED	7	-
Grand Total:	SOLID DOOR W/ STEELS - LEFT HANDED	43	
		80	

FIRE RATING TBC BY FIRE ENGINEER

DOOR SCHEDULE (BY EXTRAVEGA)

A-3.0 _ DOOR TYPE SCHEDULE - BY EXTRAVEGA

DOOR TYPE	DESCRIPTION	COUNT	FIRE RATING
SLL	GLAZED SLIDING DOOR - LEFT HANDED	38	NO
SLR	GLAZED SLIDING DOOR - RIGHT HANDED	32	NO
SWL	GLAZED SWINGING DOOR - LEFT HANDED	16	NO
SWR	GLAZED SWINGING DOOR - RIGHT HANDED	4	NO

MANIFESTATION/PRIVACY VINYL



BULKHEAD DETAILS



SHEET NOTES

1. MAIN CONTRACTOR SHALL SUBMIT FOR THE ARCHITECT'S APPROVAL SHOP DRAWINGS FOR ALL JOINERY ITEMS PRIOR TO FABRICATION.
2. ALL EXISTING AND NEW FLOOR SLAB PENETRATIONS FOR CORE DRILLS AND/OR PIPING SHALL BE FULLY PACKED AND SEALED WITH APPROVED FIRE STOPPING MATERIAL.
3. PATCH, REPAIR, OR REPLACE AS REQUIRED FIREPROOFING ON BASE BUILDING STRUCTURE DAMAGED BY CONTRACTOR DURING THE COURSE OF DEMOLITION OR CONSTRUCTION.
4. PROTECT ALL EXISTING CONDITIONS AND REPAIR ANY DAMAGE CAUSED BY THE WORKS.
5. MAIN CONTRACTOR TO THOROUGHLY INSPECT THE EXISTING SURFACES AND NOTIFY ANY DEFECTS AND REPORT TO THE OWNER AND ARCHITECT ALL DISPROPORTIONS.
6. MAIN CONTRACTOR TO PREPARE EXISTING SURFACES AND PREPARE TO RECEIVE NEW FINISHES AS SHOWN ON FINISHES PLAN.
7. ALL ENCLOSED SPACES WITH DOORS TO ADHERE MIN. OF 56DB ACOUSTICAL RATING. LOOK FOR OPPORTUNITIES TO **INTEGRATE ELEMENTS WITH EXISTING GEOMETRY, SLOPED WALLS, CURVED CEILINGS, ETC.**

Rev	Description	Date
B	ISSUE FOR CONSTRUCTION - FULL PACK	18/07/16
A	ISSUE FOR TENDER	18/06/29

labit group
Avda. de America 52
CP 28028 Madrid
Spain
E: info@labit.es
W: www.labit.es
T: +34 915 103 093

0 1 2 3 4 5
METERS

Client: wework

Project: LONDON 1 Waterhouse Sq

Address: Waterhouse SQ 1, LONDON

Client´s representative: WeWork

Signature:

Architect: Elvira Conejero Crespo

Signature:

Job No: LB-PR-WWH-1B

Scale: As indicated@A0

Title: 5TH FLOOR - PARTITIONS

Sheet: A-3.0 L05 Rev. B