



For details of sliding doors refer to drg no BBH.17.501.
 Insulated cavity closer by Kingspan or similar and approved to NBS F30/181
 Engineered timber floor NBS K21/112 laid floating on Duralay Heat Flow underlay NBS K21/112 on 65mm sand cement screed to St Eng spec with underfloor heating pipes by Myson Floortec or similar and approved on 500g polythene sheet to act as a vapour control layer with 150mm sealed laps and sealed perimeter on 140mm Kingspan Kooltherm insulation boards on min 1200g polythene DPM on grouted beam and block floor.

In situ concrete between door threshold and Raindrain channel.
 PVC pipe to drain door frame into Raindrain channel

Marshall's Saxon Natural paving slabs to NBS Q25/110. 600 x 300 x 50 laid in brick bond in EW direction on well consolidated hardcore bed to min 1:60 falls to ACO RainDrain channel bedded in accordance with manufacturers recommendations NBS R10/380.

DPC laid on top of sleeper walls

Cross ventilated floor void
 10no periscope vents in total
 NBS F30/140

50mm sand cement blinding laid to falls towards outside walls to St Eng spec

Reinforced concrete ground beam to St Eng details and specification.

DETAIL 1/612

PROJECT
 BUNGALOW AT BROOKFIELD HOUSE
 FOR MR C FREEMAN

DWG NO
 BBH.17.612B
 SCALE 1:5 @ A3
 DATE SEP 2017



ARCHITECTS
 INTERIOR
 + URBAN
 DESIGNERS
 DAVID RICHMOND
 AND PARTNERS LTD

The Studio
 1 Southwood
 Lawn Road
 London N6 5SD
 T 07803 084 788
 E david@dr-p.co.uk

THIS DRAWING IS COPYRIGHT
 ALL DIMENSIONS TO BE CHECKED ON SITE
 DO NOT SCALE

TITLE
 CILL THRESHOLD OF SLIDING DOOR W6, W7, W8 A 05.06.18
 Cavity closer detail revised
 A 29.06.18
 Cavity closer detail revised