











Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
												Structural Condition	Retention Category		
T1	Mature London Plane Platanus x hispanica.	22	4	120	15	16	11		Form: Single stemmed and vertical with a balanced crown. History: Occasional pruning wounds due to crown lifting. Defects: Ganoderma fruiting bracket at base.	Decay detection required.	Moderate Fair Poor	High	1	High	20-40 B
										High					
T2	Mature Horse Chestnut Aesculus hippocastanum.	15	3.5	71	6	9	9		Form: Twin-stemmed at 0.5m with an unbalanced crown. History: Occasional pruning wounds due to crown lifting (healing slowly). Defects: Major bark wounds (fire damage) and some decay to both stems (0.5m - 2m above ground level) Major included bark between stems.	Install cable brace at 10m above ground level between two stems.	Moderate Fair Poor	High	1	Moderate	10-20 C
										High					
T3	Early-Mature Cherry Prunus sp.	11	5	31	0.5	2	8		Form: Single stemmed and leaning with an unbalanced crown. (Suppressed). History: Occasional pruning wounds due to crown lifting. Defects: No significant defects observed.	No action required.	Moderate Fair Fair	n/a	1	Low	10-20 C
										n/a					
T4	Young Oak Quercus robur.	7	4	23	2	1	5		Form: Single stemmed and leaning with an unbalanced crown. (Suppressed). History: No evidence of significant pruning. Defects: No significant defects observed. Other: Poor form.	No action required.	Moderate Good Fair	n/a	3	Low	20-40 C
										n/a					
T5	Young Oak Quercus robur.	8	3	20	3	3	2		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Good potential.	No action required.	Moderate Good Good	n/a	3	Moderate	40+ B
										n/a					
T6	Young Ash Fraxinus excelsior.	8	4	13	2	1.5	2		Form: Twin-stemmed at 3.5m with a narrow, upright habit. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	High Good Good	n/a	3	Low	40+ C
										n/a					
T7	Semi-Mature Goat Willow Salix caprea.	10	1	35	10	3	6		Position: Water edge. Form: Multi-stemmed at ground level with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate Good Poor	n/a	3	Low	20-40 C
										n/a					

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T8	Semi-Mature False Acacia Robinia pseudoacacia.	14	6	37	4 10 4 4 1		Form: Single stemmed and leaning with an unbalanced crown. History: No evidence of significant pruning. Defects: Low vigour. Significant deadwood throughout. Other: Acceptable condition at present due to remote location.	No action required.	3	Moderate	Low
								n/a		Poor	10-20
T9	Semi-Mature False Acacia Robinia pseudoacacia.	13	5	27	4 4 7 5		Form: Single stemmed and leaning with an unbalanced crown. History: No evidence of significant pruning. Defects: Low vigour. Significant deadwood throughout. Other: Acceptable condition at present due to remote location.	No action required.	3	Moderate	Low
								n/a		Poor	40+
T10	Semi-Mature Cherry Prunus sp.	10	3	30	4 4 4 4		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	3	High	Low
								n/a		Good	20-40