



Key

THIS DRAWING AND THE INFORMATION IT CONTAINS ARE THE PROPERTY OF ARUP FACADE ACCESS ENGINEERING. DESIGN RISKS AND ASSUMPTIONS ARE PART OF THE CDM RISK REGISTER. READ THIS DRAWING IN CONJUNCTION TO THE CDM RISK REGISTER. THE DRAWING CONTENT REFLECTS THE DESIGN INTENT ONLY AND IS NOT FOR CONSTRUCTION.

- New aluminum monorail No 1 for facade Access and Maintenance
- Distance monorail to the parapet 400mm
Monorail thickness ~200 mm
- Glazing strip capping at roof
- Solid aluminium cladding panels
- Insulation layer
- Existing concrete panels
- Solid aluminium cladding panels at parapet overrun
- Existing roof railings
- Steel work posts to support monorail
- Steel work posts and brackets to support monorail corners

02	25/06/18	SM	AB	AB
01	15/06/18	SM	AB	AB
00	23/04/18	SM	AB	AB

Rev	Date	By	Chkd	Appd
-----	------	----	------	------

ARUP

13 Fitzroy Street, London, W1T 4BJ
London, United Kingdom
T +44(0)121 213 3000 F +44(0)121 213 3001
www.arup.com

Client
London Borough of Camden

Project Title
**Chalcots Estate
London**

Drawing Title
**Blashford Tower
Roof Plan with Proposed
Monorail**

Scale at A1 1 : 50

Role **Facade Access and Maintenance**

Suitability **Draft**

Arup Job No **259493** Rev **02**

Name **ZZ-GF-DR-A-5301-021**

