

Date: 08 September 2011
Our Reference: PREM-LIC\2622
Phone Number: 020 7974 5613
Fax Number: 020 7974 1680
Contact: Ms C Tampin
Email: ppp@camden.gov.uk

Please quote our reference in any correspondence

Faucet Inn Limited
Union
88-90 George Street
London
W1U 8PA



Planning and Public Protection
London Borough of Camden
Town Hall
Argyle Street
London WC1H 8EQ

Tel: 020 7974 5613
Fax: 020 7974 1680
DX: 2106 Euston

E-mail:
ppp@camden.gov.uk
www.camden.gov.uk

Dear Sir/Madam,

Licensing Act 2003

Re: Black Cap, 171 CAMDEN HIGH STREET, LONDON, NW1 7JY

Please find enclosed your Premises Licence for the above.

The new premises licence is in two parts. The first part gives full details of the licence and the second part is a summary of the licence. The licence is valid from 24/11/2005 until such time it is cancelled.

This licence does not supersede any other statutory requirements you may be obliged to comply with such as planning permissions and a Legal Notice to this effect is enclosed, please ensure you have read and understood the information therein.

The licence is subject to an annual fee which is payable on the same date each year on the anniversary of the original grant of the licence. We will send you a reminder when payment is due.

Under the Licensing Act 2003 there are several statutory requirements which you as a licence holder must comply in relation to keeping and displaying the licence. Failure to comply with these requirements is an offence, if convicted you will be liable to pay a maximum fine of £500.00.

You must meet the following requirements:

- The licence, or a certified copy, must be kept at the premises to which it relates.
- The licence must be kept under the control of the licence holder, or by a person who works at the premises and has been nominated in writing by the licence holder.
- If a person is nominated to keep control of the licence, a notice specifying the position held by this person must be prominently displayed at the premises.
- The licence holder or nominated person must produce the licence or a certified

copy on request to a Police Officer or an Authorised Officer of the Licensing Authority.

- The summary, or a certified copy, must be prominently displayed at the premises.
- The licence holder must notify the Licensing Authority as soon as possible of any change of name or address. The notification must include the licence and summary along with the appropriate fee at the time of notification.

You must also comply with the following conditions:

Attached to the licence are conditions with which the licence holder must comply. These are the mandatory conditions, the conditions are consistent with the operating schedule, and conditions attached by the Licensing Sub-Committee (if applicable).

It is an offence to use the premises for licensable activities other than those permitted by the licence and in accordance with the conditions. If convicted, you will be liable to a maximum fine of £20,000 and/or 6 months imprisonment.

A responsible authority or interested party may apply to have a premises licence reviewed at any time, if you fail to meet the conditions.

On an application for review, the Licensing Sub-Committee is required to hold a hearing to consider the application and may decide to cancel, suspend or change any part of the premises licence.

If the premises licence or summary is lost, stolen, damaged or destroyed, the licence holder will have to apply for a copy to be issued, for which a fee of £10.50 will be charged.

If you require more information, you may contact me on the above number.

Yours sincerely

Barry Dawson
Customer Support Officer

London Borough of Camden, Town Hall Extension,
Argyle Street, London, WC1H 8EQ

RECEIVED

12 SEP 2011

Premises Licence
London Borough of Camden Licensing Authority

Premises licence number PREM-LIC\2622

Part 1 – Premises details

Postal address of premises, or if none, ordnance survey map reference or description

Black Cap
171 CAMDEN HIGH STREET
LONDON
NW1 7JY

Telephone number 020 7428 2721

Where the licence is time limited the dates

N/A

Licensable activities authorised by the licence

Sale by Retail of Alcohol
Late Night Refreshment
Recorded Music
Live Music
Performances of Dance
Provision of Facilities for Making Music
Provision of Facilities for Dancing
Films
Indoor Sporting Events

The times the licence authorises the carrying out of licensable activities

These hours are extended from the end of permitted hours on New Years Eve to the start of permitted hours on New Years Day for all licensable activities

Sale by Retail of Alcohol:

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Late Night Refreshment:

Monday – Thursday: 23.00-02.00
Friday & Saturday 23.00-03.00
Sunday: 23.00-01.00

Recorded Music:

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Regulated Entertainment

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Live Music

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Performances of Dance

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Provision of Facilities for Making Music

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Provision of Facilities for Dancing

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Films

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Indoor Sporting Events

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

RECEIVED

12 SEP 2011

The opening hours of the premises

Monday - Thursday 10.00-02.30
Friday & Saturday 10.00-03.30
Sunday 10.00-01.30

Where the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale by retail of alcohol is permitted for consumption ON AND OFF the premises.

RECEIVED

12 SEP 2011



Part 2

Name, (registered) address, telephone number and e-mail (where relevant) of holder of premises licence

Whitewater Pub Company Ltd
7 Clifford Street
London
W15 2WE

Registered number of holder, for example company number, charity number (where applicable)

07109842

Name, address and telephone number of designated premises supervisor where the premises licence authorises the supply of alcohol

Phillip Mark Cooper
171 Camden High Street
London
NW1 7JY

Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises the supply of alcohol

Personal Lic - 2005/00354 Brighton & Hove Council

A handwritten signature in black ink, appearing to be "A. Cooper".

Signed on behalf of the Director, Culture and Environment Directorate

Date Licence Amended: 12th July 2011 APP\PREMISES-VARYDPS\002131

Date Licence Amended: 14th October 2010 APP\PREMISES-TRANS\000703

Date Licence Amended: 1st February 2009 APP\PREMISES-VARYDPS\001301

Date Licence Amended: 13th November 2007 APP\PREMISES-VARI\000022

Date Licence Amended: 18th July 2007 APP\PREMISES-VARI\000018

Date Licence Amended: 2nd September 2006 APP\PREMISES-VARYDPS\000380

Date Licence Granted: 18th July 2005

London Borough of Camden, Town Hall Extension,
Argyle Street, London, WC1H 8EQ

Premises Licence
London Borough of Camden Licensing Authority

Premises licence number PREM-LIC\2622

Part 1 – Premises details

Postal address of premises, or if none, ordnance survey map reference or description

Black Cap
171 CAMDEN HIGH STREET
LONDON
NW1 7JY

Telephone number 0207 485 0538

Where the licence is time limited the dates
N/A

Licensable activities authorised by the licence

Sale by Retail of Alcohol
Late Night Refreshment
Recorded Music
Live Music
Performances of Dance
Provision of Facilities for Making Music
Provision of Facilities for Dancing
Films
Indoor Sporting Events

The times the licence authorises the carrying out of licensable activities

These hours are extended from the end of permitted hours on New Years Eve to the start of permitted hours on New Years Day for all licensable activities

Sale by Retail of Alcohol:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Late Night Refreshment:

Monday – Thursday: 23.00-02.00

Friday & Saturday 23.00-03.00

Sunday: 23.00-01.00

Recorded Music:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Regulated Entertainment

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Live Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Performances of Dance

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Making Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Dancing

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Films

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Indoor Sporting Events

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

The opening hours of the premises

Monday - Thursday 10.00-02.30

Friday & Saturday 10.00-03.30

Sunday 10.00-01.30

Where the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale by retail of alcohol is permitted for consumption ON AND OFF the premises.

Part 2**Name, (registered) address, telephone number and e-mail (where relevant) of holder of premises licence**

Bluewater Pub Co Ltd
3 More London Riverside
London
SE7 2AQ

Registered number of holder, for example company number, charity number (where applicable)


08725437

Name, address and telephone number of designated premises supervisor where the premises licence authorises the supply of alcohol

Jamie Stewart Henderson
28 Troutbeck Road
New Cross
Lewisham
London
SE14 5PM

Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises the supply of alcohol

Personal Licence Number: LEW3045
Issuing Borough: Lewisham Borough



Signed on behalf of the Director, Culture and Environment Directorate
Date Licence Amended: 04/03/2014 - APP\PREMISES-VARYDPS\003105
Date Licence Amended: 27/11/2013 - APP\PREMISES-TRANS\001151
Date Licence Amended: 22/10/2012 - APP\PREMISES-VARYDPS\002546
Date Licence Amended: 17/04/2012 - APP\PREMISES-VARYDPS\002390
Date Licence Amended: 20/02/2012 - APP\PREMISES-VARYDPS\002326
Date Licence Amended: 12/07/2011 - APP\PREMISES-VARYDPS\002131
Date Licence Amended: 14/10/2010 - APP\PREMISES-TRANS\000703
Date Licence Amended: 01/02/2009 - APP\PREMISES-VARYDPS\001301
Date Licence Amended: 13/11/2007 - APP\PREMISES-VARI\000022
Date Licence Amended: 18/07/2007 - APP\PREMISES-VARI\000018
Date Licence Amended: 02/09/2006 - APP\PREMISES-VARYDPS\00380
Date Licence Granted: 18th July 2005

Annex 1 - Mandatory conditions

1. The supply of alcohol is prohibited at a time when there is no designated premises supervisor in respect of the premises.
2. The supply of alcohol is prohibited at a time when the designated premises supervisor does not hold a personal licence or his/her licence is suspended.
3. Every supply of alcohol under the premises licence must be made or authorised by a person who holds a personal licence.
4. Where a premises licence includes a condition that at specified times one or more individuals must be at the premises to carry out a security activity, the licence must include a condition that each such individual must –
 - (a) be authorised to carry out that activity by a licence granted under the Private Security Industry Act 2001; or
 - (b) be entitled to carry out that activity by virtue of section 4 of that Act.
5. But nothing in subsection (4) requires such a condition to be imposed –
 - (a) in respect of premises within paragraph 8(3)(a) of Schedule 2 to the Private Security Industry Act 2001 (c. 12) (premises with premises licences authorising plays or films), or
 - (b) in respect of premises in relation to –
 - (i) any occasion mentioned in paragraph 8(3)(b) or (c) of that Schedule (premises being used exclusively by club with club premises certificate, under a temporary event notice authorising plays or films or under a gaming licence), or
 - (ii) any occasion within paragraph 8(3)(d) of that Schedule (occasions prescribed by regulations under that Act).
6. For the purposes of this section –
 - (a) “security activity” means an activity to which paragraph 2(1)(a) of that Schedule applies [and which is licensable conduct for the purposes of that Act (see section 3(2) of that Act)], and
 - (b) paragraph 8(5) of that Schedule (interpretation of references to an occasion) applies as it applies in relation to paragraph 8 of that Schedule.
7.
 - (1) The responsible person shall take all reasonable steps to ensure that staff on relevant premises do not carry out, arrange or participate in any irresponsible promotions in relation to the premises.
 - (2) In this paragraph, an irresponsible promotion means any one or more of the following activities, or substantially similar activities, carried on for the purpose of encouraging the sale or supply of alcohol for consumption on the

premises in a manner which carries a significant risk of leading or contributing to crime and disorder, prejudice to public safety, public nuisance, or harm to children—

- (a) games or other activities which require or encourage, or are designed to require or encourage, individuals to—
 - (i) drink a quantity of alcohol within a time limit (other than to drink alcohol sold or supplied on the premises before the cessation of the period in which the responsible person is authorised to sell or supply alcohol), or
 - (ii) drink as much alcohol as possible (whether within a time limit or otherwise);
 - (b) provision of unlimited or unspecified quantities of alcohol free or for a fixed or discounted fee to the public or to a group defined by a particular characteristic (other than any promotion or discount available to an individual in respect of alcohol for consumption at a table meal, as defined in section 159 of the Act);
 - (c) provision of free or discounted alcohol or any other thing as a prize to encourage or reward the purchase and consumption of alcohol over a period of 24 hours or less;
 - (d) provision of free or discounted alcohol in relation to the viewing on the premises of a sporting event, where that provision is dependent on—
 - (i) the outcome of a race, competition or other event or process, or
 - (ii) the likelihood of anything occurring or not occurring;
 - (e) selling or supplying alcohol in association with promotional posters or flyers on, or in the vicinity of, the premises which can reasonably be considered to condone, encourage or glamorise anti-social behaviour or to refer to the effects of drunkenness in any favourable manner.
8. The responsible person shall ensure that no alcohol is dispensed directly by one person into the mouth of another (other than where that other person is unable to drink without assistance by reason of a disability).
9. The responsible person shall ensure that free tap water is provided on request to customers where it is reasonably available.
10. (a) The premises licence holder or club premises certificate holder shall ensure that an age verification policy applies to the premises in relation to the sale or supply of alcohol.
- (b) The policy must require individuals who appear to the responsible person to be under 18 years of age (or such older age as may be specified in the policy) to produce on request, before being served alcohol, identification

bearing their photograph, date of birth and a holographic mark.

11. The responsible person shall ensure that:
 - (a) where any of the following alcoholic drinks is sold or supplied for consumption on the premises (other than alcoholic drinks sold or supplied having been made up in advance ready for sale or supply in a securely closed container) it is available to customers in the following measures:
 - (i) beer or cider: 1/2 pint;
 - (ii) gin, rum, vodka or whisky: 25 ml or 35 ml; and
 - (iii) still wine in a glass: 125 ml; and
 - (b) customers are made aware of the availability of these measures.
12. When a premises licence authorises the exhibition of films, the licence must include a condition requiring the admission of children to the exhibition of any film to be restricted in accordance with this section
13. Where the film classification body is specified in the licence, unless subsection (9)(b) applies, admission of children must be restricted in accordance with any recommendation made by that body.
14. Where-
 - a) the film classification body is not specified in the licence, or
 - b) the relevant licensing authority has notified the holder of the licence that this subsection applies to the film in question, admission of children must be restricted in accordance with any recommendation made by that licensing authority
15. In this section -
"children" means persons aged under 18; and
"film classification body" means the person or persons designated as the authority under section 4 of the Video Recordings Act 1984 (c. 39) (authority to determine suitability of video works for classification).

Annex 2 - Conditions consistent with the Operating Schedule

16. Subject to the following paragraphs, the permitted hours on weekdays shall extend until two o'clock in the morning following [three o'clock in the metropolis][or, if an earlier hour is specified in the special hours certificate, that hour], except that-
 - i. the permitted hours shall end at midnight . . . on any day on which music and dancing is not provided after midnight; and
 - ii. on any day that gaming ends between midnight and two o'clock in the morning [three o'clock in the metropolis], the permitted hours shall end when the music and dancing end
17. In relation to the morning on which summer time begins, paragraph (1) of this condition shall have effect with the substitution of references to three o'clock in the morning [four o'clock in the metropolis] for references to two

o'clock in the morning [three o'clock in the metropolis] [or one hour following the hour actually specified in the certificate where the certificate currently requires closure between 1 a.m. and 2 a.m.]

18. Except on Sundays immediately before bank holidays, the permitted hours on Sundays shall extend until thirty minutes past midnight in the morning following [or, if an earlier hour is specified in the special hours certificate, that hour], except that-
- i. the permitted hours shall end at midnight on any Sunday on which music and dancing is not provided after midnight;
 - ii. where music and dancing ends between midnight on any Sunday and thirty minutes past midnight, the permitted hours on that Sunday shall end when the music and dancing end
19. On Sundays immediately before bank holidays, the permitted hours shall extend until 2 a.m. in the morning following [3 a.m. in the metropolis], except that-
- i. the permitted hours shall end at midnight on any Sunday on which music and dancing is not provided after midnight;
 - ii. where music and dancing ends between midnight on any Sunday and 2 a.m. [3 a.m. in the metropolis], the permitted hours on that Sunday shall end when the music and dancing end
20. The sale of alcohol must be ancillary to the use of the premises for music and dancing and substantial refreshment.
21. The "Metropolis" means the area designated in The Licensing (Metropolitan Special Hours Area) Order 1961
22. Up to 2300hrs applicable to entertainment premises which adjoin or are adjacent to noise sensitive properties:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

the unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, measured using the "fast" time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with entertainment taking place, should show no increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place

23. Up to 2300hrs applicable to entertainment premises which do not adjoin and are not immediately adjacent to noise sensitive properties:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

the unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, similarly measured, should not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place.

24. After 2300hrs applicable to all entertainment premises:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 3dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

The unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, measured using the "fast" time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with entertainment taking place, should show no increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place

No sound emanating from the establishment should be audible within any noise sensitive premises between 23.00 and 07.00 hours.

25. The roof garden area must be provided with a clear means of escape at all times, the width of the route being at least 760mm wide from the bar doors leading onto the roof garden up to the sets of steps and landing down to the doors in the perimeter wall.
26. Where the entertainment provided consists, to a significant degree, of dancing by customers, the licensee shall ensure an adequate supply of wholesome, cool, fresh drinking water is available for the use of the customers. This water must be readily available throughout the time the entertainment is provided, and is to be supplied free of charge.
27. The licensee shall, in consultation with the Council and Metropolitan Police, develop a crime prevention strategy for the premises and in particular shall carry out a risk assessment in respect of the possibility of assaults to customers and staff."

28. Whilst the premises are being used under the licence the licensee shall ensure that all litter and waste outside the premises is removed and disposed of with other waste from the premises.
29. The licensee shall take all reasonable steps to ensure that there is no unauthorised advertising of events to be held at the premises.
30. The licensee shall carry out a risk assessment in respect of the potential harm to customers of the use of illegal drugs, whether taken on the premises or taken by a customer prior to entering the premises, and shall put in place appropriate measures to mitigate any such harm.
31. The licensee shall ensure that staff are trained, as appropriate, in respect of relevant licensing law, the implementation of licence conditions, health and safety, first aid, alcohol and drug awareness and conflict management.
32. The pub manager must be a member of the local Pubwatch scheme.
33. Toughened glass must be used at all times
34. The CCTV system shall be kept in operation while the premises are open and maintained in working order.
35. Text and/or radio pagers must be used for any additional hours.
36. Notices should be prominently sited, both at the main bar exits and the function room exits, such that anyone leaving the premises are reminded of the need to respect local residents and to leave the premises/area in a quiet and considerate manner as quickly as possible.
37. Managers shall liaise with local residents to resolve any reasonable concerns.
38. All children must be accompanied by an adult.
39. Model National Conditions 1-41:

Application

- 1 These Conditions and Definitions shall apply whenever the *premises* are in use under the terms of a licence issued by the *Council*.

Note: In order to ensure the safety of *staff* and performers, it is generally advisable to extend the operation of arrangements provided for the safety of the *public* to all times when the *premises* are occupied.

Definitions

2 In these Conditions the following words have the meanings indicated. Except where the context demands otherwise the singular includes the plural and the masculine includes the feminine. Words in *italics* throughout these Conditions denote words defined below.

Accommodation limit

the maximum number of people, not being *staff* or performers, permitted by the *Council* to be within the *premises* or a designated area of the *premises* when they are in use under the terms of a licence issued by the *Council*.

Note:

(1) Experience has shown that where *accommodation limits* include *staff*, *Licensees* may reduce the number of *staff* present as the *entertainment area* becomes more crowded in order to comply with the *accommodation limits* on the licence. Such reduction is undesirable. Therefore *accommodation limits* exclude *staff* and performers.

(2) In exceptional circumstances the *Council* may also limit the numbers of *staff* and performers.

Approved

permitted in advance by the *Council* in writing.

Approved arrangements

the arrangement of the *premises*, (including the layout, fittings, installations and all other things in connection therewith) as *approved* by the *Council*.

Attendant

a member of *staff* on duty to assist the *public* entering or leaving auditoria and to assist in the event of fire or other emergency.

Authorised Officer

any police or fire officer or any person authorised in writing by the *Council*.

Balcony front

the barrier at the front edge of a balcony which prevents people from falling on to the floor or tier beneath the balcony.

BS

the appropriate British Standard, which may be an equivalent harmonised European Standard. All references to British Standards are to the current edition unless a date is shown.

Certificate	a written report or reports of <i>inspection</i> and satisfactory condition completed by an appropriately qualified engineer or other <i>competent person</i> and normally submitted to the <i>Council</i> within one month of <i>inspection</i> .
Note:	The <i>competent person</i> , when completing the <i>certificate</i> , may indicate the period of validity of the <i>certificate</i> , which will normally be accepted by the <i>Council</i> .
Competent person	a person who has such practical and theoretical knowledge and such experience as is necessary to carry out the work and who is aware of the limits of his own ability, expertise and knowledge.
Consent	permission given in advance by the <i>Council</i> in writing.
Council	the licensing authority named on the licence.
Door Supervisor	any person employed at or near the entrance to the <i>premises</i> to ascertain or satisfy himself as to the suitability of members of the <i>public</i> to be allowed on the <i>premises</i> or any person employed to maintain order on the <i>premises</i> .
Note:	The <i>Council</i> will not normally consider the <i>Licensee</i> or <i>Duty Manager</i> to be a Door Supervisor.
Duty Fire Officer	a member of <i>staff</i> who has been adequately trained in fire prevention and fire-fighting to the satisfaction of the <i>Council</i> .
Duty Manager	a person appointed by the <i>Licensee</i> in writing to be in charge of the <i>premises</i> .
Durably-treated flame-retarded fabric	see under <i>Flame-retarded fabric</i>
Emergency lighting	see under <i>Lighting</i>
Entertainment area	that part of the <i>premises</i> which is constructed and arranged for use for entertainments including any <i>stage</i> or auditorium.
Escape lighting	see under <i>Lighting</i>
Film exhibition	any exhibition of moving pictures which is produced

otherwise than by the simultaneous reception and exhibition of programmes included in a programme service within the meaning of the Broadcasting Act 1990.

Flame-retarded fabric

a fabric that has been tested using the methods in *BS 5438: 1989* Tests 2A (face ignition) and 2B (bottom ignition) using a 10 second flame application time in each case. The results of tests on the fabric shall show that no part of any hole nor the lowest boundary of any flaming reached the upper or either vertical edge of the specimen and that there was no separation of any flaming debris. (This performance standard is akin to that set out in *BS 5867-2: 1980* Type B.)

Durably-treated flame-retarded fabric

a fabric that has been chemically treated to render it flame-retarded. Prior to the ignitability tests set out above the fabric is subjected to the appropriate wetting or cleansing procedure set out in *BS 5651: 1989*. After this washing or cleansing procedure, the fabric shall meet the performance standard for *flame-retarded fabric* set out above.

Inherently flame-retarded fabric

a fabric which, although not non-combustible and not subjected to any flame-retarding process or finish, meets the performance standard for *flame-retarded fabric* set out above throughout its thickness. The *BS 5651* 'durability' procedure can be omitted before testing fabrics composed entirely of thermoplastic materials such as nylon, polyester or modacrylic, to which a flame-retarding treatment has not been applied.

Indoor sports

see under *Sports entertainment*

Inherently flame-retarded fabric

see under *Flame-retarded fabric*

Inspect/inspection

to carry out a visual inspection accompanied by such other test as may be necessary, in the opinion of the *competent person* carrying out the inspection, to enable the completion of a *certificate* of (satisfactory) condition.

Licensee

the person (or body) to whom the *Council* has granted the licence or who is deemed to be the holder of the licence under the relevant statutory provision.

Lighting

Emergency lighting

lighting provided for use in the event of the failure of the *normal lighting* system. Emergency lighting includes *escape lighting*. Any reference in these Conditions to an emergency lighting battery shall be taken to apply to all batteries provided as part of the emergency lighting installation.

Escape lighting

that part of the *emergency lighting* which is provided to ensure that the escape routes are illuminated at all material times. In these Conditions any reference to *emergency lighting* shall be taken to apply likewise to any escape lighting not provided as part of an *emergency lighting* installation.

Management lighting

the combination of the *emergency lighting* and that part of the *normal lighting* which, in the absence of adequate daylight, is intended to facilitate safe movement about the *premises*.

Note:

In closely-seated auditoria this would be the usual performance mode.

Normal lighting

all permanently installed electric lighting operating from the normal supply which, in the absence of adequate daylight, is intended for use during the whole time that the *premises* are occupied.

Note:

Normal lighting does not include *emergency lighting*, purely decorative lighting and stage or performance lighting.

Local Fire Control Centre

the address and telephone number which the *Licensee* has confirmed with the Fire Authority as appropriate for the *Licensee* to use in order to make contact with the fire brigade in a non-emergency but immediate manner.

Log-book

Any log-book *required* under these Conditions shall be:

- (i) accurate and up to date;
- (ii) bound and consecutively numbered;
- (iii) retained in a safe and secure place on the *premises* for a minimum of 5 years after the date of last entry or for such longer period as *required*; and
- (iv) readily available for examination by an *Authorised Officer*.

Note:

Log-books may be kept in a manual form. The *Council* will accept records in electronic form

provided the *Licensee* can demonstrate adequate security and integrity of the information. Specimen Fire log-books are provided in Appendix 4.

Management lighting	see under <i>Lighting</i>
Normal lighting	see under <i>Lighting</i>
Open stage Pop concert	see under <i>Stage</i> an event at which live or recorded amplified music is played and which could reasonably be expected to attract an audience of such a nature as could lead to problems with crowd control, over-excitement and/or unruly behaviour.
Premises	all parts of the premises as licensed by the <i>Council</i> including the ancillary parts of the building such as offices, changing rooms, workshops, stores etc which are used in connection with the <i>entertainment area</i> .
Public	persons, other than <i>staff</i> or performers, who are on the <i>premises</i> , whether or not they are members of a club and irrespective of payment.
Required	specified by the <i>Council</i> in writing.
Scenery	includes cloths, drapes, gauzes, artificial foliage and fabric decorations.
Separated stage	see under <i>Stage</i>
Special effects	any device or effect which was not included in the original licensing risk assessment for the <i>premises</i> which, if not properly controlled, may present a hazard. Examples include the use of dry ice machines, cryogenic fogs, smoke machines, fog generators, pyrotechnics and fireworks, real flame, firearms, motor vehicles, strobe lighting and lasers.
Special risks	any entertainment which falls outside the normal use of the <i>premises</i> and which, if not properly controlled, may present a hazard. Examples include foam parties, skating to music and performances especially for children.
Sports	contests, exhibitions or displays of any sport where

entertainment		physical skill is the predominant factor (except dancing in any form) held indoors to which the <i>public</i> are invited as spectators.
Staff		any person, whether or not employed by the <i>Licensee</i> , concerned in the management, control or supervision of the <i>premises</i> who has been given specific responsibilities by the <i>Licensee</i> or <i>Duty Manager</i> .
Staff alerting system		a system (whether electronically operated or otherwise) for immediately alerting <i>staff</i> to take appropriate action in the event of fire or other emergency.
Stage		the specific part of an <i>entertainment area</i> on which performers perform which is distinct from the area occupied by the <i>public</i> , often elevated above level of the adjacent floor; includes, where the context permits, platform, dais or rostrum.
Open stage		a <i>stage</i> which is not separated from the auditorium by a safety curtain. An <i>open stage</i> should, however, be separated from the rest of the <i>premises</i> , other than the <i>stage fire risk area</i> , by fire-resisting construction.
Separated stage		a <i>stage</i> that is separated from the rest of the <i>premises</i> , other than the <i>stage fire risk area</i> , by fire-resisting construction and provided with a safety curtain, which affords smoke separation between the <i>stage</i> and the auditorium. The safety curtain is normally installed to close off a proscenium opening.
Stage fire risk area		the <i>stage</i> and the auditorium together with any scene dock, workshop, stage basement, staff or other room associated with the <i>stage</i> . The <i>stage fire risk area</i> is separated from the rest of the <i>premises</i> by fire-resisting construction.
Trailer		a film advertising a <i>film exhibition</i> .
Standard hours of opening	3	The <i>premises</i> shall not open to the <i>public</i> before 9.00 a.m. On Sundays, Good Fridays and Christmas Day the <i>premises</i> shall not open before 2.00 p.m. for the performance of plays.
Standard	4	The <i>premises</i> shall not be kept open after 11.00 p.m.

hours of closing

for music, music and dancing, boxing, wrestling or indoor sports or after midnight for plays and *film exhibitions*.

Note: This is the standard terminal hour, which may be varied in particular cases.

Licence

- 5 (a) The relevant licence or a clear copy of it shall be prominently exhibited in a position where the *public* can easily read it. For the purpose of this Condition the licence shall be interpreted to mean the licence document containing conditions specific to the *premises*, including any *accommodation limits*.

Note: Appendix 2 illustrates an example of the licence which should be displayed; this normally consists of one or two pages.

- (b) A copy of any Standard Conditions shall be readily available to the *Duty Manager*.

Note: This will include any Additional Conditions attached to the licence.

- (c) The *premises* shall not be used for any purpose for which a licence is *required* unless specifically licensed for that purpose.

Note: If the *premises* are licensed for several types of entertainment but are regularly used for one type of entertainment, the *Council* should be informed of any change to a different type of entertainment.

Admission of Authorised Officers

- 6 *Authorised Officers* who carry written authorisations and proof of identity, which they will produce on request, shall be admitted immediately to all parts of the *premises* at all reasonable times.

Note: *Authorised Officers* examining *entertainment areas* whilst a performance is in progress should take care not to interrupt the performance and to respect privacy.

The *Licensee* should ensure that reasonable assistance is given to *Authorised Officers* to enable them to discharge their functions.

PART II**ACTIVITIES FOR WHICH A SPECIFIC CONSENT OR WAIVER IS REQUIRED****Hypnotism**

- 7 (a) The *Licensee* shall not permit any exhibition, demonstration or performance of hypnotism,

mesmerism or any similar act or process which produces or is intended to produce in any person any form of induced sleep or trance in which susceptibility of the mind of that person to suggestion or direction is increased or intended to be increased. This Condition does not apply to exhibitions given under the provisions of Section 2(1A) and 5 of the Hypnotism Act 1952.

Note: Any waiver of this Condition by the *Council* will be subject to Additional Conditions H. The procedure for application to waive this Condition is set out in Appendix H1, which will be sent to the *Licensee* on request.

**Entertainment
involving
special risks**

- 8 (a) The *Licensee* shall not permit an entertainment that involves *special risks* except with *consent*. Any *approved* performances especially for children shall comply with Additional Conditions K.
- (b) The *Licensee* shall not permit explosives or highly flammable substances to be brought onto the *premises* except with *consent*. Any storage of explosives or highly flammable substances shall comply with Additional Condition FX10.

**Entertainment
using special
effects**

- 9 (a) The *Licensee* shall not permit the use of *special effects*, except with *consent*. Any *approved* use of *special effects* shall comply with Additional Conditions FX.
- (b) The *Licensee* shall give the *Council* at least 10 days' notice in writing of any proposal to use *special effects*. The notice shall include, save in exceptional circumstances, exact details of the proposal including the date and time when the *special effects* can be demonstrated.

**Compressed
gases**

- 10 Compressed or liquefied gases shall not be used except with *consent*. At least 10 days' notice in writing shall be given to the *Council* of any proposal to bring storage cylinders into the *premises*.

Note: This Condition does not normally apply to gas cylinders used in connection with the dispensing of beverages.

PARTICULAR RESPONSIBILITIES OF THE LICENSEE

- Overall responsibility of Licensee** 11 (a) The *Licensee* shall ensure that the *premises* continue to comply with the Technical Regulations as set out in Appendix 1. No alterations shall be made to the *approved arrangements* except with *consent*.
- (b) The *Licensee* shall, except with *consent*, retain control over all parts of the *premises*.
- (c) Either the *Licensee* or the *Duty Manager* shall be in charge of and within the *premises* whenever the *public* are present. However the *Licensee* remains responsible for the observance of all licensing conditions.
- Duty Manager** 12 The *Licensee* may authorise in writing a *Duty Manager*, who shall be at least 18 years old, to deputise for him. This written authorisation shall be kept on the *premises* and be readily available for examination by any *Authorised Officer*. The *Licensee* must be satisfied that anyone appointed as a *Duty Manager* understands the need to comply with the Conditions of the licence and is competent to perform the function of *Duty Manager*.
- Note:** (1) Hereafter in these Conditions the term *Licensee/Duty Manager* will mean the *Licensee* or the *Duty Manager* as appropriate.
(2) The *Licensee* may appoint a hirer of the *premises* to be *Duty Manager* if appropriate.
- Qualifications of Licensee and Duty Manager** 13 The *Licensee* (if an individual) and any *Duty Manager* shall:
- (i) have undertaken an *approved* training course leading to the possession of the BIIAB Level 2 National Certificate for Entertainment Licensees; or
- (ii) possess an equivalent qualification, for example for concert halls, the National Vocational Qualification in Cultural Venue Administration (Level 3); or
- (iii) be able to demonstrate to the satisfaction of the *Council* that he possesses all relevant knowledge and experience.

Note: (1) This Condition does not apply to theatres or cinemas.

(2) This Condition does not apply to the *Duty Managers* of village halls or similar *premises*, or to other *premises* where the *Council* considers the requirement to be unnecessary.

Staff

- 14 (a) The *Licensee/Duty Manager* shall ensure that he has sufficient trained *staff* on duty to ensure the safe evacuation of the *premises* in the event of emergency. Such *staff* shall have been specifically instructed on their duties in the event of an emergency by the *Licensee* or by a person nominated by him. The instruction given to *staff* shall include training on the safe and efficient running of the *premises* and the safe evacuation of the *premises*.

Note: It is important that the evacuation procedures are fully understood by all *staff*, especially where a two-stage fire alarm warning system is operated during performances.

- (b) A nominated member of *staff* in addition to the *Duty Manager* shall have responsibility for fire prevention measures and for ensuring that all escape routes including exit doors are fully available.

Note: This person should be the *Duty Fire Officer* where one is employed.

- (c) No *Door Supervisor* shall be employed at *premises* outside London except with *consent*. Any employment shall be in accordance with Additional Conditions D.

- (d) *Staff* with specific responsibilities in the event of fire or other emergency, together with deputies, shall receive training and written instruction appropriate to their role as set out in Appendix 3. The *Licensee/Duty Manager* shall, once he is satisfied as to the competence of each member of *staff*, record this in the *Fire log-book*.

Fire log-book

- 15 (a) The *Licensee* shall cause a *Fire log-book* to be kept which shall comply with Appendix 4.

Note: *Licensees* are advised that it is good practice to keep a general incident *log-book* in which are recorded details of each day's events. This may be combined with the *Fire log-book*. Appendix 4

includes an example of this approach.

- (b) Any *Authorised Officer* shall be entitled to obtain a photocopy of any page(s) of any *log-book*.

Staff register 16

The *Licensee/Duty Manager* shall maintain a register indicating the numbers of *staff*, including any *Door Supervisors* and all performers, who are present when the *public* are present. This register shall be produced immediately on the request of an *Authorised Officer*. This Condition does not apply to any *premises* that are being used for a closely seated audience.

Note: (1) A sample register is set out in Appendix 5.

(2) As *accommodation limits* exclude *staff* and performers, this register may be used by *Authorised Officers* to assist in deciding how many *staff* and performers are present in the *premises* at a given time. The register will also be used in the event of an emergency evacuation of the *premises*. It is essential, therefore, that the register is properly maintained and that it is readily available.

Dancing 17

Dancing shall be restricted to the areas designated by the *Council*.

Prevention of nuisance 18

- (a) The *Licensee/Duty Manager* shall ensure that no nuisance is caused by noise emanating from the *premises* or by vibration transmitted through the structure of the *premises*.

- (b) If *required*, clearly legible notices shall be displayed at all exits requesting the *public* to respect the needs of local residents and to leave the *premises* and area quietly.

PART IV CONDITIONS RELATING TO SAFETY INCLUDING FIRE SAFETY

Approved arrangements

- 19 (a) The *approved arrangements* shall be maintained in good condition and full working order. Fire-fighting equipment, the fire alarm warning system and any smoke ventilators shall be maintained in accordance with Appendix 6.

- (b) No alterations (including temporary alterations) shall be made except with *consent*.
- Minimising danger** 20 The *Licensee* shall ensure that all performances or activities minimise any danger to the *public*.
- Disabled people** 21 The *Licensee/Duty Manager* shall ensure that, whenever disabled people are present, adequate arrangements are made to enable their safe evacuation in the event of an emergency and that they are made aware of these arrangements.
- Note:** *Licensees* are advised to obtain details of and seek to address any special needs when approached by organisers of parties of disabled people.
- Safety checks** 22 The *Licensee/Duty Manager* shall ensure that all necessary safety checks have been carried out before the admission of the *public*. Details of the checks shall be entered in the *Fire log-book*; this may be by use of a separate check list.
- Note:** A specimen check list is provided in Appendix 7.
- Escape routes** 23 (a) All escape routes and exits including external exits shall be maintained unobstructed, in good order with non-slippery and even surfaces, free of trip hazards and clearly identified in accordance with the *approved arrangements*.
- Note:** In restaurants and other *premises* where chairs and tables are provided care should be taken that clear gangways are maintained.
- (b) All exit doors shall be available and easily openable without the use of a key, card, code or similar means. Only *approved* fastenings shall be used.
- Note:** Doors that are not in regular use should be opened in order to ensure they function satisfactorily.
- (c) Any removable security fastenings shall be removed from the doors prior to opening the *premises* to the *public*. All such fastenings shall be kept in the *approved* position(s).
- (d) If *required*, exit doors shall be secured in the fully open position when the *public* are present.
- (e) All fire doors shall be maintained effectively self-

closing and shall not be held open other than by approved devices.

- (f) Fire-resisting doors to ducts, service shafts and cupboards shall be kept locked shut.
- (g) The edges of the treads of steps and stairways shall be maintained so as to be conspicuous.
- Curtains, hangings, decorations, upholstery** 24 (a) Hangings, curtains, and temporary decorations shall be maintained *flame-retarded*.
- (b) Any upholstered seating shall continue to meet the pass criteria for smouldering ignition source 0, flaming ignition source 1 and crib ignition source 5 when tested in accordance with section 5 of BS 5852:1990.
- Scenery** (c) Any *scenery* shall be maintained *flame-retarded* in accordance with Additional Conditions S.
- (e) Temporary decorations shall not be provided except with *consent*. When seeking *consent* for temporary decorations the *Licensee* shall advise the *Council* of the period for which it is desired to retain them.
- (f) Curtains, hangings and temporary decorations shall be arranged so as not to obstruct exits, fire safety signs or fire-fighting equipment.
- Accommodation limits** 25 The *Licensee/Duty Manager* shall ensure that the *accommodation limit(s)* specified on the licence are not exceeded and shall be aware of the number of the *public* on the *premises*. This information shall be provided to any *Authorised Officer* immediately on request.
- Note:** Where there is an unusually large number of performers the *Council* should be consulted.
- Fire action notices** 26 Notices detailing the actions to be taken in the event of fire or other emergencies, including how the fire brigade can be summoned, shall be prominently displayed and shall be protected from damage or deterioration.
- Outbreaks of** 27 The fire brigade shall be called at once to any outbreak or suspected outbreak of fire, however

- fire slight, and the details recorded in the *Fire log-book*.
- Loss of water** 28 The *Licensee/Duty Manager* shall have readily available the telephone number of the *local Fire Control Centre*. The *Licensee/Duty Manager* shall notify the *local Fire Control Centre* as soon as possible if he is aware that the water supply to any hydrant, hose reel, sprinkler, drencher or other fire extinguishing installation is cut off or restricted.
- Refuse 29 Refuse receptacles shall be emptied regularly.
- Access for emergency vehicles** 30 Access for emergency vehicles shall be kept clear and free from obstruction.
- First aid** 31 (a) The *Licensee/Duty Manager* shall ensure that an adequate and appropriate supply of first aid equipment and materials is available on the *premises*.
- (b) If *required*, at least one suitably trained first-aider shall be on duty when the *public* are present. If more than one suitably trained first-aider is present, each person's responsibilities shall be clearly identified.

PART V SANITARY ARRANGEMENTS, HEATING, LIGHTING AND VENTILATION

- Toilet accommodation** 32 (a) Toilet accommodation shall be provided free of charge and be kept clean and in proper working order.
- (b) An adequate supply of hot and cold (or warm) water, toilet paper in holders or dispensers, soap and suitable hand and face drying facilities shall be provided in toilet accommodation.
- Drinking water** 33 Where free drinking water is provided for the *public*, it shall, except with *consent*, only be provided in a supervised area.
- Heating and** 34 (a) Heating apparatus shall be maintained in a safe

cooking

and functioning condition.

- (b) Portable heating or cooking appliances shall not be used except with *consent*.

Charge of

35

If *required*, a *competent person* shall be in charge of the electrical or other installation.

electrical installation

Management
lighting

36

- (a) In the absence of adequate daylight the *management lighting* in any area accessible to the *public* shall be fully in operation whilst the *public* are present.

- (b) Except as permitted under (d) below there shall be adequate illumination to enable people to see their way out of the *premises*.

- (c) Fire safety signs shall be adequately illuminated except as permitted under (d) below.

- (d) If essential to the entertainment and subject to *consent*, the *management lighting* in the *entertainment area* may be reduced or extinguished provided:

- (i) the lighting be controlled from a position with a clear view of the *entertainment area*; and
(ii) an operator remain by the controls whilst the lighting is reduced or extinguished; and
(iii) the operator restore the *management lighting* at once in the event of any emergency; and
(iv) the escape route signs remain adequately illuminated.

Note: *Licenseses* are advised to limit any periods during which lighting levels are reduced to the minimum possible consistent with the needs of the entertainment.

Emergency
lighting

37

- (a) The *emergency lighting* installation shall not be altered in any way except with *consent*.

- (b) The *emergency lighting* battery shall be fully charged before the admission of the *public*.

- (c) In the event of failure of the *normal lighting*:
(i) if the *emergency lighting* battery has a one hour capacity the *public* shall leave the *premises* within 20 minutes unless within

- that time the *normal lighting* has been restored and the battery is being re-charged; or
- (ii) if the *emergency lighting* battery has a 3 hour capacity the *public* shall leave the *premises* within one hour unless within that time the *normal lighting* has been restored and the battery is being re-charged.

- (d) The *public* shall not be re-admitted to the *premises* until the *normal lighting* has been fully restored and the battery fully recharged except
- (i) where the *emergency lighting* battery has a one hour capacity and if the failure of the *normal lighting* was fully rectified within 20 minutes of failure and the battery is being re-charged; or
- (ii) where the *emergency lighting* battery has a 3 hour capacity and if the failure of the *normal lighting* was fully rectified within one hour of failure and the battery is being re-charged.

**Temporary
electrical
installations**

- 38 (a) Temporary electrical wiring and distribution systems shall not be provided without notification being given to the *Council* at least 10 days before the commencement of the work.

Note: This Condition does not normally apply to electrical equipment on a *stage* provided with permanently installed distribution facilities.

- (b) Temporary electrical wiring and distribution systems shall comply with recommendations of *BS 7671* or where applicable *BS 7909*.

- (c) Temporary electrical wiring and distribution systems shall be *inspected* and certified by a *competent person* before they are put into use. A copy of the *certificate* shall be sent to the *Council* as soon as possible.

- (d) Temporary electrical wiring and distribution systems shall be provided only for a period of up to 3 months. This period may be extended subject to a satisfactory electrical test and *inspection* report being submitted to the *Council* at the end of each 3 month period.

Note: The *Council* will normally require temporary electrical wiring and distribution systems to be removed at the end of the 3 month period or to be made permanent during that period.

- Ventilation** 39 (a) The *premises* shall be effectively ventilated.
- (b) Where the ventilation system is designed to maintain a positive air pressure within part of the *premises*, that pressure shall be maintained whenever the *public* are present in that part of the *premises*.

Note: This Condition applies mainly to closely seated auditoria.

- Cleansing ventilation ducting and filters** 40 (a) Ventilation ducting and other shafts shall be kept clean.
- (b) Any air filters shall be periodically cleaned or replaced so as to maintain a satisfactory air supply.
- (c) All interior surfaces of extract ventilation ducting serving kitchens and serveries shall be thoroughly cleaned as frequently as necessary to prevent the accumulation of grease and fat and at least once per year.
- (d) Grease filters in extract ventilation hoods in kitchens and serveries shall be cleaned weekly or at other intervals as *required*.

- Certificates** 41 *Certificates* shall be submitted to the *Council* as specified in Appendix 8.

APPENDIX 1
See Condition 11

TECHNICAL REGULATIONS

- Waiver** 1 The *Council* may modify, waive or dispense with any of the following Regulations provided, in the opinion of the *Council*, the completed *premises* meet the intended function of the Regulations
- Site** 2 The *premises* shall have a sufficient frontage to a road or to an open space having sufficient access to a road to ensure the rapid dispersal of people from the *premises* in emergency.
- Emergency access** 3 Adequate arrangements shall be provided for access for the fire brigade for fire fighting.

- | | | |
|--------------------------------|----|--|
| Accommodation limit | 4 | The maximum number of people permitted within the <i>premises</i> shall be determined by the <i>Council</i> . |
| Control of numbers | 5 | The <i>premises</i> shall be provided with adequate facilities to monitor and control the number of people present. |
| Disabled people | 6 | Suitable provisions shall be made to enable disabled people to use the <i>premises</i> including the provision of adequate access and means of escape. |
| Noise nuisance | 7 | The <i>premises</i> shall be arranged to minimise the risk of noise nuisance to nearby properties. |
| Means of escape | 8 | There shall be adequate means of escape from all parts of the <i>premises</i> . |
| Structural collapse | 9 | The <i>premises</i> and the fitments therein shall be constructed and maintained so as to minimise any risk of structural failure or collapse. |
| Guarding | 10 | Adequate barriers or guarding shall be provided throughout the <i>premises</i> to minimise so far as practicable the risk of any person falling. |
| Fire resistance | 11 | The <i>premises</i> shall be adequately protected against the effects of a fire occurring within the building or in any adjacent building. |
| Smoke control | 12 | Adequate provision shall be made to control the spread of smoke through the <i>premises</i> in the event of fire. |
| Safety curtain | 13 | Where a safety curtain is provided, it shall be arranged so as protect the audience from the effects of a fire or smoke on <i>stage</i> for sufficient time to enable the safe evacuation of the auditorium. |
| Lightning protection | 14 | Adequate protection against lightning shall be provided. |
| Fire control measures | 15 | Details of any fire control measures incorporated in the <i>premises</i> shall be provided for the fire brigade. |
| Electrical installation | 16 | The electrical installation shall be mechanically and electrically safe and suitable for the intended use of the <i>premises</i> . |
| Lighting | 17 | All parts of the <i>premises</i> shall be provided with adequate illumination. All routes of escape and all parts of the |

premises to which the *public* have access shall be provided with adequate and assured illumination from two independent supplies and systems.

- | | | |
|-----------------------------------|----|--|
| Ventilation | 18 | Adequate ventilation shall be provided to all parts of the <i>premises</i> so as to maintain healthy conditions. |
| Heating | 19 | Permanent means of heating all regularly occupied parts of the <i>premises</i> shall be provided and shall be arranged so as not to cause a safety or fire hazard. |
| Water & drainage | 20 | The <i>premises</i> shall be provided with a permanent water supply and adequate drainage. |
| Sanitary accommodation | 21 | Adequate and free sanitary accommodation shall be provided, having regard to the type of entertainment to be given at the <i>premises</i> . |
| Cloakrooms | 22 | Adequate cloakrooms for patrons together with adequate changing rooms for <i>staff</i> including performers shall be provided, having regard to the operation of the <i>premises</i> . |
| Food hygiene | 23 | Facilities for the preparation, cooking or sale of food shall prevent any risk of contamination of the food. |
| Drinking water | 24 | An adequate supply of free drinking water shall be provided for all <i>staff</i> including performers, together with free drinking water for patrons if <i>required</i> . |
| Refuse | 25 | Adequate provision shall be made for the safe storage and ready removal of refuse. |
| Fire alarm | 26 | A fire alarm warning system and efficient means of communication in case of emergency shall be provided throughout the <i>premises</i> . |
| Summoning the fire brigade | 27 | Efficient means shall be provided for calling the fire brigade in the event of fire. |
| Fire-fighting equipment | 28 | Adequate fire-fighting equipment shall be provided for the <i>premises</i> . |
| Generator safety | 29 | Where a generator is installed it shall not present any fire or electrical hazard to the rest of the <i>premises</i> . |
| Generator capacity | 30 | Where a generator is installed to provide an alternative electricity supply to emergency equipment or to <i>emergency lighting</i> it shall have sufficient capacity and be |

able to start operating sufficiently quickly to ensure safety in the event of the failure of the normal electricity supply.

- First aid room** 31 A First Aid Room shall be provided in any *premises* with an *accommodation limit* of 1000 or more people (or 1500 or more people in the case of a closely-seated auditorium.)
- Communication** 32 The *premises* shall have adequate facilities for communication with the *staff* and the *public*.
- Safety signs** 33 Adequate safety signs shall be provided throughout the *premises*.
- Information signs** 34 All facilities intended for use by the *public* shall be clearly indicated.
- Mechanical installations** 35 Any mechanical installation shall be arranged so as to minimise any risk to the safety of the *public*, performers and *staff*.
- Special effects** 36 Any *special effects* shall be arranged so as to minimise any risk to the *public*, performers and *staff*.
- Certificates** 37 Appropriate *certificates* shall be provided as evidence to the *Council* that the *premises* may be safely opened to the *public*.

Note: Advice on how these technical requirements may be met can be found in *Technical Standards for Places of Entertainment*, produced jointly by the Association of British Theatre Technicians and the District Surveyors Association.

APPENDIX 2

N/A

APPENDIX 3

See Condition 14

STAFF TRAINING

- 1 Initial training of all *staff* shall include instruction in the action to be taken in the event of an emergency and in basic fire prevention including the rules concerning smoking. The training shall be repeated

at least once every 6 months.

- 2 Instruction and training shall include:
 - (i) the action to be taken on discovering a fire;
 - (ii) the action to be taken on hearing an alarm alert or alarm evacuation signal;
 - (iii) how to raise an alarm;
 - (iv) how to call the fire brigade;
 - (v) knowledge of escape routes;
 - (vi) appreciation of the importance of fire doors;
 - (vii) the location of the assembly point(s) in case of evacuation
 - 3 *Staff* with specific responsibilities for fire-fighting shall receive instruction and practical training in the location and use of the fire-fighting equipment.
 - 4 The duties of *staff* with specific responsibilities in the case of fire and other emergencies shall be reviewed from time to time as changes in *staff* or other circumstances occur.
 - 5 A fire drill and instruction on emergency procedure shall be held at least once a month or as agreed with the *Council*, under the direction of the *Duty Fire Officer* or the *Duty Manager*.
- Note:** The *Council* may consent to the variation of frequency of fire drills where the *premises* are used infrequently and this will not endanger safety. However fire drills should be carried out at least every 6 months for permanent *staff* or when the arrangements at the *premises* have been altered, for example after a change of seating layout or a change of production.
- 6 Details of training sessions and fire drills shall be entered in the Fire *log-book*.

Note: *Licensees* should consider whether it is necessary to employ specially trained first-aiders to administer first aid to the *public*.

APPENDIX 4
See Condition 15

FIRE LOG-BOOK

- 1 Full details of the following shall be recorded in the Fire *log-book*:
 - Initial training** (a) *Staff* training in respect of fire precautions and fire evacuation procedures.
 - Prior to** (b) The *inspection* of all escape routes, all exits and

- admission of public** *emergency lighting* prior to the use of the *premises* on any day for any entertainment.
- Weekly** (c) The weekly testing of the fire alarm warning system and the weekly check of fire-fighting equipment.
- Monthly** (d) The monthly fire drills.
- Three monthly** (e) The testing of any smoke ventilators.
- Six monthly** (f) Refresher *staff* training.
- Annual** (g) The maintenance and *inspection* of all fire-fighting equipment and the fire alarm warning system.
- Emergencies** (h) Any outbreak of fire or calling of the fire brigade.

2 All entries shall include the name and position of the person making the entry.

3 The *Licensee* shall check and confirm the *Fire log-book* weekly.

Note: (1) The *Fire log-book* may form part of the general incident *log-book* for the *premises*.

(2) The *Council* may *consent* to the variation of frequency of fire drills and other checks where the *premises* are used infrequently and this will not endanger safety. However fire drills should be carried out at least every 6 months for permanent *staff* or when the arrangements at the *premises* have been altered, for example after a change of seating layout or a change of production.

(3) Specimen *Fire log-books* are shown overleaf.

SPECIMEN FIRE LOG-BOOK

This example assumes a day a page approach

Date	Details	Name and position of person making the entry
Initial staff training: give names of staff and training given		
Pre-performance inspection of escape routes, exits and		

emergency lighting		
Weekly testing of fire alarm warning system		
Weekly check of fire-fighting equipment		
Monthly fire drills: give names of staff and person holding the drill		
Three monthly test of smoke ventilators		
Refresher staff training: give names of staff and training given		
Maintenance and annual inspection of fire-fighting equipment		
Maintenance and annual inspection of fire alarm warning system		
Outbreak of fire or calling of fire brigade		
Time outbreak noticed, time fire brigade called and name of person contacting fire brigade		
Licensee's confirmation of entry		

NOTE: In larger *premises* a different form of *Fire log-book* may be appropriate (which may be combined with the general incident *log-book* for the *premises*) provided all the *required* information is included.

An example of this approach is shown.

SPECIMEN FIRE LOG-BOOK

NOTE: This example gives an indication of the type of information that should be recorded in the *Fire log-book*. The events detailed are unlikely all to occur on any one day. Different *premises* will have different procedures. This type of *Fire log-book* may be kept in a bound A4-size diary.

Littletown Theatre

Fire Log-Book
Page 936

Thursday 1 April 2020
Performances of LITTLE EUSTACE and HAMLET
Fred Smith Duty Fire Officer
Mr Jones Duty Manager

- 9.00 Opened premises; checked no obvious causes for concern.
- 9.30 Fire alarm test call to central exchange – all OK.
- 10.00 to Inspected all escape routes, checked all doors to be free hanging
12.00 and self-closing where required.
 Replaced one defective door closer.
 Visual check on all fire extinguishers.
 All emergency lights working.
 Haystack ventilator tested.
- 12.00 Lunch break – Mrs Biggs left in charge of premises.
- 12.30 Firecheck serviced fire hose reel on stage.
- 13.00 Returned to duty.
13. 30 Accompanied fire crew from local fire station on familiarisation visit.
- 14.30 Accompanied Duty Manager on check of premises, as per check-list.
 Removed chains from auditorium doors. Gave clearance to open house.
- 15.00 Performance of LITTLE EUSTACE
- 15.30 On stage to witness lighting of candle and putting out of candle. All ok.
- 17.00 Inspected premises at end of performance. All clear except one water
 extinguisher vandalised.
- 17.15 Witnessed test of flaming torches.
- 17.30 Recharged one water extinguisher. Note nearly out of cartridges.
- 18.00 Tea break. Mr Jones left in charge.
- 19.00 Returned to duty. Accompanied Duty Manager on check of premises as
 per check-list.
- 19.15 Induction and fire training for new attendant with Mr Jones.
 Isabelle Walters. Confirmed Marcus Jones, Duty Manager

- 19.25 Staff fire drill. Confirmed Marcus Jones, Duty Manager
- 19.35 Removed chains from auditorium doors. Gave clearance to open house.
- 19.45 Performance of HAMLET
- 20.15 Called to small fire in FOH men's toilet. Called fire brigade. Extinguished fire and agreed with Mr Jones no need to evacuate premises. Waited on fire brigade. Left all ok.
- 20.45 On stage to witness lighting of flaming torches and putting out. All ok.
- 22.45 Inspected premises at end of performance. All clear.
- 23.30 Locked up.
- Signed: Fred Smith, Duty Fire Officer
- 00.15 Called back to theatre – reported smell of gas. Turned off gas main and called Gas Board to attend 08.00 Friday.
- Confirmed Marcus Jones, Duty Manager

SPECIMEN STAFF DUTY REGISTER

PREMISES:

DATE	NAME	TIME IN	TIME OUT
	* Duty Manager		
	* Duty Fire Officer		
	* Duty electrician		
	* First-aider		

* NOTE: It may assist good management if key staff functions are indicated such as *Duty Manager, Duty Fire Officer, First-aider* where appropriate.

MAINTENANCE OF FIRE-FIGHTING EQUIPMENT,

FIRE ALARM WARNING SYSTEMS & SMOKE VENTILATORS

FIRE-FIGHTING EQUIPMENT

1. (a) The *approved* fire-fighting equipment shall be kept in the *approved* positions and be maintained in satisfactory working order, unobstructed and available for immediate use.
- (b) All fire-fighting equipment shall be visually checked weekly.
- Note:** The *Council* may *consent* to the variation of frequency of checks where the *premises* are used infrequently and this will not endanger safety.
- (c) Portable fire-fighting equipment shall be *inspected* at least once a year in accordance with *BS 5306-3* and recharged where necessary in compliance with the manufacturer's instructions. The date of the *inspection* shall be clearly marked on the appliance or on a stout tab securely attached to it and recorded in the *Fire log-book*.
- (d) Hose reels, drenchers and sprinklers shall be *inspected* in accordance with *BS 5306* once a year to ensure that they are in working order. The date of the *inspection* shall be clearly marked on the control valves and recorded in the *Fire log-book*.
- (e) For details of the *certificates required* see Appendix 8.

FIRE ALARM WARNING SYSTEM

2. (a) Any fire alarm warning system shall be maintained in satisfactory working order.
- (b) The system shall be tested weekly.
- Note:** The *Council* may *consent* to the variation of frequency of tests where the *premises* are used infrequently and this will not endanger safety.
- (c) All checks, tests and *inspections* shall be recorded in the *Fire log-book*.
- (d) For details of the *certificates required* see Appendix 8.

SMOKE VENTILATORS

3. (a) Any smoke ventilators shall be maintained in satisfactory working order.
- (b) Any smoke ventilators shall be tested at least once every 3 months.

(c) For details of the *certificates required* see Appendix 8.

APPENDIX 7
See Condition 22

SPECIMEN CHECK LIST

To be used as a guide by the Duty Manager or other persons carrying out a safety check on each occasion before the public are admitted.

Date _____ Time _____

Name of person carrying out inspection

Job title of person carrying out inspection _____

Do not open the premises until any problems have been rectified

Tick only if everything in order

1. Exit doors are available for use.
2. Chains or other removable fastenings are removed from exit doors and hung in their approved storage position.
3. Panic bolts and panic latches are in working order.
4. Doors, gates or shutters that should be locked open are locked in the open position.
5. All internal and external escape routes and all exit doors are clear and free from obstruction.
6. Fire doors are shut unless held open by fully operational approved devices.
7. All escape routes including stairways and all escape route signs are adequately illuminated (by 2 sources where provided.)
8. Where 2 power supplies are provided e.g. mains and battery, both are fully operative.
9. There are no obvious fire hazards such as combustible waste or litter.
10. Fire-fighting equipment is in position and available for use.
11. The required number of trained staff is present.

12. First aid equipment is available for use.
13. Any public address system is in working order.
14. Any fire alarm warning system is in working order and is set to performance mode (where applicable).
15. Any evacuation facilities for disabled people are in working order.

APPENDIX 8
See Condition 41

CERTIFICATES TO BE SUBMITTED TO THE COUNCIL

- 1 Certificates shall be submitted to the Council at least once every year as detailed below.**

Note: Where a *certificate* covers a period of more than one year it will be sufficient to submit a photocopy of the *certificate* each year that the *certificate* remains valid.

Battery

- (a) The *emergency lighting* battery (including any self-contained units) and associated control equipment. The *inspection* of the battery and control equipment shall be in accordance with *BS 5266-1*. The *certificate* shall be signed by a Corporate Member of the Institution of Electrical Engineers or a member of the Electrical Contractors Association or by a contractor enrolled with the National Inspection Council for Electrical Installation Contracting or, with *consent*, another *competent person*.

Note: (1) A competent person could, for example, be from a battery manufacturer.

(2) This Condition does not apply to *premises* licensed only for *film exhibitions*. At such *premises* the Cinematograph (Safety) Regulations 1955 require that any battery used to supply *escape lighting* shall be capacity tested every 6 months and the date and result of the test entered in a register which shall be available for examination by *Authorised Officers*.

(3) A *certificate* is required in respect of any battery installed as part of a generator installation providing emergency power to the *premises* or for other stand-by emergency power supplies.

Electrical installation

- (b) The entire electrical installation (including the *emergency lighting* installation but excluding any battery.) The *inspection* shall be in accordance with Guidance Note 3

to BS 7671. In large or complex *premises* the electrical installation shall be visually *inspected* once a year and at least 20% of the installation tested in accordance with a programme *approved* by the *Council* such that the whole installation is tested every 5 years. The *certificate* shall be signed by a Corporate Member of the Institution of Electrical Engineers or a member of the Electrical Contractors Association or by a contractor currently enrolled with the National Inspection Council for Electrical Installation Contracting or, with *consent*, another *competent person*.

Note: (1) This Condition does not apply to *premises* licensed only for *film exhibitions*. At such *premises* a *certificate* which accords with the Cinematograph (Safety) Regulations 1955 will suffice.

(2) A *certificate* is required in respect of any generator installation providing emergency power to the *premises*.

Boilers and calorifiers

- (c) Any steam boiler, any electrode boiler working on a closed water system or any calorifier incorporating a steam receiver. A boiler insurance company shall issue the *certificate* of thorough examination and test.

Fire alarm warning system

- (d) Confirmation from a fire alarm company or, with *consent*, another *competent person* that the fire alarm warning system continues to satisfy the requirements of BS 5839.

Fire fighting equipment

- (e) All portable fire-fighting equipment together with any hose reels or sprinklers in accordance with BS 5306.

Mechanical installations

- (f) (i) Any passenger lifts or escalators.
- (ii) All lifting equipment and any permanently suspended equipment. These *certificates* should be copies of the records of examination provided under the Lifting Operations and Lifting Equipment Regulations 1998 (LOLER). Any permanently suspended loads, such as permanently installed stage lighting luminaires or loudspeakers or flown cinema screens, shall be treated as forming part of the lifting equipment installation and be examined by the *competent person* making the examination.
- (iii) The safety curtain, its operating gear and controls, the smoke ventilators and drencher.
- (iv) Any other mechanical installation (for example, stage, orchestra or organ lifts, revolving or moving platforms) if *required*.

Note:

Where a complex mechanical installation has been

provided for a production the *Council* may require *certificates* to be submitted at three monthly intervals.

- | | |
|-------------------------|---|
| Lasers | (g) Any permanently installed lasers, other than Class 1 and Class 2 lasers. |
| Special effects | (h) Permanently installed smoke machines, fog generators and strobe lighting. |
| Ceilings | (i) Ceilings and ornamental plasterwork, if <i>required</i> . |
| Gas installation | (j) Any gas installation and any gas appliances, if <i>required</i> . A member of the Council for Registered Gas Installers (CORGI) shall complete the <i>certificate</i> . |

Annex 3 - Conditions attached after a hearing by the licensing authority

N/A

Annex 4 - Plans

London Borough of Camden, Town Hall Extension,
Argyle Street, London, WC1H 8EQ

Premises licence summary

Premises licence number	PREM-LIC\2622
--------------------------------	---------------

Premises details

Postal address of premises, or if none, ordnance survey map reference or description

Black Cap
171 CAMDEN HIGH STREET
LONDON
NW1 7JY

Telephone number 0207 485 0538

Where the licence is time limited the dates

N/A

Licensable Activities authorised by the licence

Sale by Retail of Alcohol
Late Night Refreshment
Recorded Music
Live Music
Performances of Dance
Provision of Facilities for Making Music
Provision of Facilities for Dancing
Films
Indoor Sporting Events

The times the licence authorises the carrying out of licensable activities

These hours are extended from the end of permitted hours on New Years Eve to the start of permitted hours on New Years Day for all licensable activities

Sale by Retail of Alcohol:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Late Night Refreshment:

Monday - Thursday: 23.00-02.00

Friday & Saturday 23.00-03.00

Sunday: 23.00-01.00

Recorded Music:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Regulated Entertainment

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Live Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Performances of Dance

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Making Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Dancing

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Films

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Indoor Sporting Events

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

The opening hours of the premises

Monday - Thursday 10.00-02.30

Friday & Saturday 10.00-03.30

Sunday 10.00-01.30

There the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale of alcohol is permitted for consumption ON AND OFF the premises.

Name, (registered) address of holder of premises licence

Bluewater Pub Co Ltd
3 More London Riverside
London
SE7 2AQ

**Registered number of holder, for example company number, charity number
(where applicable)**

08725437

**Name of designated premises supervisor where the premises licence
authorises the supply of alcohol**

Jamie Stewart Henderson

State whether access to the premises by children is restricted or prohibited

Not Restricted

London Borough of Camden, Town Hall Extension,
Argyle Street, London, WC1H 8EQ

Premises Licence
London Borough of Camden Licensing Authority

Premises licence number PREM-LIC\2622

Part 1 – Premises details

Postal address of premises, or if none, ordnance survey map reference or description

Black Cap
171 CAMDEN HIGH STREET
LONDON
NW1 7JY

Telephone number 020 7428 2721

Where the licence is time limited the dates

N/A

Licensable activities authorised by the licence

Sale by Retail of Alcohol
Late Night Refreshment
Recorded Music
Live Music
Performances of Dance
Provision of Facilities for Making Music
Provision of Facilities for Dancing
Films
Indoor Sporting Events

The times the licence authorises the carrying out of licensable activities

These hours are extended from the end of permitted hours on New Years Eve to the start of permitted hours on New Years Day for all licensable activities

Sale by Retail of Alcohol:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Late Night Refreshment:

Monday – Thursday: 23.00-02.00

Friday & Saturday 23.00-03.00

Sunday: 23.00-01.00

Recorded Music:

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Regulated Entertainment

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Live Music

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Performances of Dance

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Provision of Facilities for Making Music

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Provision of Facilities for Dancing

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Films

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

Indoor Sporting Events

Monday - Thursday: 10.00-02.00
Friday & Saturday 10.00-03.00
Sunday: 10.00-01.00

The opening hours of the premises

Monday - Thursday 10.00-02.30
Friday & Saturday 10.00-03.30
Sunday 10.00-01.30

Where the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale by retail of alcohol is permitted for consumption ON AND OFF the premises.

Part 2**Name, (registered) address, telephone number and e-mail (where relevant) of holder of premises licence**

Whitewater Pub Company Ltd
7 Clifford Street
London
W15 2WE

Registered number of holder, for example company number, charity number (where applicable)

07109842

Name, address and telephone number of designated premises supervisor where the premises licence authorises the supply of alcohol

Phillip Mark Cooper
171 Camden High Street
London
NW1 7JY

Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises the supply of alcohol

Personal Lic - 2005/00354 Brighton & Hove Council



Signed on behalf of the Director, Culture and Environment Directorate

Date Licence Amended: 12th July 2011 APP\PREMISES-VARYDPS\002131

Date Licence Amended: 14th October 2010 APP\PREMISES-TRANS\000703

Date Licence Amended: 1st February 2009 APP\PREMISES-VARYDPS\001301

Date Licence Amended: 13th November 2007 APP\PREMISES-VARI\000022

Date Licence Amended: 18th July 2007 APP\PREMISES-VARI\000018

Date Licence Amended: 2nd September 2006 APP\PREMISES-VARYDPS\00380

Date Licence Granted: 18th July 2005

Annex 1 - Mandatory conditions

1. The supply of alcohol is prohibited at a time when there is no designated premises supervisor in respect of the premises.
2. The supply of alcohol is prohibited at a time when the designated premises supervisor does not hold a personal licence or his/her licence is suspended.
3. Every supply of alcohol under the premises licence must be made or authorised by a person who holds a personal licence.
4. Where a premises licence includes a condition that at specified times one or more individuals must be at the premises to carry out a security activity, the licence must include a condition that each such individual must –
 - (a) be authorised to carry out that activity by a licence granted under the Private Security Industry Act 2001; or
 - (b) be entitled to carry out that activity by virtue of section 4 of that Act.
5. But nothing in subsection (4) requires such a condition to be imposed -
 - (a) in respect of premises within paragraph 8(3)(a) of Schedule 2 to the Private Security Industry Act 2001 (c. 12) (premises with premises licences authorising plays or films), or
 - (b) in respect of premises in relation to -
 - (i) any occasion mentioned in paragraph 8(3)(b) or (c) of that Schedule (premises being used exclusively by club with club premises certificate, under a temporary event notice authorising plays or films or under a gaming licence), or
 - (ii) any occasion within paragraph 8(3)(d) of that Schedule (occasions prescribed by regulations under that Act).
6. For the purposes of this section—
 - (a) “security activity” means an activity to which paragraph 2(1)(a) of that Schedule applies[and which is licensable conduct for the purposes of that Act (see section 3(2) of that Act)], and
 - (b) paragraph 8(5) of that Schedule (interpretation of references to an occasion) applies as it applies in relation to paragraph 8 of that Schedule.
7. (1) The responsible person shall take all reasonable steps to ensure that staff on relevant premises do not carry out, arrange or participate in any irresponsible promotions in relation to the premises.

(2) In this paragraph, an irresponsible promotion means any one or more of the following activities, or substantially similar activities, carried on for the purpose of encouraging the sale or supply of alcohol for consumption on the premises in a manner which carries a significant risk of leading or contributing to crime and disorder, prejudice to public safety, public nuisance, or harm to children—

(a) games or other activities which require or encourage, or are designed to require or encourage, individuals to—

(i) drink a quantity of alcohol within a time limit (other than to drink alcohol sold or supplied on the premises before the cessation of the period in which the responsible person is authorised to sell or supply alcohol), or

(ii) drink as much alcohol as possible (whether within a time limit or otherwise);

(b) provision of unlimited or unspecified quantities of alcohol free or for a fixed or discounted fee to the public or to a group defined by a particular characteristic (other than any promotion or discount available to an individual in respect of alcohol for consumption at a table meal, as defined in section 159 of the Act);

(c) provision of free or discounted alcohol or any other thing as a prize to encourage or reward the purchase and consumption of alcohol over a period of 24 hours or less;

(d) provision of free or discounted alcohol in relation to the viewing on the premises of a sporting event, where that provision is dependent on—

(i) the outcome of a race, competition or other event or process, or

(ii) the likelihood of anything occurring or not occurring;

(e) selling or supplying alcohol in association with promotional posters or flyers on, or in the vicinity of, the premises which can reasonably be considered to condone, encourage or glamorise anti-social behaviour or to refer to the effects of drunkenness in any favourable manner.

8. The responsible person shall ensure that no alcohol is dispensed directly by one person into the mouth of another (other than where that other person is unable to drink without assistance by reason of a disability).

9. The responsible person shall ensure that free tap water is provided on request to customers where it is reasonably available.

10. (a) The premises licence holder or club premises certificate holder shall ensure that an age verification policy applies to the premises in relation to the

sale or supply of alcohol.

(b) The policy must require individuals who appear to the responsible person to be under 18 years of age (or such older age as may be specified in the policy) to produce on request, before being served alcohol, identification bearing their photograph, date of birth and a holographic mark.

11. The responsible person shall ensure that:
 - (a) where any of the following alcoholic drinks is sold or supplied for consumption on the premises (other than alcoholic drinks sold or supplied having been made up in advance ready for sale or supply in a securely closed container) it is available to customers in the following measures:
 - (i) beer or cider: 1/2 pint;
 - (ii) gin, rum, vodka or whisky: 25 ml or 35 ml; and
 - (iii) still wine in a glass: 125 ml; and
 - (b) customers are made aware of the availability of these measures.
12. When a premises licence authorises the exhibition of films, the licence must include a condition requiring the admission of children to the exhibition of any film to be restricted in accordance with this section
13. Where the film classification body is specified in the licence, unless subsection (9)(b) applies, admission of children must be restricted in accordance with any recommendation made by that body.
14. Where-
 - a) the film classification body is not specified in the licence, or
 - b) the relevant licensing authority has notified the holder of the licence that this subsection applies to the film in question, admission of children must be restricted in accordance with any recommendation made by that licensing authority
15. In this section -
"children" means persons aged under 18; and
"film classification body" means the person or persons designated as the authority under section 4 of the Video Recordings Act 1984 (c. 39) (authority to determine suitability of video works for classification).

Annex 2 - Conditions consistent with the Operating Schedule

16. Subject to the following paragraphs, the permitted hours on weekdays shall extend until two o'clock in the morning following [three o'clock in the metropolis][or, if an earlier hour is specified in the special hours certificate, that hour], except that-
 - i. the permitted hours shall end at midnight . . . on any day on which music and dancing is not provided after midnight; and
 - ii. on any day that gaming ends between midnight and two o'clock in the morning [three o'clock in the metropolis], the permitted hours shall end when the music and dancing end

17. In relation to the morning on which summer time begins, paragraph (1) of this condition shall have effect with the substitution of references to three o'clock in the morning [four o'clock in the metropolis] for references to two o'clock in the morning [three o'clock in the metropolis] [or one hour following the hour actually specified in the certificate where the certificate currently requires closure between 1 a.m. and 2 a.m.]
18. Except on Sundays immediately before bank holidays, the permitted hours on Sundays shall extend until thirty minutes past midnight in the morning following [or, if an earlier hour is specified in the special hours certificate, that hour], except that-
 - i. the permitted hours shall end at midnight on any Sunday on which music and dancing is not provided after midnight;
 - ii. where music and dancing ends between midnight on any Sunday and thirty minutes past midnight, the permitted hours on that Sunday shall end when the music and dancing end
19. On Sundays immediately before bank holidays, the permitted hours shall extend until 2 a.m. in the morning following [3 a.m. in the metropolis], except that-
 - i. the permitted hours shall end at midnight on any Sunday on which music and dancing is not provided after midnight;
 - ii. where music and dancing ends between midnight on any Sunday and 2 a.m. [3 a.m. in the metropolis], the permitted hours on that Sunday shall end when the music and dancing end
20. The sale of alcohol must be ancillary to the use of the premises for music and dancing and substantial refreshment.
21. The "Metropolis" means the area designated in The Licensing (Metropolitan Special Hours Area) Order 1961
22. Up to 2300hrs applicable to entertainment premises which adjoin or are adjacent to noise sensitive properties:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

the unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, measured using the "fast" time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with

entertainment taking place, should show no increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place

23. Up to 2300hrs applicable to entertainment premises which do not adjoin and are not immediately adjacent to noise sensitive properties:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

the unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, similarly measured, should not increase by more than 5dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place.

24. After 2300hrs applicable to all entertainment premises:

The noise climate of the surrounding area shall be protected such that the A-weighted equivalent continuous noise level (LA_{eq}) emanating from the application site, as measured 1 metre from any facade of any noise sensitive premises over any 5 minute period with entertainment taking place shall not increase by more than 3dB as compared to the same measure, from the same position, and over a comparable period, with no entertainment taking place; and

The unweighted equivalent noise level (L_{eq}) in the 63Hz Octave band, measured using the "fast" time constant, inside any living room of any noise sensitive premises, with the windows open or closed, over any 5 minute period with entertainment taking place, should show no increase as compared to the same measure, from the same location(s), and over a comparable period, with no entertainment taking place

No sound emanating from the establishment should be audible within any noise sensitive premises between 23.00 and 07.00 hours.

25. The roof garden area must be provided with a clear means of escape at all times, the width of the route being at least 760mm wide from the bar doors leading onto the roof garden up to the sets of steps and landing down to the doors in the perimeter wall.
26. Where the entertainment provided consists, to a significant degree, of dancing by customers, the licensee shall ensure an adequate supply of wholesome, cool, fresh drinking water is available for the use of the customers. This water must be readily available throughout the time the entertainment is provided, and is to be supplied free of charge.

27. The licensee shall, in consultation with the Council and Metropolitan Police, develop a crime prevention strategy for the premises and in particular shall carry out a risk assessment in respect of the possibility of assaults to customers and staff."
28. Whilst the premises are being used under the licence the licensee shall ensure that all litter and waste outside the premises is removed and disposed of with other waste from the premises.
29. The licensee shall take all reasonable steps to ensure that there is no unauthorised advertising of events to be held at the premises.
30. The licensee shall carry out a risk assessment in respect of the potential harm to customers of the use of illegal drugs, whether taken on the premises or taken by a customer prior to entering the premises, and shall put in place appropriate measures to mitigate any such harm.
31. The licensee shall ensure that staff are trained, as appropriate, in respect of relevant licensing law, the implementation of licence conditions, health and safety, first aid, alcohol and drug awareness and conflict management.
32. The pub manager must be a member of the local Pubwatch scheme.
33. Toughened glass must be used at all times
34. The CCTV system shall be kept in operation while the premises are open and maintained in working order.
35. Text and/or radio pagers must be used for any additional hours.
36. Notices should be prominently sited, both at the main bar exits and the function room exits, such that anyone leaving the premises are reminded of the need to respect local residents and to leave the premises/area in a quiet and considerate manner as quickly as possible.
37. Managers shall liaise with local residents to resolve any reasonable concerns.
38. All children must be accompanied by an adult.
39. Model National Conditions 1-41:

Application

- 1 These Conditions and Definitions shall apply whenever the *premises* are in use under the terms of a licence issued by the *Council*.

Note: In order to ensure the safety of *staff* and performers, it is generally advisable to extend the operation of arrangements provided for the safety of the *public* to all times when the *premises* are occupied.

Definitions 2 In these Conditions the following words have the meanings indicated. Except where the context demands otherwise the singular includes the plural and the masculine includes the feminine. Words in *italics* throughout these Conditions denote words defined below.

Accommodation limit the maximum number of people, not being *staff* or performers, permitted by the *Council* to be within the *premises* or a designated area of the *premises* when they are in use under the terms of a licence issued by the *Council*.

Note: (1) Experience has shown that where *accommodation limits* include *staff*, *Licencees* may reduce the number of *staff* present as the *entertainment area* becomes more crowded in order to comply with the *accommodation limits* on the licence. Such reduction is undesirable. Therefore *accommodation limits* exclude *staff* and performers.
(2) In exceptional circumstances the *Council* may also limit the numbers of *staff* and performers.

Approved permitted in advance by the *Council* in writing.

Approved arrangements the arrangement of the *premises*, (including the layout, fittings, installations and all other things in connection therewith) as *approved* by the *Council*.

Attendant a member of *staff* on duty to assist the *public* entering or leaving auditoria and to assist in the event of fire or other emergency.

Authorised Officer any police or fire officer or any person authorised in writing by the *Council*.

Balcony front the barrier at the front edge of a balcony which prevents people from falling on to the floor or tier beneath the balcony.

BS the appropriate British Standard, which may be an equivalent harmonised European Standard. All references to British Standards are to the current edition unless a date is shown.

Certificate	a written report or reports of <i>inspection</i> and satisfactory condition completed by an appropriately qualified engineer or other <i>competent person</i> and normally submitted to the <i>Council</i> within one month of <i>inspection</i> .
Note:	The <i>competent person</i> , when completing the <i>certificate</i> , may indicate the period of validity of the <i>certificate</i> , which will normally be accepted by the <i>Council</i> .
Competent person	a person who has such practical and theoretical knowledge and such experience as is necessary to carry out the work and who is aware of the limits of his own ability, expertise and knowledge.
Consent	permission given in advance by the <i>Council</i> in writing.
Council	the licensing authority named on the licence.
Door Supervisor	any person employed at or near the entrance to the <i>premises</i> to ascertain or satisfy himself as to the suitability of members of the <i>public</i> to be allowed on the <i>premises</i> or any person employed to maintain order on the <i>premises</i> .
Note:	The <i>Council</i> will not normally consider the <i>Licensee</i> or <i>Duty Manager</i> to be a Door Supervisor.
Duty Fire Officer	a member of <i>staff</i> who has been adequately trained in fire prevention and fire-fighting to the satisfaction of the <i>Council</i> .
Duty Manager	a person appointed by the <i>Licensee</i> in writing to be in charge of the <i>premises</i> .
Durably-treated flame-retarded fabric	see under <i>Flame-retarded fabric</i>
Emergency lighting	see under <i>Lighting</i>
Entertainment area	that part of the <i>premises</i> which is constructed and arranged for use for entertainments including any <i>stage</i> or auditorium.
Escape lighting	see under <i>Lighting</i>
Film exhibition	any exhibition of moving pictures which is produced

otherwise than by the simultaneous reception and exhibition of programmes included in a programme service within the meaning of the Broadcasting Act 1990.

Flame-retarded fabric

a fabric that has been tested using the methods in *BS 5438: 1989* Tests 2A (face ignition) and 2B (bottom ignition) using a 10 second flame application time in each case. The results of tests on the fabric shall show that no part of any hole nor the lowest boundary of any flaming reached the upper or either vertical edge of the specimen and that there was no separation of any flaming debris. (This performance standard is akin to that set out in *BS 5867-2: 1980* Type B.)

Durably-treated flame-retarded fabric

a fabric that has been chemically treated to render it flame-retarded. Prior to the ignitability tests set out above the fabric is subjected to the appropriate wetting or cleansing procedure set out in *BS 5651: 1989*. After this washing or cleansing procedure, the fabric shall meet the performance standard for *flame-retarded fabric* set out above.

Inherently flame-retarded fabric

a fabric which, although not non-combustible and not subjected to any flame-retarding process or finish, meets the performance standard for *flame-retarded fabric* set out above throughout its thickness. The *BS 5651* 'durability' procedure can be omitted before testing fabrics composed entirely of thermoplastic materials such as nylon, polyester or modacrylic, to which a flame-retarding treatment has not been applied.

Indoor sports

see under *Sports entertainment*

Inherently flame-retarded fabric

see under *Flame-retarded fabric*

Inspect/inspection

to carry out a visual inspection accompanied by such other test as may be necessary, in the opinion of the *competent person* carrying out the inspection, to enable the completion of a *certificate* of (satisfactory) condition.

Licensee

the person (or body) to whom the *Council* has granted the licence or who is deemed to be the holder of the licence under the relevant statutory provision.

Lighting

Emergency lighting

lighting provided for use in the event of the failure of the *normal lighting* system. Emergency lighting includes *escape lighting*. Any reference in these Conditions to an emergency lighting battery shall be taken to apply to all batteries provided as part of the emergency lighting installation.

Escape lighting

that part of the *emergency lighting* which is provided to ensure that the escape routes are illuminated at all material times. In these Conditions any reference to *emergency lighting* shall be taken to apply likewise to any escape lighting not provided as part of an *emergency lighting* installation.

Management lighting

the combination of the *emergency lighting* and that part of the *normal lighting* which, in the absence of adequate daylight, is intended to facilitate safe movement about the *premises*.

Note: In closely-seated auditoria this would be the usual performance mode.

Normal lighting

all permanently installed electric lighting operating from the normal supply which, in the absence of adequate daylight, is intended for use during the whole time that the *premises* are occupied.

Note: Normal lighting does not include *emergency lighting*, purely decorative lighting and stage or performance lighting.

Local Fire Control Centre

the address and telephone number which the *Licensee* has confirmed with the Fire Authority as appropriate for the *Licensee* to use in order to make contact with the fire brigade in a non-emergency but immediate manner.

Log-book

Any log-book *required* under these Conditions shall be:

- (i) accurate and up to date;
- (ii) bound and consecutively numbered;
- (iii) retained in a safe and secure place on the *premises* for a minimum of 5 years after the date of last entry or for such longer period as *required*; and
- (iv) readily available for examination by an *Authorised Officer*.

Note: Log-books may be kept in a manual form. The *Council* will accept records in electronic form

provided the *Licensee* can demonstrate adequate security and integrity of the information. Specimen Fire log-books are provided in Appendix 4.

Management lighting	see under <i>Lighting</i>
Normal lighting	see under <i>Lighting</i>
Open stage Pop concert	see under <i>Stage</i> an event at which live or recorded amplified music is played and which could reasonably be expected to attract an audience of such a nature as could lead to problems with crowd control, over-excitement and/or unruly behaviour.
Premises	all parts of the premises as licensed by the <i>Council</i> including the ancillary parts of the building such as offices, changing rooms, workshops, stores etc which are used in connection with the <i>entertainment area</i> .
Public	persons, other than <i>staff</i> or performers, who are on the <i>premises</i> , whether or not they are members of a club and irrespective of payment.
Required	specified by the <i>Council</i> in writing.
Scenery	includes cloths, drapes, gauzes, artificial foliage and fabric decorations.
Separated stage	see under <i>Stage</i>
Special effects	any device or effect which was not included in the original licensing risk assessment for the <i>premises</i> which, if not properly controlled, may present a hazard. Examples include the use of dry ice machines, cryogenic fogs, smoke machines, fog generators, pyrotechnics and fireworks, real flame, firearms, motor vehicles, strobe lighting and lasers.
Special risks	any entertainment which falls outside the normal use of the <i>premises</i> and which, if not properly controlled, may present a hazard. Examples include foam parties, skating to music and performances especially for children.
Sports	contests, exhibitions or displays of any sport where

entertainment physical skill is the predominant factor (except dancing in any form) held indoors to which the *public* are invited as spectators.

Staff any person, whether or not employed by the *Licensee*, concerned in the management, control or supervision of the *premises* who has been given specific responsibilities by the *Licensee* or *Duty Manager*.

Staff alerting system a system (whether electronically operated or otherwise) for immediately alerting *staff* to take appropriate action in the event of fire or other emergency.

Stage the specific part of an *entertainment area* on which performers perform which is distinct from the area occupied by the *public*, often elevated above level of the adjacent floor; includes, where the context permits, platform, dais or rostrum.

Open stage a *stage* which is not separated from the auditorium by a safety curtain. An *open stage* should, however, be separated from the rest of the *premises*, other than the *stage fire risk area*, by fire-resisting construction.

Separated stage a *stage* that is separated from the rest of the *premises*, other than the *stage fire risk area*, by fire-resisting construction and provided with a safety curtain, which affords smoke separation between the *stage* and the auditorium. The safety curtain is normally installed to close off a proscenium opening.

Stage fire risk area the *stage* and the auditorium together with any scene dock, workshop, stage basement, staff or other room associated with the *stage*. The *stage fire risk area* is separated from the rest of the *premises* by fire-resisting construction.

Trailer a film advertising a *film exhibition*.

Standard hours of opening 3 The *premises* shall not open to the *public* before 9.00 a.m. On Sundays, Good Fridays and Christmas Day the *premises* shall not open before 2.00 p.m. for the performance of plays.

Standard 4 The *premises* shall not be kept open after 11.00 p.m.

hours of closing for music, music and dancing, boxing, wrestling or indoor sports or after midnight for plays and *film exhibitions*.

Note: This is the standard terminal hour, which may be varied in particular cases.

Licence 5 (a) The relevant licence or a clear copy of it shall be prominently exhibited in a position where the *public* can easily read it. For the purpose of this Condition the licence shall be interpreted to mean the licence document containing conditions specific to the *premises*, including any *accommodation limits*.

Note: Appendix 2 illustrates an example of the licence which should be displayed; this normally consists of one or two pages.

(b) A copy of any Standard Conditions shall be readily available to the *Duty Manager*.

Note: This will include any Additional Conditions attached to the licence.

(c) The *premises* shall not be used for any purpose for which a licence is *required* unless specifically licensed for that purpose.

Note: If the *premises* are licensed for several types of entertainment but are regularly used for one type of entertainment, the *Council* should be informed of any change to a different type of entertainment.

Admission of Authorised Officers 6 *Authorised Officers* who carry written authorisations and proof of identity, which they will produce on request, shall be admitted immediately to all parts of the *premises* at all reasonable times.

Note: *Authorised Officers* examining *entertainment areas* whilst a performance is in progress should take care not to interrupt the performance and to respect privacy.

The *Licensee* should ensure that reasonable assistance is given to *Authorised Officers* to enable them to discharge their functions.

PART II

ACTIVITIES FOR WHICH A SPECIFIC CONSENT OR WAIVER IS REQUIRED

Hypnotism 7 (a) The *Licensee* shall not permit any exhibition, demonstration or performance of hypnotism,

mesmerism or any similar act or process which produces or is intended to produce in any person any form of induced sleep or trance in which susceptibility of the mind of that person to suggestion or direction is increased or intended to be increased. This Condition does not apply to exhibitions given under the provisions of Section 2(1A) and 5 of the Hypnotism Act 1952.

Note: Any waiver of this Condition by the *Council* will be subject to Additional Conditions H. The procedure for application to waive this Condition is set out in Appendix H1, which will be sent to the *Licensee* on request.

- | | | |
|--|-----------|--|
| Entertainment involving special risks | 8 | <p>(a) The <i>Licensee</i> shall not permit an entertainment that involves <i>special risks</i> except with <i>consent</i>. Any <i>approved</i> performances especially for children shall comply with Additional Conditions K.</p> <p>(b) The <i>Licensee</i> shall not permit explosives or highly flammable substances to be brought onto the <i>premises</i> except with <i>consent</i>. Any storage of explosives or highly flammable substances shall comply with Additional Condition FX10.</p> |
| Entertainment using special effects | 9 | <p>(a) The <i>Licensee</i> shall not permit the use of <i>special effects</i>, except with <i>consent</i>. Any <i>approved</i> use of <i>special effects</i> shall comply with Additional Conditions FX.</p> <p>(b) The <i>Licensee</i> shall give the <i>Council</i> at least 10 days' notice in writing of any proposal to use <i>special effects</i>. The notice shall include, save in exceptional circumstances, exact details of the proposal including the date and time when the <i>special effects</i> can be demonstrated.</p> |
| Compressed gases | 10 | <p>Compressed or liquefied gases shall not be used except with <i>consent</i>. At least 10 days' notice in writing shall be given to the <i>Council</i> of any proposal to bring storage cylinders into the <i>premises</i>.</p> <p>Note: This Condition does not normally apply to gas cylinders used in connection with the dispensing of beverages.</p> |

PARTICULAR RESPONSIBILITIES OF THE LICENSEE

- | | | |
|--|-----------|---|
| Overall responsibility of Licensee | 11 | <p>(a) The <i>Licensee</i> shall ensure that the <i>premises</i> continue to comply with the Technical Regulations as set out in Appendix 1. No alterations shall be made to the <i>approved arrangements</i> except with <i>consent</i>.</p> <p>(b) The <i>Licensee</i> shall, except with <i>consent</i>, retain control over all parts of the <i>premises</i>.</p> <p>(c) Either the <i>Licensee</i> or the <i>Duty Manager</i> shall be in charge of and within the <i>premises</i> whenever the <i>public</i> are present. However the <i>Licensee</i> remains responsible for the observance of all licensing conditions.</p> |
| Duty Manager | 12 | <p>The <i>Licensee</i> may authorise in writing a <i>Duty Manager</i>, who shall be at least 18 years old, to deputise for him. This written authorisation shall be kept on the <i>premises</i> and be readily available for examination by any <i>Authorised Officer</i>. The <i>Licensee</i> must be satisfied that anyone appointed as a <i>Duty Manager</i> understands the need to comply with the Conditions of the licence and is competent to perform the function of <i>Duty Manager</i>.</p> <p>Note: (1) Hereafter in these Conditions the term <i>Licensee/Duty Manager</i> will mean the <i>Licensee</i> or the <i>Duty Manager</i> as appropriate.</p> <p>(2) The <i>Licensee</i> may appoint a hirer of the <i>premises</i> to be <i>Duty Manager</i> if appropriate.</p> |
| Qualifications of Licensee and Duty Manager | 13 | <p>The <i>Licensee</i> (if an individual) and any <i>Duty Manager</i> shall:</p> <p>(i) have undertaken an <i>approved</i> training course leading to the possession of the BIIAB Level 2 National Certificate for Entertainment Licensees; or</p> <p>(ii) possess an equivalent qualification, for example for concert halls, the National Vocational Qualification in Cultural Venue Administration (Level 3); or</p> <p>(iii) be able to demonstrate to the satisfaction of the <i>Council</i> that he possesses all relevant knowledge and experience.</p> |

Note: (1) This Condition does not apply to theatres or cinemas.

(2) This Condition does not apply to the *Duty Managers* of village halls or similar *premises*, or to other *premises* where the *Council* considers the requirement to be unnecessary.

Staff

- 14 (a) The *Licensee/Duty Manager* shall ensure that he has sufficient trained *staff* on duty to ensure the safe evacuation of the *premises* in the event of emergency. Such *staff* shall have been specifically instructed on their duties in the event of an emergency by the *Licensee* or by a person nominated by him. The instruction given to *staff* shall include training on the safe and efficient running of the *premises* and the safe evacuation of the *premises*.

Note: It is important that the evacuation procedures are fully understood by all *staff*, especially where a two-stage fire alarm warning system is operated during performances.

- (b) A nominated member of *staff* in addition to the *Duty Manager* shall have responsibility for fire prevention measures and for ensuring that all escape routes including exit doors are fully available.

Note: This person should be the *Duty Fire Officer* where one is employed.

- (c) No *Door Supervisor* shall be employed at *premises* outside London except with *consent*. Any employment shall be in accordance with Additional Conditions D.

- (d) *Staff* with specific responsibilities in the event of fire or other emergency, together with deputies, shall receive training and written instruction appropriate to their role as set out in Appendix 3. The *Licensee/Duty Manager* shall, once he is satisfied as to the competence of each member of *staff*, record this in the *Fire log-book*.

Fire log-book

- 15 (a) The *Licensee* shall cause a *Fire log-book* to be kept which shall comply with Appendix 4.

Note: *Licensees* are advised that it is good practice to keep a general incident *log-book* in which are recorded details of each day's events. This may be combined with the *Fire log-book*. Appendix 4

includes an example of this approach.

- (b) Any *Authorised Officer* shall be entitled to obtain a photocopy of any page(s) of any *log-book*.

Staff register 16 The *Licensee/Duty Manager* shall maintain a register indicating the numbers of *staff*, including any *Door Supervisors* and all performers, who are present when the *public* are present. This register shall be produced immediately on the request of an *Authorised Officer*. This Condition does not apply to any *premises* that are being used for a closely seated audience.

- Note:** (1) A sample register is set out in Appendix 5.
(2) As *accommodation limits* exclude *staff* and performers, this register may be used by *Authorised Officers* to assist in deciding how many *staff* and performers are present in the *premises* at a given time. The register will also be used in the event of an emergency evacuation of the *premises*. It is essential, therefore, that the register is properly maintained and that it is readily available.

Dancing 17 Dancing shall be restricted to the areas designated by the *Council*.

Prevention of nuisance 18 (a) The *Licensee/Duty Manager* shall ensure that no nuisance is caused by noise emanating from the *premises* or by vibration transmitted through the structure of the *premises*.

- (b) If *required*, clearly legible notices shall be displayed at all exits requesting the *public* to respect the needs of local residents and to leave the *premises* and area quietly.

PART IV CONDITIONS RELATING TO SAFETY INCLUDING FIRE SAFETY

Approved arrangements 19 (a) The *approved arrangements* shall be maintained in good condition and full working order. Fire-fighting equipment, the fire alarm warning system and any smoke ventilators shall be maintained in accordance with Appendix 6.

- (b) No alterations (including temporary alterations) shall be made except with *consent*.
- Minimising danger** 20 The *Licensee* shall ensure that all performances or activities minimise any danger to the *public*.
- Disabled people** 21 The *Licensee/Duty Manager* shall ensure that, whenever disabled people are present, adequate arrangements are made to enable their safe evacuation in the event of an emergency and that they are made aware of these arrangements.
- Note:** *Licensees* are advised to obtain details of and seek to address any special needs when approached by organisers of parties of disabled people.
- Safety checks** 22 The *Licensee/Duty Manager* shall ensure that all necessary safety checks have been carried out before the admission of the *public*. Details of the checks shall be entered in the Fire *log-book*; this may be by use of a separate check list.
- Note:** A specimen check list is provided in Appendix 7.
- Escape routes** 23 (a) All escape routes and exits including external exits shall be maintained unobstructed, in good order with non-slippery and even surfaces, free of trip hazards and clearly identified in accordance with the *approved arrangements*.
- Note:** In restaurants and other *premises* where chairs and tables are provided care should be taken that clear gangways are maintained.
- (b) All exit doors shall be available and easily openable without the use of a key, card, code or similar means. Only *approved* fastenings shall be used.
- Note:** Doors that are not in regular use should be opened in order to ensure they function satisfactorily.
- (c) Any removable security fastenings shall be removed from the doors prior to opening the *premises* to the *public*. All such fastenings shall be kept in the *approved* position(s).
- (d) If *required*, exit doors shall be secured in the fully open position when the *public* are present.
- (e) All fire doors shall be maintained effectively self-

closing and shall not be held open other than by *approved* devices.

- (f) Fire-resisting doors to ducts, service shafts and cupboards shall be kept locked shut.
- (g) The edges of the treads of steps and stairways shall be maintained so as to be conspicuous.
- Curtains, hangings, decorations, upholstery** 24 (a) Hangings, curtains, and temporary decorations shall be maintained *flame-retarded*.

(b) Any upholstered seating shall continue to meet the pass criteria for smouldering ignition source 0, flaming ignition source 1 and crib ignition source 5 when tested in accordance with section 5 of *BS 5852:1990*.
- Scenery** (c) Any *scenery* shall be maintained *flame-retarded* in accordance with Additional Conditions S.

(e) Temporary decorations shall not be provided except with *consent*. When seeking *consent* for temporary decorations the *Licensee* shall advise the *Council* of the period for which it is desired to retain them.

(f) Curtains, hangings and temporary decorations shall be arranged so as not to obstruct exits, fire safety signs or fire-fighting equipment.
- Accommodation limits** 25 The *Licensee/Duty Manager* shall ensure that the *accommodation limit(s)* specified on the licence are not exceeded and shall be aware of the number of the *public* on the *premises*. This information shall be provided to any *Authorised Officer* immediately on request.

Note: Where there is an unusually large number of performers the *Council* should be consulted.
- Fire action notices** 26 Notices detailing the actions to be taken in the event of fire or other emergencies, including how the fire brigade can be summoned, shall be prominently displayed and shall be protected from damage or deterioration.
- Outbreaks of** 27 The fire brigade shall be called at once to any outbreak or suspected outbreak of fire, however

- fire slight, and the details recorded in the Fire *log-book*.
- Loss of water** 28 The *Licensee/Duty Manager* shall have readily available the telephone number of the *local Fire Control Centre*. The *Licensee/Duty Manager* shall notify the *local Fire Control Centre* as soon as possible if he is aware that the water supply to any hydrant, hose reel, sprinkler, drencher or other fire extinguishing installation is cut off or restricted.
- Refuse 29 Refuse receptacles shall be emptied regularly.
- Access for emergency vehicles** 30 Access for emergency vehicles shall be kept clear and free from obstruction.
- First aid** 31 (a) The *Licensee/Duty Manager* shall ensure that an adequate and appropriate supply of first aid equipment and materials is available on the *premises*.
- (b) If *required*, at least one suitably trained first-aider shall be on duty when the *public* are present. If more than one suitably trained first-aider is present, each person's responsibilities shall be clearly identified.

PART V SANITARY ARRANGEMENTS, HEATING, LIGHTING AND VENTILATION

- Toilet accommodation** 32 (a) Toilet accommodation shall be provided free of charge and be kept clean and in proper working order.
- (b) An adequate supply of hot and cold (or warm) water, toilet paper in holders or dispensers, soap and suitable hand and face drying facilities shall be provided in toilet accommodation.
- Drinking water** 33 Where free drinking water is provided for the *public*, it shall, except with *consent*, only be provided in a supervised area.
- Heating and** 34 (a) **Heating apparatus shall be maintained in a safe**

cooking

and functioning condition.

- (b) Portable heating or cooking appliances shall not be used except with *consent*.

Charge of

35

If *required*, a *competent person* shall be in charge of the electrical or other installation.

electrical installation

Management
lighting

36

- (a) In the absence of adequate daylight the *management lighting* in any area accessible to the *public* shall be fully in operation whilst the *public* are present.
- (b) Except as permitted under (d) below there shall be adequate illumination to enable people to see their way out of the *premises*.
- (c) Fire safety signs shall be adequately illuminated except as permitted under (d) below.
- (d) If essential to the entertainment and subject to *consent*, the *management lighting* in the *entertainment area* may be reduced or extinguished provided:
- (i) the lighting be controlled from a position with a clear view of the *entertainment area*; and
 - (ii) an operator remain by the controls whilst the lighting is reduced or extinguished; and
 - (iii) the operator restore the *management lighting* at once in the event of any emergency; and
 - (iv) the escape route signs remain adequately illuminated.

Note: *Licensees* are advised to limit any periods during which lighting levels are reduced to the minimum possible consistent with the needs of the entertainment.

Emergency
lighting

37

- (a) The *emergency lighting* installation shall not be altered in any way except with *consent*.
- (b) The *emergency lighting* battery shall be fully charged before the admission of the *public*.
- (c) In the event of failure of the *normal lighting*:
- (i) if the *emergency lighting* battery has a one hour capacity the *public* shall leave the *premises* within 20 minutes unless within

that time the *normal lighting* has been restored and the battery is being re-charged; or

(ii) if the *emergency lighting* battery has a 3 hour capacity the *public* shall leave the *premises* within one hour unless within that time the *normal lighting* has been restored and the battery is being re-charged.

- (d) The *public* shall not be re-admitted to the *premises* until the *normal lighting* has been fully restored and the battery fully recharged except
- (i) where the *emergency lighting* battery has a one hour capacity and if the failure of the *normal lighting* was fully rectified within 20 minutes of failure and the battery is being re-charged; or
- (ii) where the *emergency lighting* battery has a 3 hour capacity and if the failure of the *normal lighting* was fully rectified within one hour of failure and the battery is being re-charged.

**Temporary
electrical
installations**

- 38 (a) Temporary electrical wiring and distribution systems shall not be provided without notification being given to the *Council* at least 10 days before the commencement of the work.

Note: This Condition does not normally apply to electrical equipment on a *stage* provided with permanently installed distribution facilities.

- (b) Temporary electrical wiring and distribution systems shall comply with recommendations of *BS 7671* or where applicable *BS 7909*.

- (c) Temporary electrical wiring and distribution systems shall be *inspected* and certified by a *competent person* before they are put into use. A copy of the *certificate* shall be sent to the *Council* as soon as possible.

- (d) Temporary electrical wiring and distribution systems shall be provided only for a period of up to 3 months. This period may be extended subject to a satisfactory electrical test and *inspection* report being submitted to the *Council* at the end of each 3 month period.

Note: The *Council* will normally require temporary electrical wiring and distribution systems to be removed at the end of the 3 month period or to be made permanent during that period.

- | | | |
|--|-----------|---|
| Ventilation | 39 | <p>(a) The <i>premises</i> shall be effectively ventilated.</p> <p>(b) Where the ventilation system is designed to maintain a positive air pressure within part of the <i>premises</i>, that pressure shall be maintained whenever the <i>public</i> are present in that part of the <i>premises</i>.</p> <p>Note: This Condition applies mainly to closely seated auditoria.</p> |
| Cleansing ventilation ducting and filters | 40 | <p>(a) Ventilation ducting and other shafts shall be kept clean.</p> <p>(b) Any air filters shall be periodically cleaned or replaced so as to maintain a satisfactory air supply.</p> <p>(c) All interior surfaces of extract ventilation ducting serving kitchens and serveries shall be thoroughly cleaned as frequently as necessary to prevent the accumulation of grease and fat and at least once per year.</p> <p>(d) Grease filters in extract ventilation hoods in kitchens and serveries shall be cleaned weekly or at other intervals as <i>required</i>.</p> |
| Certificates | 41 | <p><i>Certificates</i> shall be submitted to the <i>Council</i> as specified in Appendix 8.</p> |

APPENDIX 1
See Condition 11

TECHNICAL REGULATIONS

- | | | |
|-------------------------|----------|---|
| Waiver | 1 | <p>The <i>Council</i> may modify, waive or dispense with any of the following Regulations provided, in the opinion of the <i>Council</i>, the completed <i>premises</i> meet the intended function of the Regulations</p> |
| Site | 2 | <p>The <i>premises</i> shall have a sufficient frontage to a road or to an open space having sufficient access to a road to ensure the rapid dispersal of people from the <i>premises</i> in emergency.</p> |
| Emergency access | 3 | <p>Adequate arrangements shall be provided for access for the fire brigade for fire fighting.</p> |

- | | | |
|--------------------------------|----|--|
| Accommodation limit | 4 | The maximum number of people permitted within the <i>premises</i> shall be determined by the <i>Council</i> . |
| Control of numbers | 5 | The <i>premises</i> shall be provided with adequate facilities to monitor and control the number of people present. |
| Disabled people | 6 | Suitable provisions shall be made to enable disabled people to use the <i>premises</i> including the provision of adequate access and means of escape. |
| Noise nuisance | 7 | The <i>premises</i> shall be arranged to minimise the risk of noise nuisance to nearby properties. |
| Means of escape | 8 | There shall be adequate means of escape from all parts of the <i>premises</i> . |
| Structural collapse | 9 | The <i>premises</i> and the fitments therein shall be constructed and maintained so as to minimise any risk of structural failure or collapse. |
| Guarding | 10 | Adequate barriers or guarding shall be provided throughout the <i>premises</i> to minimise so far as practicable the risk of any person falling. |
| Fire resistance | 11 | The <i>premises</i> shall be adequately protected against the effects of a fire occurring within the building or in any adjacent building. |
| Smoke control | 12 | Adequate provision shall be made to control the spread of smoke through the <i>premises</i> in the event of fire. |
| Safety curtain | 13 | Where a safety curtain is provided, it shall be arranged so as protect the audience from the effects of a fire or smoke on <i>stage</i> for sufficient time to enable the safe evacuation of the auditorium. |
| Lightning protection | 14 | Adequate protection against lightning shall be provided. |
| Fire control measures | 15 | Details of any fire control measures incorporated in the <i>premises</i> shall be provided for the fire brigade. |
| Electrical installation | 16 | The electrical installation shall be mechanically and electrically safe and suitable for the intended use of the <i>premises</i> . |
| Lighting | 17 | All parts of the <i>premises</i> shall be provided with adequate illumination. All routes of escape and all parts of the |

premises to which the *public* have access shall be provided with adequate and assured illumination from two independent supplies and systems.

- | | | |
|-----------------------------------|----|--|
| Ventilation | 18 | Adequate ventilation shall be provided to all parts of the <i>premises</i> so as to maintain healthy conditions. |
| Heating | 19 | Permanent means of heating all regularly occupied parts of the <i>premises</i> shall be provided and shall be arranged so as not to cause a safety or fire hazard. |
| Water & drainage | 20 | The <i>premises</i> shall be provided with a permanent water supply and adequate drainage. |
| Sanitary accommodation | 21 | Adequate and free sanitary accommodation shall be provided, having regard to the type of entertainment to be given at the <i>premises</i> . |
| Cloakrooms | 22 | Adequate cloakrooms for patrons together with adequate changing rooms for <i>staff</i> including performers shall be provided, having regard to the operation of the <i>premises</i> . |
| Food hygiene | 23 | Facilities for the preparation, cooking or sale of food shall prevent any risk of contamination of the food. |
| Drinking water | 24 | An adequate supply of free drinking water shall be provided for all <i>staff</i> including performers, together with free drinking water for patrons if <i>required</i> . |
| Refuse | 25 | Adequate provision shall be made for the safe storage and ready removal of refuse. |
| Fire alarm | 26 | A fire alarm warning system and efficient means of communication in case of emergency shall be provided throughout the <i>premises</i> . |
| Summoning the fire brigade | 27 | Efficient means shall be provided for calling the fire brigade in the event of fire. |
| Fire-fighting equipment | 28 | Adequate fire-fighting equipment shall be provided for the <i>premises</i> . |
| Generator safety | 29 | Where a generator is installed it shall not present any fire or electrical hazard to the rest of the <i>premises</i> . |
| Generator capacity | 30 | Where a generator is installed to provide an alternative electricity supply to emergency equipment or to <i>emergency lighting</i> it shall have sufficient capacity and be |

able to start operating sufficiently quickly to ensure safety in the event of the failure of the normal electricity supply.

- First aid room** 31 A First Aid Room shall be provided in any *premises* with an *accommodation limit* of 1000 or more people (or 1500 or more people in the case of a closely-seated auditorium.)
- Communication** 32 The *premises* shall have adequate facilities for communication with the *staff* and the *public*.
- Safety signs** 33 Adequate safety signs shall be provided throughout the *premises*.
- Information signs** 34 All facilities intended for use by the *public* shall be clearly indicated.
- Mechanical installations** 35 Any mechanical installation shall be arranged so as to minimise any risk to the safety of the *public*, performers and *staff*.
- Special effects** 36 Any *special effects* shall be arranged so as to minimise any risk to the *public*, performers and *staff*.
- Certificates** 37 Appropriate *certificates* shall be provided as evidence to the *Council* that the *premises* may be safely opened to the *public*.

Note: Advice on how these technical requirements may be met can be found in *Technical Standards for Places of Entertainment*, produced jointly by the Association of British Theatre Technicians and the District Surveyors Association.

APPENDIX 2

N/A

APPENDIX 3

See Condition 14

STAFF TRAINING

- 1 Initial training of all *staff* shall include instruction in the action to be taken in the event of an emergency and in basic fire prevention including the rules concerning smoking. The training shall be repeated

at least once every 6 months.

- 2 Instruction and training shall include:
 - (i) the action to be taken on discovering a fire;
 - (ii) the action to be taken on hearing an alarm alert or alarm evacuation signal;
 - (iii) how to raise an alarm;
 - (iv) how to call the fire brigade;
 - (v) knowledge of escape routes;
 - (vi) appreciation of the importance of fire doors;
 - (vii) the location of the assembly point(s) in case of evacuation
- 3 *Staff* with specific responsibilities for fire-fighting shall receive instruction and practical training in the location and use of the fire-fighting equipment.
- 4 The duties of *staff* with specific responsibilities in the case of fire and other emergencies shall be reviewed from time to time as changes in *staff* or other circumstances occur.
- 5 A fire drill and instruction on emergency procedure shall be held at least once a month or as agreed with the *Council*, under the direction of the *Duty Fire Officer* or the *Duty Manager*.

Note: The *Council* may consent to the variation of frequency of fire drills where the *premises* are used infrequently and this will not endanger safety. However fire drills should be carried out at least every 6 months for permanent *staff* or when the arrangements at the *premises* have been altered, for example after a change of seating layout or a change of production.

- 6 Details of training sessions and fire drills shall be entered in the Fire *log-book*.

Note: *Licensees* should consider whether it is necessary to employ specially trained first-aiders to administer first aid to the *public*.

APPENDIX 4
See Condition 15

FIRE LOG-BOOK

- 1 Full details of the following shall be recorded in the Fire *log-book*:
 - Initial training** (a) *Staff* training in respect of fire precautions and fire evacuation procedures.
 - Prior to** (b) The *inspection* of all escape routes, all exits and

admission of public *emergency lighting* prior to the use of the *premises* on any day for any entertainment.

Weekly (c) The weekly testing of the fire alarm warning system and the weekly check of fire-fighting equipment.

Monthly (d) The monthly fire drills.

Three monthly (e) The testing of any smoke ventilators.

Six monthly (f) Refresher *staff* training.

Annual (g) The maintenance and *inspection* of all fire-fighting equipment and the fire alarm warning system.

Emergencies (h) Any outbreak of fire or calling of the fire brigade.

2 All entries shall include the name and position of the person making the entry.

3 The *Licensee* shall check and confirm the Fire *log-book* weekly.

Note: (1) The Fire *log-book* may form part of the general incident *log-book* for the *premises*.

(2) The *Council* may *consent* to the variation of frequency of fire drills and other checks where the *premises* are used infrequently and this will not endanger safety. However fire drills should be carried out at least every 6 months for permanent *staff* or when the arrangements at the *premises* have been altered, for example after a change of seating layout or a change of production.

(3) Specimen Fire *log-books* are shown overleaf.

SPECIMEN FIRE LOG-BOOK

This example assumes a day a page approach

Date	Details	Name and position of person making the entry
Initial staff training: give names of staff and training given		
Pre-performance inspection of escape routes, exits and		

emergency lighting		
Weekly testing of fire alarm warning system		
Weekly check of fire-fighting equipment		
Monthly fire drills: give names of staff and person holding the drill		
Three monthly test of smoke ventilators		
Refresher staff training: give names of staff and training given		
Maintenance and annual inspection of fire-fighting equipment		
Maintenance and annual inspection of fire alarm warning system		
Outbreak of fire or calling of fire brigade		
Time outbreak noticed, time fire brigade called and name of person contacting fire brigade		
	Licensee's confirmation of entry	

NOTE: In larger *premises* a different form of Fire *log-book* may be appropriate (which may be combined with the general incident *log-book* for the *premises*) provided all the *required* information is included.

An example of this approach is shown.

SPECIMEN FIRE LOG-BOOK

NOTE: This example gives an indication of the type of information that should be recorded in the Fire *log-book*. The events detailed are unlikely all to occur on any one day. Different *premises* will have different procedures. This type of Fire *log-book* may be kept in a bound A4-size diary.

Littletown Theatre

Fire Log-Book
Page 936

Thursday 1 April 2020
Performances of LITTLE EUSTACE and HAMLET
Fred Smith Duty Fire Officer
Mr Jones Duty Manager

- 9.00 Opened premises; checked no obvious causes for concern.
- 9.30 Fire alarm test call to central exchange – all OK.
- 10.00 to 12.00 Inspected all escape routes, checked all doors to be free hanging and self-closing where required.
Replaced one defective door closer.
Visual check on all fire extinguishers.
All emergency lights working.
Haystack ventilator tested.
- 12.00 Lunch break – Mrs Biggs left in charge of premises.
- 12.30 Firecheck serviced fire hose reel on stage.
- 13.00 Returned to duty.
13. 30 Accompanied fire crew from local fire station on familiarisation visit.
- 14.30 Accompanied Duty Manager on check of premises, as per check-list.
Removed chains from auditorium doors. Gave clearance to open house.
- 15.00 Performance of LITTLE EUSTACE
- 15.30 On stage to witness lighting of candle and putting out of candle. All ok.
- 17.00 Inspected premises at end of performance. All clear except one water extinguisher vandalised.
- 17.15 Witnessed test of flaming torches.
- 17.30 Recharged one water extinguisher. Note nearly out of cartridges.
- 18.00 Tea break. Mr Jones left in charge.
- 19.00 Returned to duty. Accompanied Duty Manager on check of premises as per check-list.
- 19.15 Induction and fire training for new attendant with Mr Jones. Isabelle Walters. Confirmed Marcus Jones, Duty Manager

- 19.25 Staff fire drill. Confirmed Marcus Jones, Duty Manager
- 19.35 Removed chains from auditorium doors. Gave clearance to open house.
- 19.45 Performance of HAMLET
- 20.15 Called to small fire in FOH men's toilet. Called fire brigade. Extinguished fire and agreed with Mr Jones no need to evacuate premises. Waited on fire brigade. Left all ok.
- 20.45 On stage to witness lighting of flaming torches and putting out. All ok.
- 22.45 Inspected premises at end of performance. All clear.
- 23.30 Locked up.
- Signed: Fred Smith, Duty Fire Officer
- 00.15 Called back to theatre – reported smell of gas. Turned off gas main and called Gas Board to attend 08.00 Friday.
- Confirmed Marcus Jones, Duty Manager

SPECIMEN STAFF DUTY REGISTER
PREMISES:

DATE	NAME	TIME IN	TIME OUT
	* Duty Manager		
	* Duty Fire Officer		
	* Duty electrician		
	* First-aider		

* NOTE: It may assist good management if key staff functions are indicated such as *Duty Manager, Duty Fire Officer, First-aider* where appropriate.

MAINTENANCE OF FIRE-FIGHTING EQUIPMENT,

FIRE ALARM WARNING SYSTEMS & SMOKE VENTILATORS

FIRE-FIGHTING EQUIPMENT

1. (a) The *approved* fire-fighting equipment shall be kept in the *approved* positions and be maintained in satisfactory working order, unobstructed and available for immediate use.

- (b) All fire-fighting equipment shall be visually checked weekly.

Note: The *Council* may *consent* to the variation of frequency of checks where the *premises* are used infrequently and this will not endanger safety.

- (c) Portable fire-fighting equipment shall be *inspected* at least once a year in accordance with *BS 5306-3* and recharged where necessary in compliance with the manufacturer's instructions. The date of the *inspection* shall be clearly marked on the appliance or on a stout tab securely attached to it and recorded in the *Fire log-book*.

- (d) Hose reels, drenchers and sprinklers shall be *inspected* in accordance with *BS 5306* once a year to ensure that they are in working order. The date of the *inspection* shall be clearly marked on the control valves and recorded in the *Fire log-book*.

- (e) For details of the *certificates required* see Appendix 8.

FIRE ALARM WARNING SYSTEM

2. (a) Any fire alarm warning system shall be maintained in satisfactory working order.

- (b) The system shall be tested weekly.

Note: The *Council* may *consent* to the variation of frequency of tests where the *premises* are used infrequently and this will not endanger safety.

- (c) All checks, tests and *inspections* shall be recorded in the *Fire log-book*.

- (d) For details of the *certificates required* see Appendix 8.

SMOKE VENTILATORS

3. (a) Any smoke ventilators shall be maintained in satisfactory working order.

- (b) Any smoke ventilators shall be tested at least once every 3 months.

(c) For details of the *certificates required* see Appendix 8.

APPENDIX 7
See Condition 22

SPECIMEN CHECK LIST

To be used as a guide by the Duty Manager or other persons carrying out a safety check on each occasion before the public are admitted.

Date _____ Time _____

Name of person carrying out inspection

Job title of person carrying out inspection _____

Do not open the premises until any problems have been rectified

Tick only if everything in order

1. Exit doors are available for use.
2. Chains or other removable fastenings are removed from exit doors and hung in their approved storage position.
3. Panic bolts and panic latches are in working order.
4. Doors, gates or shutters that should be locked open are locked in the open position.
5. All internal and external escape routes and all exit doors are clear and free from obstruction.
6. Fire doors are shut unless held open by fully operational approved devices.
7. All escape routes including stairways and all escape route signs are adequately illuminated (by 2 sources where provided.)
8. Where 2 power supplies are provided e.g. mains and battery, both are fully operative.
9. There are no obvious fire hazards such as combustible waste or litter.
10. Fire-fighting equipment is in position and available for use.
11. The required number of trained staff is present.

12. First aid equipment is available for use.
13. Any public address system is in working order.
14. Any fire alarm warning system is in working order and is set to performance mode (where applicable).
15. Any evacuation facilities for disabled people are in working order.

APPENDIX 8
See Condition 41

CERTIFICATES TO BE SUBMITTED TO THE COUNCIL

1 Certificates shall be submitted to the Council at least once every year as detailed below.

Note: Where a *certificate* covers a period of more than one year it will be sufficient to submit a photocopy of the *certificate* each year that the *certificate* remains valid.

Battery

- (a) The *emergency lighting* battery (including any self-contained units) and associated control equipment. The *inspection* of the battery and control equipment shall be in accordance with *BS 5266-1*. The *certificate* shall be signed by a Corporate Member of the Institution of Electrical Engineers or a member of the Electrical Contractors Association or by a contractor enrolled with the National Inspection Council for Electrical Installation Contracting or, with *consent*, another *competent person*.

Note: (1) A competent person could, for example, be from a battery manufacturer.

(2) This Condition does not apply to *premises* licensed only for *film exhibitions*. At such *premises* the Cinematograph (Safety) Regulations 1955 require that any battery used to supply *escape lighting* shall be capacity tested every 6 months and the date and result of the test entered in a register which shall be available for examination by *Authorised Officers*.

(3) A *certificate* is *required* in respect of any battery installed as part of a generator installation providing emergency power to the *premises* or for other stand-by emergency power supplies.

Electrical installation

- (b) The entire electrical installation (including the *emergency lighting* installation but excluding any battery.) The *inspection* shall be in accordance with Guidance Note 3

to BS 7671. In large or complex *premises* the electrical installation shall be visually *inspected* once a year and at least 20% of the installation tested in accordance with a programme *approved* by the *Council* such that the whole installation is tested every 5 years. The *certificate* shall be signed by a Corporate Member of the Institution of Electrical Engineers or a member of the Electrical Contractors Association or by a contractor currently enrolled with the National Inspection Council for Electrical Installation Contracting or, with *consent*, another *competent person*.

Note: (1) This Condition does not apply to *premises* licensed only for *film exhibitions*. At such *premises* a *certificate* which accords with the Cinematograph (Safety) Regulations 1955 will suffice.

(2) A *certificate* is *required* in respect of any generator installation providing emergency power to the *premises*.

Boilers and calorifiers

- (c) Any steam boiler, any electrode boiler working on a closed water system or any calorifier incorporating a steam receiver. A boiler insurance company shall issue the *certificate* of thorough examination and test.

Fire alarm warning system

- (d) Confirmation from a fire alarm company or, with *consent*, another *competent person* that the fire alarm warning system continues to satisfy the requirements of BS 5839.

Fire fighting equipment

- (e) All portable fire-fighting equipment together with any hose reels or sprinklers in accordance with BS 5306.

Mechanical installations

- (f) (i) Any passenger lifts or escalators.
- (ii) All lifting equipment and any permanently suspended equipment. These *certificates* should be copies of the records of examination provided under the Lifting Operations and Lifting Equipment Regulations 1998 (LOLER). Any permanently suspended loads, such as permanently installed stage lighting luminaires or loudspeakers or flown cinema screens, shall be treated as forming part of the lifting equipment installation and be examined by the *competent person* making the examination.
- (iii) The safety curtain, its operating gear and controls, the smoke ventilators and drencher.
- (iv) Any other mechanical installation (for example, stage, orchestra or organ lifts, revolving or moving platforms) if *required*.

Note: Where a complex mechanical installation has been

provided for a production the *Council* may require *certificates* to be submitted at three monthly intervals.

- | | |
|-------------------------|---|
| Lasers | (g) Any permanently installed lasers, other than Class 1 and Class 2 lasers. |
| Special effects | (h) Permanently installed smoke machines, fog generators and strobe lighting. |
| Ceilings | (i) Ceilings and ornamental plasterwork, if <i>required</i> . |
| Gas installation | (j) Any gas installation and any gas appliances, if <i>required</i> . A member of the Council for Registered Gas Installers (CORGI) shall complete the <i>certificate</i> . |

Annex 3 - Conditions attached after a hearing by the licensing authority

N/A

Annex 4 - Plans

London Borough of Camden, Town Hall Extension,
Argyle Street, London, WC1H 8EQ

Premises licence summary

Premises licence number	PREM-LIC\2622
--------------------------------	---------------

Premises details

Postal address of premises, or if none, ordnance survey map reference or description	
Black Cap 171 CAMDEN HIGH STREET LONDON NW1 7JY	
Telephone number	020 7428 2721

Where the licence is time limited the dates
N/A

Licensable Activities authorised by the licence
Sale by Retail of Alcohol Late Night Refreshment Recorded Music Live Music Performances of Dance Provision of Facilities for Making Music Provision of Facilities for Dancing Films Indoor Sporting Events

The times the licence authorises the carrying out of licensable activities
These hours are extended from the end of permitted hours on New Years Eve to the start of permitted hours on New Years Day for all licensable activities
Sale by Retail of Alcohol: Monday - Thursday: 10.00-02.00 Friday & Saturday 10.00-03.00 Sunday: 10.00-01.00
Late Night Refreshment: Monday – Thursday: 23.00-02.00 Friday & Saturday 23.00-03.00 Sunday: 23.00-01.00

Recorded Music:

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Regulated Entertainment

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Live Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Performances of Dance

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Making Music

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Provision of Facilities for Dancing

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Films

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

Indoor Sporting Events

Monday - Thursday: 10.00-02.00

Friday & Saturday 10.00-03.00

Sunday: 10.00-01.00

The opening hours of the premises

Monday - Thursday 10.00-02.30

Friday & Saturday 10.00-03.30

Sunday 10.00-01.30

There the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale of alcohol is permitted for consumption ON AND OFF the premises.

Name, (registered) address of holder of premises licence

Whitewater Pub Company Ltd
7 Clifford Street
London
W15 2WE

**Registered number of holder, for example company number, charity number
(where applicable)**

07109842

**Name of designated premises supervisor where the premises licence
authorises the supply of alcohol**

Phillip Mark Cooper

State whether access to the premises by children is restricted or prohibited

Not Restricted