

SAMPLE/MOCK-UP CONDITION DISCHARGE FORM

597 - The Honourable Society of Lincoln's Inn


PLANNING APPLICATION 2015/4408/P

- Condition Number:** 17 - A sample of all facing materials, including a sample panel of the facing brickwork (demonstrating the proposed colour, texture, face-bond and pointing), shall be provided on site and approved in writing before the relevant parts of the works are commenced. The approved panel shall be retained on site until the work has been completed
- Sample/Mock-Up:** Architectural Bronze Windows & Associated Trims + Architectural Bronze Cladding
- Location/s in final build:** Library Extension
- Date of review with LBC Conservation Officer:** 11th October 2017
- Description:**
Bronze Windows - 'Secco OS2 Brass Opening Windows' - Brass OT67 Alloy (67%cop per, 33% zinc) pre-patinated - dark, with thermal break (polyamide / polyurethane). Solar coating on outer pane of class.
Bronze Fins & Window Trims - Brass OT67 Alloy (67%copper, 33% zinc) pre-patinated - dark to match window frames
Bronze Cladding - Brass OT67 Alloy (67%cop per, 33% zinc) pre-patinated - dark to match window frames, fully bonded to exterior grade plywood.
Bronze External Handrail - Valspar Anodite 549 powdercoated handrails to match bronze windows, fins, and cladding

Photographs:



1. (left) Photograph showing corner window sample of 'Secco OS2 Brass Opening Windows - Brass OT67 Alloy (67%copper, 33% zinc) pre-patinated - dark. Glass not representative. See Below:
2. (below) Photograph showing glass for 'Bronze Windows' with solar coating.





3. Photograph showing sample mock up of Bronze Fin's and Trim construction in Brass OT67 Alloy (67% copper, 33% zinc) pre-patinated - dark to match window frames.



4. Photograph showing Window corner sample, Bronze Fin / Trim profile, and Bronze Cladding. All Materials use the same brass specification with the same pre-patination (dark).



5. Powdercoated (Valspar Anodite 549) stainless steel flat bar used for lightwell guarding.

Associated Information:

Specification: L10 / H31

Drawings: 597-12540, 12541, 12543, 12522

597-15201, 15202, 15203, 15204,

597-40225, 40227, 40228, 40231, 40232, 40233, 40260, 41200, 41206,
41222, 41224, 41225, 41226, 41230, 41239, 41241