

CONTAINER DELIVERY AND WASTE TRANSFER NOTE O'DONOVAN (WASTE DISPOSAL) LTD.

MARKFIELD HOUSE, 82 MARKFIELD ROAD,
TOTTENHAM, LONDON N15 4QF
TEL: 020 8801 9561 FAX: 020 8808 1043

CWTN No. **79147**

CUSTOMER DETAILS:		DATE
RECONOMY LTD		3 8 17
DELIVERY / COLLECTION POINT		SIZE
65 WHITFIELD ST		2040
W1		DELIVERY
WASTE TIPPED AT 82 MARKFIELD ROAD, N15 4QF LICENCE NUMBER: GTL/ODO001		COLLECTION
WASTE TIPPED AT ALPERTON LANE, HA0 1DX LICENCE NUMBER: EPR/LP3037WG		EXCHANGE
OTHER ADDRESS: LICENCE NUMBER:		GROSS
Time on Site	Time off Site	TARE
Driver Initials		NETT
Vehicle Reg.		DESCRIPTION OF MATERIALS
JOS6440		SOIL & STONE
PLEASE NOTE		EWC.
CONTAINERS LOADED LEVEL ONLY.		170504
NO FIRES IN OR BESIDES CONTAINER.		SIC CODE
THE HIRER SHALL OBTAIN ALL PERMITS FROM LOCAL AUTHORITIES AS REQUIRED.		39000
THE HIRER SHALL ADEQUATELY LIGHT CONTAINER DURING HOURS OF DARKNESS.		ACCOUNT
THE HIRER IS RESPONSIBLE FOR SITING CONTAINERS.		AMOUNT
THE CONTAINER IS HIRED FOR 3 DAYS ONLY.		£
THE HIRER IS LIABLE FOR ALL LOSSES AND DAMAGES TO OR ACCIDENTS INVOLVING CONTAINERS WHILST ON HIRE TO THEM.		THIS IS NOT A VAT INVOICE
WE ARE WASTE CARRIERS REG No. CBDU116673		
SIGNED ON BEHALF OF THE PRODUCER OF WASTE.	SIGNED ON BEHALF OF THE CARRIER.	
O. MAGE		
NAME IN BLOCK CAPITALS	I THE CLIENT CONFIRM THAT WE HAVE CONSIDERED THE WASTE HIERARCHY.	

CUSTOMERS ORDERING VEHICLES OFF THE PUBLIC ROAD DO SO ENTIRELY ON THEIR OWN RESPONSIBILITY.
WE CANNOT ACCEPT RESPONSIBILITY FOR DAMAGE CAUSED BY OUR VEHICLES WHILE DELIVERING TO YOUR SITE.

CONTAINER DELIVERY AND WASTE TRANSFER NOTE O'DONOVAN (WASTE DISPOSAL) LTD.

MARKFIELD HOUSE, 82 MARKFIELD ROAD,
TOTTENHAM, LONDON N15 4QF
TEL: 020 8801 9561 FAX: 020 8808 1043

CWTN No. 78706

CUSTOMER DETAILS:		DATE 9 8 17	
RECONOMY LTD		SIZE 20YD	
DELIVERY / COLLECTION POINT 125 WHITFIELD ST		DELIVERY	
WASTE TIPPED AT 82 MARKFIELD ROAD, N15 4QF LICENCE NUMBER: GTL/ODO001		COLLECTION	
WASTE TIPPED AT ALPERTON LANE, HA0 1DX LICENCE NUMBER: EPR/LP3037WG		EXCHANGE	
OTHER ADDRESS: LICENCE NUMBER:		GROSS	
Time on Site	Time off Site	Driver Initials Panatier	TARE
PLEASE NOTE		Vehicle Reg. 5056PHO	NETT
<p>CONTAINERS LOADED LEVEL ONLY.</p> <p>NO FIRES IN OR BESIDES CONTAINER.</p> <p>THE HIRER SHALL OBTAIN ALL PERMITS FROM LOCAL AUTHORITIES AS REQUIRED.</p> <p>THE HIRER SHALL ADEQUATELY LIGHT CONTAINER DURING HOURS OF DARKNESS.</p> <p>THE HIRER IS RESPONSIBLE FOR SITING CONTAINERS.</p> <p>THE CONTAINER IS HIRED FOR 3 DAYS ONLY.</p> <p>THE HIRER IS LIABLE FOR ALL LOSSES AND DAMAGES TO OR ACCIDENTS INVOLVING CONTAINERS WHILST ON HIRE TO THEM.</p>		DESCRIPTION OF MATERIALS SOIL & STONE	
		EWC. 17 05 04	
		SIC CODE 39000	
		ACCOUNT	
WE ARE WASTE CARRIERS REG No. CBDU116673		AMOUNT	
SIGNED ON BEHALF OF THE PRODUCER OF WASTE.	SIGNED ON BEHALF OF THE CARRIER. Panatier	£	
NAME IN BLOCK CAPITALS DANDY - N	I THE CLIENT CONFIRM THAT WE HAVE CONSIDERED THE WASTE HIERARCHY.	THIS IS NOT A VAT INVOICE	

CUSTOMERS ORDERING VEHICLES OFF THE PUBLIC ROAD DO SO ENTIRELY ON THEIR OWN RESPONSIBILITY.
WE CANNOT ACCEPT RESPONSIBILITY FOR DAMAGE CAUSED BY OUR VEHICLES WHILE DELIVERING TO YOUR SITE.

CONTAINER DELIVERY AND WASTE TRANSFER NOTE O'DONOVAN (WASTE DISPOSAL) LTD.

MARKFIELD HOUSE, 82 MARKFIELD ROAD,
TOTTENHAM, LONDON N15 4QF
TEL: 020 8801 9561 FAX: 020 8808 1043

CWTN No.

78710

CUSTOMER DETAILS: <i>RECOVERY (-)</i>			DATE <i>10/8/17</i>
DELIVERY / COLLECTION POINT <i>65 WILKINSON ST</i>			SIZE <i>2040</i>
<i>W1</i>			DELIVERY
WASTE TIPPED AT 82 MARKFIELD ROAD, N15 4QF LICENCE NUMBER: GTL/ODO001			COLLECTION
WASTE TIPPED AT ALPERTON LANE, HA0 1DX LICENCE NUMBER: EPR/LP3037WG			EXCHANGE
OTHER ADDRESS: LICENCE NUMBER:			GROSS
Time on Site	Time off Site	Driver Initials <i>Sam O'Donovan</i>	TARE
PLEASE NOTE CONTAINERS LOADED LEVEL ONLY. NO FIRES IN OR BESIDES CONTAINER. THE HIRER SHALL OBTAIN ALL PERMITS FROM LOCAL AUTHORITIES AS REQUIRED. THE HIRER SHALL ADEQUATELY LIGHT CONTAINER DURING HOURS OF DARKNESS. THE HIRER IS RESPONSIBLE FOR SITING CONTAINERS. THE CONTAINER IS HIRED FOR 3 DAYS ONLY. THE HIRER IS LIABLE FOR ALL LOSSES AND DAMAGES TO OR ACCIDENTS INVOLVING CONTAINERS WHILST ON HIRE TO THEM.			Vehicle Reg. <i>10 JST 610</i>
WE ARE WASTE CARRIERS REG No. CBDU116673			DESCRIPTION OF MATERIALS <i>STONE</i>
			EWC. <i>170504</i>
			SIC CODE <i>39000</i>
			ACCOUNT
SIGNED ON BEHALF OF THE PRODUCER OF WASTE. <i>[Signature]</i>		SIGNED ON BEHALF OF THE CARRIER. <i>Sam O'Donovan</i>	AMOUNT £
NAME IN BLOCK CAPITALS <i>SIT</i>		I THE CLIENT CONFIRM THAT WE HAVE CONSIDERED THE WASTE HIERARCHY.	THIS IS NOT A VAT INVOICE

CUSTOMERS ORDERING VEHICLES OFF THE PUBLIC ROAD DO SO ENTIRELY ON THEIR OWN RESPONSIBILITY.
WE CANNOT ACCEPT RESPONSIBILITY FOR DAMAGE CAUSED BY OUR VEHICLES WHILE DELIVERING TO YOUR SITE.

C3 Environmental permits for waste facilities



ENVIRONMENTAL PROTECTION ACT 1990

WASTE MANAGEMENT LICENCE

LICENCE REF No: WML80690

FACILITY TYPE: TRANSFER
STATION AND ELV FACILITY

The Environment Agency, in pursuance of Part II of the Environmental Protection Act 1990, hereby grant a waste management licence authorising the **keeping and treating** of controlled waste on the land specified in schedule 1 to this licence to **GBN SERVICES LIMITED (Company registration number 2069980)** of **Estate Way, Church Road, Leyton, LONDON E10 7JN**. Those persons being in occupation of the said land, the said licence being subject to the conditions specified in schedule 2 to this licence.

In this licence the words and expressions contained in schedule 2 shall have the meaning assigned to them therein.

SCHEDULE 1 - SPECIFIED LAND

The licence relates to the land at **Estate Way, Church Road, Leyton, LONDON E10 7JN** (hereinafter called the "site") shown edged red on drawing number E5505/WML/01, dated February 2005 and attached to this licence.

Signed: *K. Greene*

Keith Greene
Team Leader – Regulatory Waste

Date: *16 September 2005*

For Environment Agency official use only

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED IN THE
NOTES AT THE END OF THIS LICENCE



Schedule 2

1 General considerations

1.1 **Specified waste management operations**

- 1.1.1 No waste management operations shall be authorised by this licence unless:
- a** specified in and undertaken in accordance with the limitations in section 1.3 of the working plan and in the following table; or
 - b** otherwise required by the conditions of this licence as being an integral part of those operations;

Table 1.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Specified Waste Management Operations
KEEPING		
D15: Storage pending, on this site any of the category "D" operations authorised under this column, or elsewhere than on this site, any of the operations listed in Part III of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).	Residual wastes produced as a result of screening (excluding fines)	Maximum storage 75 tonnes and stored at least 0.5 mtrs below the top of the retaining bay walls.
	Fines produced as a result of screening	Maximum storage 100 tonnes and stored at least 0.5 mtrs below the top of the retaining bay walls.
R13: Storage of waste consisting of materials intended for submission, on this site to any of the category "R" operations authorised under this column, or elsewhere than on this site, to any of the operations listed in Part IV of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).	Mixed wastes stored in "Waste Reception and Sorting Area" awaiting screening	Maximum storage capacity 100 tonnes and stored at least 0.5 mtrs below the top of the retaining bay walls.
	Soil/Hardcore	Maximum storage Capacity 150 tonnes and stored at least 0.5 mtrs below the top of the retaining bay walls.
	End of Life Vehicles (ELVs)	<ul style="list-style-type: none"> • Maximum storage 100 vehicles • Only stored in areas with impermeable pavement and sealed drainage system provided in accordance with condition 2.1.2 and with access to fire fighting equipment
	Depolluted end of life vehicles (containing neither liquids nor other hazardous components)	<ul style="list-style-type: none"> • Maximum storage 100 vehicles • Only stored in areas with hardstanding or impermeable pavement provided in accordance with condition 2.1.2

Table 1.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Specified Waste Management Operations
TREATING		
R2 Recycling or reclamation of organic substances which are not used as solvents	Wood	Maximum processing capacity of wood shredder 20 tonnes per day
	Mixed waste	Mechanical screening capacity not to exceed 30 tonnes per hour
R3 Recycling or reclamation of metals and metal compounds	(i) Scrap metal (excluding ELVs)	<ul style="list-style-type: none"> • Metal removed from waste by mechanical screening and hand picking at a rate of less than 30 tonnes per hour. • All metal to be stored in containers
	(ii) End of life vehicles	<ul style="list-style-type: none"> • Depollution: Depollution only permitted in areas with impermeable pavement and sealed drainage system provided in accordance with condition 2.1.2. • Dismantling, sorting and segregation: Dismantling, sorting and segregation only permitted where undertaken for the purpose of depollution and undertaken in areas with impermeable pavement and sealed drainage system provided in accordance with condition 2.1.2.
	(iii) Depolluted end of life vehicles (end of life vehicles containing neither liquids nor other hazardous components)	Dismantling, shearing, shredding, size reduction by compaction, sorting and segregation: Treatment only permitted in areas with impermeable pavement provided in accordance with condition 2.1.2
R4 Recycling or reclamation of other inorganic materials	Inert Wastes	Soil/hardcore/fines removed from waste by mechanical screening at a rate of less than 30 tonnes per hour.
	Mixed wastes	Mechanical screening capacity not to exceed 30 tonnes per hour

2

Specified Waste Management Operations and Exempt Waste Management Operations

- 1.1.2 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

1.2 **Permitted wastes**

Permitted categories and types of wastes

- 1.2.1 No wastes other than those specified in detail in Appendix A to these conditions shall be accepted at the site.

Permitted quantities of wastes

- 1.2.2 The total quantity of waste accepted at the site per year shall not exceed 62,500 tonnes.

Exclusion of wastes with other specified characteristics

- 1.2.3 Notwithstanding the specification of permitted waste types under conditions 1.2.1 and 1.2.2 above, wastes shall not be accepted at the site which have any of the following characteristics:

Table 1.2B. Excluded wastes of specified form and type

Waste Characteristic	Type
Form and type:	Consisting solely or mainly of dusts, powders or loose fibres; Wastes that are in a form which is either sludge or liquid (excluding liquids removed from end of life vehicles after receipt on site).

1.3 **Hours of operation**

- 1.3.1 The specified waste management operations authorised by this licence shall only be carried out within the times specified below:

Monday to Friday	0500 hours to 1800 hours
Saturdays	0500 hours to 1500 hours
Sunday and Public Holidays	No operations

1.4 **Staffing and understanding of requirements of licence conditions**

Minimum staffing and supervision

1.4.1 Whenever the site is open to receive or dispatch wastes, or is carrying out any of the specified waste management operations, it shall be supervised by at least one member of staff who is suitably trained and fully conversant with the requirements of the licence regarding:

- a** waste acceptance and control procedures;
- b** operational controls;
- c** maintenance;
- d** record-keeping;
- e** emergency action plans;
- f** notifications to the Agency.

Availability of licence

1.4.2 A copy of this licence shall be kept available on site for reference when required by all site staff carrying out work under the requirements of the licence.

Understanding of licence

1.4.3 All site staff shall be, or shall work under the direct supervision of a member of staff who is, fully conversant with those aspects of the licence conditions which are relevant to their specific duties.

Attendance of Technically Competent Persons

1.4.4 Attendance of the technically competent person(s) at the site shall be recorded in the site diary on arrival and departure.

1.5 **Changes in technically competent persons**

1.5.1 Any changes in the technically competent management of the site and the name of any incoming person together with evidence that such person has the required technical competence shall be submitted to the Agency in writing within 5 working days of the change in management. Technically competent management and technical competence shall be as defined under section 74 of the Environmental Protection Act 1990 and regulations 4 and 5 of the 1994 Regulations.

1.6 **Relevant convictions**

Notification of relevant convictions

- 1.6.1 In the event of the Licence Holder and/or any relevant person being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include, in respect of each relevant person (as defined in section 74(7) of the Environmental Protection Act 1990 or any subsequent amendments to that section), the nature of the offence, the place and date of conviction, and any fine or other penalty imposed.

Notifications of appeals against convictions

- 1.6.2 In the event that the Licence Holder and/or any relevant person lodges an appeal against any such conviction or sentence, the Licence Holder shall notify the Agency of this within 14 days of the lodging. The Licence Holder shall notify the Agency of the results of that appeal, within 14 days of the appeal being decided.

1.7 **Amendments to working plan and supporting information**

Amendments to working plan requiring prior consent from the Agency

- 1.7.1 The Licence Holder shall give the Agency prior notice in writing of any proposed change to those sections of the working plan which are specified in Table 1.7 below, and to any appendices, drawings and figures which are referenced in those sections.

Table 1.7 Sections of the working plan requiring prior consent for amendments

Number and Heading of Working Plan Sections And Appendices	Sections, Subsections and Appendices requiring Prior consent for Amendments
1. Site Description and Characterisation of Risk Source	1.3
2. Site engineering for Pollution Prevention and Control	2.1, 2.2, 2.3, 2.4
3. Site Infrastructure	3.2
4. Site Operations	4.1, 4.3, 4.6
5. Risk Assessments	
6. Amenity Management and Monitoring	6.2, 6.3, 6.5, 6.6
7. Site Records	

- 1.7.2 The notice shall be accompanied by a copy of the proposed changes, and by a written assessment of the effect that implementing the proposed change to the working plan would have on the risk posed by the site to human health and the environment.
- 1.7.3 The Licence Holder shall provide up to 6 additional copies of the proposed change and supporting risk assessment to the Agency, when required by the Agency in writing.
- 1.7.4 The proposed change to the working plan shall not be implemented unless the Agency has given its written consent to it. Following consent, the Licence Holder shall give the Agency prior written notification of the implementation date of the change, and from that date the changed section shall be deemed to be incorporated in the working plan in replacement of the previous version of that section.

Amendments to the working plan requiring prior notification to the Agency

- 1.7.5 Except where it is specified under condition 1.7.1 above that the amendment of specified sections of the working plan requires the prior consent of the Agency, the Licence Holder shall give the Agency not less than 7 days prior written notice of any change to the working plan and to any appendices, drawings and figures which are referenced from those sections.
- 1.7.6 The notice shall be accompanied by a copy of the specified changes.
- 1.7.7 The Licence Holder shall provide up to 6 additional copies of the proposed change to the Agency, when required by the Agency in writing.
- 1.7.8 Such changes to the working plan shall be deemed to be incorporated in the working plan and implemented on the date specified to the Agency in the amendment notification.

1.8 Notification of change of operator's or holder's details

- 1.8.1 The following information shall be notified in writing within 5 working days to the Agency:
- a** any change in the Licence Holder's trading name, registered name or registered office address;
 - b** any steps taken with a view to the Licence Holder going into administration, entering into a company voluntary arrangement or being wound up;
 - c** the operator at the time of issue of the licence and of any change in the operator or in the operator's trading name, address, registered name or registered office address (if different from the Licence Holder)

1.9 Notification of preparatory works

- 1.9.1 No preparatory works shall be undertaken until at least 7 days prior notice in writing has been given to the Agency of the intention to do so. The notification shall include details of what work is being done and when.

1.10 **Notification of commencement, cessation and
recommencement of waste storage operations**

Specified waste management operations

- 1.10.1 No specified waste management operation shall be carried out until at least 7 days prior notice in writing has been given to the Agency of the intention to commence carrying out the specified waste management operation.

Cessation and recommencement of specified waste management operations

- 1.10.2 In the event that the site ceases receiving wastes for longer than 21 days then within 7 days following the elapse of that time, the Licence Holder shall inform the Agency in writing of the date of cessation and of the planned date of recommencement. In the event that it is intended that the site shall recommence receiving wastes sooner than the notified date then the Licence Holder shall give the Agency not less than 7 days prior notice in writing.

1.11 **Notifications and submissions to Agency**

- 1.11.1 Except where otherwise specified, all notifications and submissions to the Agency under the requirements of these licence conditions:
- a** shall be made in writing to the address specified by the Agency in writing at the time of issue of this licence, or as subsequently specified by written notification to the Licence Holder;
 - b** shall quote the licence reference number and the name of the Licence Holder.

2 Site engineering for pollution prevention and control

2.1 **Engineering site containment and drainage systems**

Provision and maintenance of site containment and drainage systems

- 2.1.1 No waste shall be deposited, stored, treated or otherwise handled in any area of the site until the engineered site containment and drainage system for that area has been constructed and completed in accordance with this condition and condition 2.1.2 and with section 2 of the working plan .
- 2.1.2 The engineered site containment and drainage systems shall be designed, constructed, inspected, validated and maintained, and shall be fully documented and recorded, to be fit for purpose and meet the standards specified in Table 2.1 below.

Table 2.1 Site containment and drainage standards

Type of Site Surface and Drainage	Minimum Specified Standards of Design, Construction and Maintenance
a) Hardstanding	<p>Areas of hardstanding shall be constructed of granular material (e.g. crushed stone, aggregate, road planings or other similar material) and maintained such that the working surface:</p> <ul style="list-style-type: none"> i) Shall remain even ii) Shall not be subject to settlement or differential settlement iii) Shall not be subject to rutting by vehicles even when wet iv) shall have sufficient durability to allow cleaning for example by scraping v) shall remain free of standing water.
b) Impermeable pavement, bunding and sills	<p>Areas of impermeable pavement, bunding and sills shall be constructed and maintained so as to prevent fluids running off the pavement and the transmission of fluids through the pavement or joints.</p>
c) Sealed drainage systems	<p>Drainage to areas of impermeable pavement shall be provided by a sealed drainage system, that is comprised of a drainage system with impermeable components which does not leak and which will ensure that:-</p> <ul style="list-style-type: none"> • no liquid will run off the pavement other than via the system; and • except where they may be lawfully discharged, all liquids entering the system are collected in a sealed sump. <ul style="list-style-type: none"> i) Sealed sumps shall be inspected no less frequently than daily and after rain, emptied when the collected liquids reach 80% of the capacity of the sump as measured using a dipstick or equivalent gauge, and constructed and maintained so as to collect and contain all liquids which run off the pavement; ii) Inspections and emptying of sealed sumps shall be recorded in the site diary. iii) Uncontaminated drainage from clean yard areas shall be kept separate and discharged to either surface water or sewer or watercourse or soakaway.
d) Covered buildings or roofed areas	<p>Where wastes are stored in a building:</p> <ul style="list-style-type: none"> i) the building shall be designed, constructed and maintained to prevent ingress of rain and surface water. ii) roof water shall be kept separate from contaminated water and other liquids and shall be discharged to either surface water or a sewer or a water course or a soakaway.
e) Fixed bays and other fixed containers	<p>All fixed bays and other fixed containers used for the storage and treatment of wastes must be constructed and maintained to a standard, which is fit for purpose.</p>
f) Storage areas for skips, drums and other mobile tanks and containers	<p>All skips, drums and other mobile tanks and containers having individual capacities of greater than 10 litres which are used for the storage of wastes shall be constructed and maintained so that they do not leak any liquids contained in them.</p>
g) Inspection and maintenance of engineered containment	<p>All areas of hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and other containers, and storage areas for skips, drums and other mobile tanks and containers:</p> <ul style="list-style-type: none"> i) shall be inspected no less frequently than monthly, to ensure the continuing integrity and fitness for purpose of their construction, and the inspection and any necessary maintenance shall be recorded in the site diary; and

Type of Site Surface and Drainage	Minimum Specified Standards of Design, Construction and Maintenance
	<ul style="list-style-type: none"> ii) in the event of any damage occurring which breaches the integrity of the engineered containment so that it no longer meets the specified standards, the Licence Holder shall cease importing waste into or treating waste in the affected area, shall notify the Agency immediately, and shall not recommence importing waste into or treating waste in the affected area until it has been repaired to a standard at least as good as the original specification.

Construction quality assurance of new site containment and drainage systems

- 2.1.3 No wastes shall be deposited, stored, treated or otherwise handled in any area for which an engineered site containment and drainage system is to be newly constructed to meet the requirements of this condition unless:
- a** details of the identities, relevant experience and relevant qualifications of the personnel who will be providing Quality Assurance of the engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - b** the engineered site containment and drainage system has been constructed in accordance with the other requirements of condition 2.1;
 - c** the Validation Report on the construction of the engineered site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing that it has no objection to the placement of wastes on that containment area.

Construction quality assurance of existing site containment and drainage systems

- 2.1.4 No wastes shall be deposited, stored, treated or otherwise handled in any area for which a previously constructed and existing engineered site containment and drainage system is being used to meet the requirements of this condition unless:
- a** details of the identities, relevant experience and relevant qualifications of the suitably qualified Engineer who will be providing inspection and validation of the existing engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - b** the engineered site containment and drainage system for that area has been inspected by the designated Engineer and has been maintained or improved, in accordance with their recorded advice, to be fit for purpose in that :
 - i** areas of impermeable pavement are laid to take weight of relevant vehicles, plant and equipment without cracking or breaking; and
 - ii** areas of impermeable pavement are free from cracks which could increase permeability; and
 - iii** areas of impermeable pavement are resistant to mechanical, physical and chemical stresses to which they may be subjected; and

- iv** areas of impermeable pavement fall towards the drainage system to prevent ponding; and
- v** no liquid will run off areas of impermeable pavement other than via the drainage system; and
- vi** the drainage system is sealed so that it does not leak and is capable of collecting and containing liquids draining from the impermeable pavement ; and
- vii** liquid from the drainage system is disposed of to an approved discharge.

2.1.5 The existing engineered site containment and drainage system shall be maintained in accordance with the recommendations of the designated Engineer and the requirements of Table 2.1.

Site infrastructure

3.1 **Provision of site identification board**

- 3.1.1 No wastes shall be received at the site until an identification board has been provided at or near the site entrance.
- 3.1.2 The identification board shall be inspected at least once per week. In the event of damage or defect, the board shall be repaired or replaced within 3 working days.
- 3.1.3 The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information:
- a** Site name and address;
 - b** Licence Holder name (company name, not individual name unless justified as necessary);
 - c** Operator name (company name, not individual name unless justified as necessary);
 - d** Licence number;
 - e** Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used except where no alternative is practicable);
 - f** Statement that the site is licensed by the Environment Agency;
 - g** Agency national numbers: 0845 933 3111 and 0800 807060 (or any other number subsequently notified in writing by the Agency);
 - h** Days and hours site is open to receive waste.

3.2 **Site security**

- 3.2.1 Site security systems shall be provided at all times during the subsistence of this licence, the objective of which shall be to prevent access by humans, and livestock, which is not authorised either by the Licence Holder or under legal powers of entry. These shall be installed, operated and maintained, and shall be fully documented and recorded, in accordance with the requirements specified in Table 3.2 and Section 3.2 of the working plan:

Table 3.2 Site security system standards

Site security system	Specified standards
Timetable of provision	Site security shall be provided prior to commencement of the specified operations.
Design standards	Unless otherwise agreed in writing by the Agency, this shall consist of a chainlink security fence at least 1.8 metres high around the perimeter of the site, which shall meet the standards specified in British Standard BS1722 or an agreed alternative, and shall have a lockable gate to at least the same height and standard at the site access.
Operational standards	The site shall be kept closed and secure at all times when unattended.
Maintenance standards	The site security shall be fully inspected at the commencement of each working day. Any defects or damage shall be made secure by temporary repair by the end of the working day, and shall be repaired within 7 working days of the damage being detected. All inspections, defects, damage and repairs shall be recorded in the site diary.

4 Site operations

4.1 Control of mud and debris and loose waste

Prevention of mud and debris on road

- 4.1.1 Whenever the site is receiving or despatching wastes, measures shall be provided, operated and maintained in accordance with section 4.1 of the working plan, with the objective of preventing the deposit or tracking of mud or debris arising from the site onto public areas outside the site, which shall include public highways and areas of public access.
- 4.1.2 All vehicles leaving areas of the site which are operational or upon which engineering works are being carried out shall, before leaving the site, be cleaned as necessary using the method specified in section 4.1 of the working plan and shall be checked to ensure that they are clear of loose waste and that any waste is secure.

Remediation of mud and debris on road

- 4.1.3 In the event that mud, debris or waste arising from the site is deposited onto public areas outside the site, the following remedial measures shall be implemented immediately:
- a) the affected public areas outside the site shall be cleaned
 - b) traffic shall be isolated from sources of mud and debris within the site to prevent further tracking of mud and debris, and measures shall be taken to clear any such sources as soon as practicable.

4.2 Leaks and spillages

Potentially polluting leaks and spillages from vehicles, plant and equipment

- 4.2.1 All vehicles used on the site by the operator, and all plant and all equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of preventing potentially polluting leaks and spillages of wastes.

Potentially polluting leaks and spillages from skips, drums and other mobile containers

- 4.2.2 Each skip, drum or other mobile container used to hold wastes which consist of or contain potentially polluting liquids, sludges or powders, shall be:
- a loaded and unloaded in accordance with the handling procedures specified in Table 4.2;

- b** filled and emptied in accordance with the filling and emptying procedures specified in Table 4.2;
- c** clearly and unambiguously labelled regarding its contents, unless the contents are clearly identifiable by visual inspection;
- d** inspected and maintained according to the maintenance schedules and procedures specified in Table 4.2, which shall be fully documented and recorded;
- e** in the event of damage or deterioration to a container that is, or is likely to cause, a leak, that container shall be repaired or replaced immediately.

Control and remediation of leaks and spillages

- 4.2.3 In the event of any potentially polluting leak or spillage occurring on site, documented control and remediation procedures shall be implemented immediately and recorded, and shall meet the standards specified in Table 4.2 below and section 4.6 of the working plan.

Table 4.2 Standards for prevention and control of leaks and spillages

Action	Specified standards
a) Loading and unloading skips, drums and other mobile containers	i) Loading and unloading of containers shall be supervised at all times by a member of staff. ii) Lids/ caps/ bungs or other closures shall be in place during loading/ unloading. iii) Loading/ unloading shall be carried out in an area provided with engineered containment of the type required for that waste under condition 4.6, and of the standard of containment specified under condition 2.1.
b) Filling and emptying drums and other mobile containers	i) Filling and emptying of containers shall be supervised at all times by a member of staff. ii) Lids/ caps/ bungs or other closures shall be in place at the end of filling iii) Containers shall not be filled beyond their operational capacity. iv) Filling and emptying shall be carried out in a bunded area maintained in accordance with condition 2.1.2. v) Measurement of level/ void space shall be by physical dipping prior to loading.
c) Inspection, maintenance and repair of drums and other mobile containers	i) Containers shall be inspected daily for leaks. ii) Containers found to be leaking either shall be immediately transferred to a larger over-container or shall have their contents immediately transferred to an alternative container.
d) Control and remediation of leaks and spillages	i) Minor spillages shall be cleaned up immediately, using sand or proprietary absorbent to clean up liquids and placed in alternative containers. ii) Major spillages, which are causing or are likely to cause polluting emissions to the environment: <ul style="list-style-type: none"> • immediate action shall taken to contain the spillage and prevent liquid from entering surface water drains, water courses and unsurfaced ground; • the spillage shall be cleared immediately and placed in alternative containers; • the Agency shall be informed immediately.

4.3 Fires on the site

Prohibition of fires on site

4.3.1 No wastes shall be burned on the site.

Actions to be taken in the event of a fire

4.3.2 In the event of a fire on the site, notwithstanding the implementation of actions to suppress and extinguish the fire, the following actions shall be implemented immediately and recorded in the site diary:

- a** the Agency shall be informed immediately of the fire; and

- b** so far as practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground.

4.4 Waste acceptance and control procedures

Waste acceptance procedures

- 4.4.1 All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with section 4.3 of the working plan and the standards specified in Table 4.4 below.

Waste control procedures

- 4.4.2 All wastes accepted at the site shall be handled, kept and recorded in accordance with section 4.3 of the working plan and the standards specified in Table 4.4 below.

Waste despatch procedures

- 4.4.3 All outgoing wastes shall be inspected, despatched and recorded in accordance with section 4.3 of the working plan and the standards specified in Table 4.4 below.

Table 4.4 Standards for waste acceptance and control procedures

Stage of Waste Handling	Specified standards
a) Waste inspection	<p>All wastes received at the site:</p> <ul style="list-style-type: none"> i) shall be inspected on receipt to confirm their description and composition against the relevant waste transfer note and other accompanying documentation. ii) shall be kept separate from and shall not be mixed with other wastes until they have been confirmed and recorded for acceptance at the site. <p>All vehicles received at the site:</p> <ul style="list-style-type: none"> i) shall be inspected on receipt to confirm their description and depollution status against the relevant waste transfer note and any other accompanying documentation ii) shall be kept segregated from depolluted vehicles until they have either been confirmed and recorded as previously depolluted or alternatively have been depolluted on site in accordance with the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
b) Waste control procedures: quarantine storage and rejection of wastes	<ul style="list-style-type: none"> i) Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be special wastes, the Agency shall be informed immediately; ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible; iii) Quarantined wastes shall be removed from site within 7 days; iv) The maximum quantity of wastes kept in the quarantine storage area shall be 4.6m³ at any one time. v) A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage.
c) Identification of wastes	Bays and containers shall be clearly defined and labelled to identify the wastes stored within them
d) Waste despatch procedures	All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.
e) Incompatible wastes	Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.

4.5 Depollution of vehicles

4.5.1 End of life vehicles, unless already depolluted or accepted on site for temporary storage pending treatment elsewhere, shall be depolluted within 7 days of receipt at the site

4.5.2 End of life vehicles shall not be classed as depolluted unless:

a The following hazardous components have been removed:

i Batteries

ii Liquefied gas tanks

b Unless necessary for the re-use of the parts within which they are contained, the following fluids have been removed:

- i** Fuel
- ii** Motor oils
- iii** Transmission oil
- iv** Gearbox oil
- v** Hydraulic oil
- vi** Cooling liquids
- vii** Antifreeze
- viii** Brake fluids
- ix** Air conditioning system fluids
- x** Any other fluid contained in the end of life vehicle
- c** As far as feasible, all components identified as containing mercury have been removed.
- d** Air bags and any other potential explosive components have been removed or neutralised.
- e** Components or materials labelled or otherwise made identifiable in accordance with Article 4(2) of Directive 2000/53/EC have been removed.

4.5.3 End of life vehicles shall not be subjected to any further permitted treatment operations until depolluted in accordance with condition 4.5.1 above.

4.6 Waste quantity measurement systems

Means of measurement

- 4.6.1** All waste accepted at and despatched from the site shall be measured in accordance with either of the following requirements:
- a** The weight of all wastes accepted at and despatched from the site shall be determined by means of a public weighbridge, or a weighbridge or scales located within the site. The weighbridge or scales used shall record quantities of wastes in tonnes to an accuracy of 0.01 tonnes; or
 - b** The following conversion factors shall be used:
- Waste quantities shall be recorded in cubic metres and measured on the basis of the capacity of the vehicles or containers used for transport. This shall be converted into tonnes on the basis of conversion factors, which have been agreed in writing with the Agency.

4.7 Storage of wastes with specified hazardous properties or forms

- 4.7.1** Notwithstanding the specification of permitted waste types under condition 1.2, wastes displaying any of the hazardous properties or forms specified in Table 4.7 shall only be handled and/or stored on the site in accordance with the standards specified in Table 4.7 below.

Table 4.7 Standards for handling and/or storage of wastes with specified characteristics

Storage requirement	Specified standards
a) Solid wastes which when handled or stored are likely to generate significant quantities of dusts, fibres or particulates	<p>These wastes only permitted if they are handled and stored either in:</p> <ul style="list-style-type: none">i) buildings or containers providing containment of aerial emissions of dusts and particulates; orii) bays or roofed areas provided with a permanent water supply and water spraying or misting equipment, and with an impermeable pavement and a sealed drainage system; and the water spraying or misting equipment is used at all times when significant quantities of dusts, fibres or particulates are likely to be, or are being generated.
b) Odorous wastes, including wastes which are likely to be odour producing during storage	<ul style="list-style-type: none">i) These wastes only permitted if:<ul style="list-style-type: none">• received in sealed containers and stored in sealed containers and in areas provided with impermeable pavement and sealed drainage; or• stored in covered buildings providing containment of aerial emissions; or• stored in bays provided with an impermeable pavement and sealed drainage.ii) These wastes shall be subject to monitoring in accordance with condition 5.2 and shall in any case not be stored for longer than 48 hours, unless otherwise agreed in writing with the Agency.
c) Solid wastes which are likely to produce polluting or contaminating run-off.	<ul style="list-style-type: none">i) Inert wastes only permitted if stored in bays with either:<ul style="list-style-type: none">• hardstanding and drainage that prevents run-off from the waste into adjacent surface water bodies or storm water drains; or• an impermeable pavement and sealed drainage.ii) Degradable Household, Commercial and Industrial wastes only permitted if stored in areas with impermeable pavement and sealed drainage and either:<ul style="list-style-type: none">• received and stored in sealed containers; or• stored in covered shelters or roofed areas; or• stored in bays.
d) Wastes which are in a form which is either sludge or liquid.	<p>These wastes only permitted if produced as a result of depollution of vehicles and:</p> <ul style="list-style-type: none">• stored in liquid-retaining, covered containers; and• stored in areas provided with impermeable pavement and sealed drainage.
e) Combustible wastes	<p>These wastes only permitted if stored in bays provided with an impermeable pavement and sealed drainage, and with access to fire fighting equipment.</p>
f) Wastes which are likely to attract pests	<p>These wastes shall be subject to monitoring in accordance with condition 5.3, and shall in any case not be stored for longer than 48 hours, unless otherwise agreed in writing with the Agency.</p>
g) Wastes which are likely to attract scavengers	<ul style="list-style-type: none">i) These waste only permitted if:<ul style="list-style-type: none">• stored in closed or secure containers; or• stored in covered buildings providing security against scavengers, or• stored in bays provided with netting or fencing providing security against scavengers. <p>These wastes shall be subject to monitoring in accordance with condition 5.4.</p>

h) Wastes which include light wastes or other wastes liable to give rise to litter	<p>These wastes only permitted if:</p> <ul style="list-style-type: none"> • received in sealed containers and stored in sealed containers and in areas provided with impermeable pavement and sealed drainage; or • stored in covered buildings providing containment of aerial emissions of litter; or • stored in bays provided with litter control netting or fencing.
--	--

4.8 **Handling and storage of residual wastes (ELV waste)**

- 4.8.1 Notwithstanding the specification of permitted waste types under condition 1.2 and the requirements under condition 4.7, the residual wastes specified in Table 4.8 shall only be handled and stored on the site in accordance with the standards specified in Table 4.8 below.

Table 4.8 Standards for handling and/or storage of residual wastes

Storage requirement	Specified standards
i) End of life vehicle fluids	i) Unless otherwise agreed in writing with the Environment Agency, all fluids drained from vehicles shall be segregated by type (e.g. fuel, motor oil, gearbox oil, transmission oil, hydraulic oil, cooling liquids, antifreeze, brake fluids, battery acids, air-conditioning system fluids, etc) and stored in separate, appropriate tanks which are fit for purpose. The tanks shall be clearly and unambiguously labelled regarding their contents. ii) Fluids shall only be stored in areas provided with an impermeable pavement and a sealed drainage system provided in accordance with condition 2.1.2
j) Batteries, oil filters, oil contaminated parts, PCB/PCT containing condensers, components identified as containing mercury and brake pads containing asbestos.	i) Once removed from vehicles, these components shall be segregated by type and stored within dedicated appropriate containers which are fit for purpose. The containers shall be clearly and unambiguously labelled regarding their contents. ii) These components shall only be stored in areas provided with an impermeable pavement and a sealed drainage system. iii) Lead acid batteries shall be stored in containers with an impermeable, acid resistant base and a lid to prevent ingress of surface water.
k) Tyres, air bags and liquefied gas tanks.	i) Once removed from vehicles, these waste types shall be stored in separately designated areas provided with an impermeable pavement and sealed drainage, and with access to fire fighting equipment in accordance with condition 2.1.2 ii) Tyres shall be stored in stable stacks with individual capacities of no greater than 50 cubic metres and to a height of no greater than 3 metres
l) Uncontaminated plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles	i) These materials shall be stored in areas with hardstanding or impermeable pavement.

4.9 **Removal of residual wastes from site**

- 4.9.1 In the event that no wastes are received on the site for 3 months and the Agency has reasonable grounds to believe that the importation of wastes will not be resumed, then, notwithstanding any operational limits on storage times of wastes specified in the other conditions of this licence, the licence holder shall ensure that all wastes remaining on the site shall be removed by the date specified by the Agency in writing. This shall include, where required by the Agency, cleaning of plant, equipment and engineered containment used in the specified waste management operations, and emptying of any sealed sumps or interceptors.

5 Amenity management and reporting

5.1 **Control, monitoring and reporting of dusts, fibres and particulates**

- 5.1.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of dusts, fibres and particulates from the site in accordance with the standards specified in section 6.2 of the working plan and Table 5.1 below

Table 5.1 Standards for monitoring and control of aerial emissions of dusts, fibres and particulates

a)	Monitoring of aerial emissions	Site staff supervising individual waste handling operations shall, during the carrying out of those operations, undertake visual monitoring of aerial emissions.
b)	Remedial action	<p>i) On detection or notification of visible aerial emissions that are likely to be transported beyond the site boundary, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

- 5.1.2 All emissions to air from the specified waste management operations on the site shall be free from visible concentrations of dusts, fibres or particulates as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

5.2 **Monitoring and control of odorous emissions**

- 5.2.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of odours from the site, in accordance with section 6.3 of the working plan and the standards specified in Table 5.2.
- 5.2.2 All emissions to air from the specified waste management operations on the site shall be free from odours at levels as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

Table 5.2 Standards for monitoring and control of emissions of odours

a) Monitoring of odorous emissions	<p>Olfactory monitoring of aerial emissions from the site shall be carried out:</p> <ul style="list-style-type: none">• by the site manager or supervisor, at least twice a day, at the site boundary situated downwind of the waste operations, and shall be recorded in the site diary; and• by site staff supervising individual waste handling operations, during the carrying out of those operations.
b) Odorous emissions action plan	<p>i) On detection or notification of aerial emissions of odour that are or are likely to be transported beyond the site boundary at such levels that they are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

5.3 Monitoring and control of pest infestations

- 5.3.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of pests on the site, in accordance with the standards specified in section 6.6 of the working plan and Table 5.3. The objective of these measures shall be to prevent pest infestations that are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality.

Table 5.3 Standards for monitoring and control of pest infestations

	Specified standards
a) Monitoring of pest infestations	An inspection of stored wastes for pest infestations shall be carried out at least at weekly intervals by the site supervisor, and shall be recorded in the site diary.
b) Pest infestations action plan	<p>i) On detection or notification of pest infestations, immediate action shall be taken to secure the attendance of a professional pest control contractor, to eliminate the pest infestation.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p>

5.4 Control of scavenging birds and other scavengers

- 5.4.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of scavenging birds and other scavengers on the site, in accordance with the standards specified in Table 5.4. The objective of these measures shall be to prevent scavenging birds and other scavengers from gathering on operational areas or scavenging wastes in such numbers that are likely to cause harm to human health or serious detriment to the amenity of the locality.

Table 5.4 Standards for monitoring and control of scavenging birds and other scavengers

a) Monitoring of scavengers	Stored wastes which are likely to attract scavengers shall be routinely monitored for the presence of scavenging animals or flocks of scavenging birds, throughout the working day by the site supervisor.
b) Scavengers action plan	<ul style="list-style-type: none">i) On detection or notification of scavenging animals or flocks of scavenging birds, immediate action shall be taken to:<ul style="list-style-type: none">• remove or deter them from the site, and• isolate and secure the wastes attracting the scavengers against further scavenging.ii) The incident and the remedial action shall be recorded in the site diary.

5.5 **Control of litter**

- 5.5.1 Measures shall be implemented and maintained throughout the operational life of the site to prevent the escape of litter from the confines of the site in accordance with section 6.5 of the working plan.
- 5.5.2 In the event that litter does escape from the site, it shall be retrieved as soon as practicable and no later than 1 hour after the end of the working day.

6 Site records

6.1 Security and availability of records

Security of records

- 6.1.1 All records which are required to be made under the conditions of this licence shall be maintained and kept secure from loss, damage or deterioration, and shall be kept in accordance with the requirements specified in Table 6.1 below.

Availability of records

- 6.1.2 All records which are required to be made under the other conditions of this licence shall be made available for inspection at the place where they are kept immediately when required by an authorised officer of the Agency.

Table 6.1 Standards for keeping of site records

Site records	Specified standards
Wastes accepted at the site; Wastes rejected. Wastes despatched from the site; Site diaries.	1. All records shall be stored either: a) on paper in a secure cabinet or cupboard; or b) on computer disc with a back up copy. 2. Records shall be kept for a minimum of two years.

6.2 Records of waste movements (excluding end of life vehicles)

Recording of wastes accepted and removed

- 6.2.1 A record shall be kept of each load of waste accepted and each load of waste removed from the site. This record shall include the following details:
- a** Loads in:- Waste type as specified under condition 1.2, quantity (tonnes), date received, date accepted.
 - b** Loads out:- Nature (solid, liquid or sludge), waste type as specified under condition 1.2, quantity of waste removed(tonnes), date removed.

Summary records of wastes accepted and removed

- 6.2.2 A summary record of the waste types and quantities accepted and removed from the site shall be made for each quarter of the financial year and shall be submitted to the Agency within 1 month following the end of that quarter. The summary record shall be in the format detailed in Appendix B or otherwise subsequently agreed with the Agency in writing.

6.3 **Records of waste movements (end of life vehicles)**

Recording of wastes accepted & removed

6.3.1 A record shall be kept of each load of waste accepted and each load of waste removed from the site. This record shall include the following details:

- a** Loads in:-
 - i** Vehicle types and quantities
 - ii** Vehicle status (whether previously depolluted or requiring depollution)
 - iii** Date and time of receipt
- b** Loads out (vehicles):-
 - i** Vehicle types and quantities
 - ii** Vehicle status (whether depolluted or requiring depollution)
 - iii** Date and time removed
 - iv** Destination
- c** Loads out (residual wastes):-
 - i** Types and quantity of wastes as specified in table 4.8.
 - ii** Date and time removed
 - iii** Destination

Summary records of wastes accepted & removed

6.3.2 A summary record of the waste types and quantities accepted and the waste types and quantities removed from the site shall be made for each financial year and shall be submitted to the Agency within 1 month following the end of that year. The summary record shall be in the format detailed in Appendix B or otherwise subsequently agreed with the Agency in writing.

Records of waste treatment

6.3.3 A record of depollution activities shall be maintained. This record shall include the following details:-

- i** Vehicle type and registration number
- ii** Date depolluted

6.3.4 The quantities of each residual waste type produced as a result of depollution shall be recorded on a monthly basis.

6.4 **Site diary**

6.4.1 A site diary shall be kept secure and shall be available for inspection at the site when required by an authorised officer of the Agency. This shall include a record of the following events, in accordance with the other conditions of this licence:

- a** construction work
- b** start and finish of daily waste management activities on site
- c** maintenance
- d** breakdowns
- e** emergencies
- f** problems with waste received and action taken
- g** site inspections and consequent actions carried out by the operator
- h** technically competent management attendance on site: the date and the time onto site and the time left site
- i** despatch of records to the Agency
- j** severe weather conditions
- k** complaints about site operations and actions taken
- l** environmental problems and remedial actions

6.4.2 Each record shall be completed within 24 hours of the relevant event.

Interpretation

In these conditions and their interpretation, unless the context otherwise requires, the following terms have the specified meanings:

"accepted"

for waste being delivered to the site, shall mean accepted as waste input to the site for storage and/or processing and/or disposal under the specified waste management operations;

"authorised officer of the Agency"

means any person(s) authorised in writing by the Agency pursuant to section 108(1) of the 1995 Act to exercise any of the powers specified in subsection (4) of that section;

"consequences"

for **risk assessments** carried out within these conditions, means the adverse effects of harm as a result of realising a **hazard** which causes the quality of human health (other than health and safety of site staff or visitors to the site covered under the Health and Safety at Work Act 1974) or the environment to be impaired in the short or longer term.

"container"

means a container which does not permit either the ingress or egress of liquids, or the escape of dusts or wastes contained within it;

"ELV Regulations"

means the End of Life Vehicles Regulations 2003 SI 2635.

"End-of-life Vehicles Directive"

means Directive 2000/53/EC on end-of life vehicles.

"engineered"

for works specified in these conditions, means carried out and completed using the relevant engineering process specified in these conditions;

"engineering"

for engineering works specified in these conditions, means the relevant process of design, construction or installation, quality assurance or validation or commissioning specified in these conditions;

"environmental targets or receptors"

for **risk assessments** carried out within these conditions, shall mean identified human and environmental populations or components, as specified in these conditions or otherwise agreed by the Agency within these conditions.

"groundwater"

means any water contained in underground strata;

"hazard"

means a property that in particular circumstances could lead to harm;

"immediately"

for carrying out of actions under the conditions, shall mean without delay and within a reasonable time, taking into account any more immediate direct action necessary to prevent or minimise risk to human health and the environment. For carrying out notifications to the Agency, shall also mean by the fastest effective means available (for example, telephone) and confirmed in writing within 1 working day (or such other time as may be agreed by the Agency within the conditions);

"inert waste"

means wastes which will not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm to human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant and in particular not endanger the quality of surface water and/or groundwater.

"maintenance"

for engineering maintenance specified in these conditions, means the process of inspection, testing, repair of the relevant engineering works specified in these conditions;

"probability"

means the quantified expression of chance, denoted either as:

- the ratio or percentage of the occurrence of a particular event as one among a number of possible events;
- or as the frequency of occurrence of a particular event in a given period of time;

"received"

for waste being delivered to the site, shall mean delivered to the site and undergoing the waste acceptance procedures, including storage of those wastes during those procedures prior to acceptance of the waste;

"release pathways"

for **risk assessments** carried out within these conditions, shall mean the routes by which defined **hazards** may potentially realise their **consequences**, defined in terms of releases or emissions from the site that go beyond the site containment or boundary via one or more of the following routes, either directly or indirectly: **Land; Groundwater, Surface water; Atmosphere;**

"relevant offences"

are offences within the meaning of regulation 3 of the Waste Management Licensing Regulations 1994 or any statutory provisions or regulations amending or replacing them;

"risk"

means a combination of the **probability** and **consequences** of occurrence of a defined **hazard**;

"risk assessment"

means the systematic identification, analysis, estimation and evaluation within a defined **scope** of the defined **risks** of a particular activity, operation, process or design, carried out and reported by suitably qualified or competent persons, using recognised quantified or semi-quantified methods and techniques.

Unless otherwise agreed by the Agency within these conditions, a risk assessment shall include and record the following:

- definition of the **hazards** associated with an activity, operation, process or design;
- assessment of the **probability** of those **hazards** occurring;
- determination of the potential **consequences** of those hazards for defined **environmental targets or receptors**, taking into account defined **release pathways** and defined protective measures;
- evaluation of the potential **magnitude** of those consequences and the **probability** of their occurrence;

"scope of risk assessment"

means the boundaries of the **risk assessment** and the **risks** to be assessed within those boundaries, as defined in the conditions or otherwise agreed by the Agency within the conditions;

"special waste"

has the meaning as defined by regulation 2 of the Special Waste Regulations 1996 or any statutory provisions or regulations amending or replacing them;

"specified waste management operations"

means the waste management operations authorised by condition 1.1 of this licence;

"surface water"

means any lake, pond, river or watercourse whether natural or artificial;

"the 1994 Regulations"

means the Waste Management Licensing Regulations 1994 and any statutory provisions or regulations amending or replacing them.

"the Agency"

means the Environment Agency;

"the Licence Holder"

means the Licence Holder specified in this licence or other person to whom the licence has been transferred in accordance with section 40 of the Environmental Protection Act 1990;

"the operator"

means a person who is in occupation of the site and has responsibility for carrying out day to day activities at the site;

"the site"

means the land, structures, plant and equipment to which this licence relates;

"time periods, e.g. annually, quarterly, monthly, per year, etc. "

Where periods are referred to in conditions, they shall be calculated in the following way:

- annually or per year: 1 April to 31 March;
- quarterly: 1 April to 30 June, 1 July to 30 September, 1 October to 31 December, 1 January to 31 March;
- monthly: calendar month;
- weekly: Monday to Sunday.

Where the issue of the licence does not coincide with the start of any of these periods, then any relevant limits for the first period shall apply pro rata;

"waste"

means controlled waste as defined in section 75(4) of the 1990 Act and the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them;

"waste motor vehicle"

means a motor vehicle of any type that is waste and includes an end-of-life vehicle.

"Residual wastes produced as a result of depollution or further treatment"

means those waste that are removed from vehicles during depollution or further treatment which consist of any wastes specified in the following table:

Residual wastes as a result of depollution or subsequent treatment

Waste type	Waste Categories and European Waste Catalogue No.
Vehicle batteries	16 06 01 lead batteries * 16 06 05 other batteries and accumulators *
Oil filters	16 01 07 oil filters *
PCB/PCT containing condensers	16 01 09 components containing PCBs ** 16 01 21 hazardous components (other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14) **
Components identified as containing mercury	16 01 08 components containing mercury **
Brake pads	16 01 11 brake pads containing asbestos ** 16 01 12 brake pads other than those mentioned in 16 01 11
Tyres	16 01 03 end-of-life tyres
Air bags	16 01 10 explosive components (for example air bags) *
Liquefied gas tanks	16 01 16 tanks for liquefied gas
End of life vehicle fluids:	
Hydraulic Oils	13 01 09 Mineral based chlorinated hydraulic oils * 13 01 10 Mineral based non-chlorinated hydraulic oils * 13 01 11 Synthetic hydraulic oils * 13 01 12 Readily biodegradable hydraulic oils * 13 01 13 Other hydraulic oils *
Engine, gear and lubricating oils	13 02 04 Mineral based chlorinated engine, gear and lubricating oils * 13 02 05 Mineral based non-chlorinated hydraulic oils * 13 02 06 synthetic engine, gear and lubricating oils * 13 02 07 readily biodegradable engine, gear and lubricating oils * 13 02 08 other engine, gear and lubricating oils *
Fuel	13 07 01 Fuel oil and diesel * 13 07 02 Petrol * 13 07 03 Other fuels (including mixtures) *
Air conditioning fluids	14 06 01 Chlorofluorocarbons, HCFC, HFC * 14 06 02 Other halogenated solvents and solvent mixtures * 14 06 03 Other solvents and solvent mixtures *
Brake fluids	16 01 13 Brake fluids *
Antifreeze fluids	16 01 14 Antifreeze fluids containing dangerous substances ** 16 01 15 Antifreeze fluids other than those mentioned in 16 01 14
Any other fluid contained in the end of life vehicle	16 01 22 Components not otherwise specified
Plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles	16 01 17 Ferrous Metal 16 01 18 Non-ferrous metal 16 01 19 Plastic 16 01 20 Glass

EWC entries marked with a * are hazardous wastes

EWC entries marked with a ** may be hazardous depending on threshold concentrations. Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

Appendix A Permitted Wastes

EWC	Description
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from DIFFERENT MEANS OF TRANSPORT (including off road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance
16 01 04	end-of-life vehicles
13 02 06	end of life vehicles, containing neither liquids nor other hazardous components
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	Concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 08	gypsum-based construction materials
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	other construction and demolition waste
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, separately collected fractions (except 15 01))
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 08	biodegradable kitchen and canteen waste
20 01 99	other fractions not otherwise specified
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes

Appendix A Permitted Wastes

EWC	Description
16	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01	end-of-life vehicles from DIFFERENT MEANS OF TRANSPORT (including off road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance
16 01 04	end-of-life vehicles
13 02 06	end of life vehicles, containing neither liquids nor other hazardous components
17	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01	Concrete, bricks, tiles and ceramics
17 01 01	concrete
17 01 02	bricks
17 01 03	tiles and ceramics
17 01 07	mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
17 02	
17 02 01	wood
17 02 02	glass
17 02 03	plastic
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 04	zinc
17 04 05	iron and steel
17 04 06	tin
17 08	gypsum-based construction materials
17 08 02	gypsum-based construction materials other than those mentioned in 17 08 01
17 09	other construction and demolition waste
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
20	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, separately collected fractions (except 15 01))
20 01	separately collected fractions (except 15 01)
20 01 01	paper and cardboard
20 01 08	biodegradable kitchen and canteen waste
20 01 99	other fractions not otherwise specified
20 02	garden and park wastes (including cemetery waste)
20 02 01	biodegradable waste
20 02 02	soil and stones
20 02 03	other non-biodegradable wastes

For Environment
Agency use only

Date received

Date processed

Local site licence number

WML No

Original reference

80690

ENVIRONMENT
AGENCY

Waste Return

Environmental Protection Act 1990

Waste Returns Unit
Environment Agency
Apollo Court
2 Bishop Square
St Albans Road West
Hatfield
Herts. AL10 9EX

- Use this form to tell us the type and quantity of controlled waste you have processed at each licensed facility within your site
- Please read through the whole form and guidance notes before you start filling anything in.
- Please send the completed form back to us at the address on the left by the return date specified on page 2 of the notes.

1 The period the return covers

1.1 The return period is tick one only

☐ Month☐ QuarterFrom to ☐ Year

2 Operator and site details

2.1 Site Operator

GBN SERVICES LIMITED

Site name

ESTATE WAY

WML Number: 80690

Site address

CHURCH ROAD
LONDON
E10 7JN

Phone

E-mail

2.2 Type of facility see your waste management licence

TRANSFER STATION/ ELV

2.3 Was a weighbridge used?

No ☐Yes ☐

Please tell us the proportion weighed

Percentage

2.4 Are you operating a landfill site?

No ☒ go to section '3' Waste received on site' on page 2Yes ☐ go to section 'Landfill sites only', question 2.5

Landfill Sites only (as at 31 March in the current year)

2.5 Give the remaining void space covered by the licence

cubic metres

2 Landfill sites only continued

2.6 Was the site fully surveyed before 31 March in the current year

No ☐ Now go to question 2.7Yes ☐ Please tell us how the void space was calculated

Now go to question 2.8

2.7 How have you estimated the remaining void space?

For example visually or other method

2.8 Remaining life of site

Years

Now go to sections 3 and 4 on page 2

5 Declaration

Please make sure you have filled in all the sections that apply to you before signing this declaration.

I certify that the information in this return is correct to the best of my knowledge and belief.

I enclose continuation sheets

Signature

Name Position Phone Date

6 Disclosure and data protection

The information you provide will be used by the Environment Agency to enable it to fulfil its regulatory and waste management planning responsibilities.

For full information on how the data in this form will be used please see the waste return guidance notes that come with the form.

3 Waste material received on site

Please read the guidance notes 'How to fill in the form', and use the continuation sheet **WMS3** provided, or a copy of it, if you need to.

In the last column D = final disposal U = used on site S = special waste (a consignment note is needed for special waste).
F = from another facility, for example a transfer station M = municipal biodegradable waste O = other biodegradable waste

Description of waste	Waste classification code	Origin*	State solid, powder, sludge, liquid ,gas	Weight in tonnes	Additional information					
					D	U	S	F	M	O
Total weight of material received on site:					tonnes					

4 Waste material removed from site

Please read the guidance notes 'How to fill in the form', and use the continuation sheet **WMS3** provided, or a copy of it, if you need to. In the last column, facility types could include 'incinerator, transfer station, landfill, treatment, reprocessing, recycling'.

Description of waste	Waste classification code	Destination*	State solid, powder, sludge, liquid ,gas	Weight in tonnes	Special Waste	Destination facility type
Total weight of material removed from site:					Tonnes	

*You may not need to give us this information. The requirements are set out in your waste management licence.

Now go to section 5 'Declaration' on page 1

EXPLANATORY NOTES - including rights of appeal.

RIGHTS OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that —

Where, except in pursuance of a direction given by the Secretary of State,

- (a) an application for a licence or a modification of the conditions of a licence is rejected
- (b) a licence is granted subject to conditions,

The applicant may appeal from the decision to the Secretary of State.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from :-

The Planning Inspectorate
Room 215
Regus Building
1 Friary
Temple Quay
Bristol
BS1 6EA
Tel: 0117 344 5680, 5682 or 5683
Fax: 0117 344 5242

For Wales, the address is
The Planning Inspectorate
Crown Buildings
Cathays Park
Cardiff
CF10 3NQ

Tel: 02920 823859

This notice of appeal should be accompanied by the following information:

A statement of the grounds of appeal;

A copy of any application to modify the licence

A copy of the licence;

A copy of any correspondence relevant to the appeal;

A copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and

A statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address on the first page of this Notice). You should appeal within 6 months of the date that this notice takes effect but the Secretary of State may allow notice of appeal to be given after the expiry of this time period.

NB. The following is a heavily edited document taken from the Regulations from the HMSO web site. It is provided to simply give you a copy of the new conditions your waste management licence will be regulated against. It is NOT the complete document and does not contain everything you may need to know. It is highly recommended that you purchase your own, complete copy of the Regulations from HMSO.

2003 No. 2635

ENVIRONMENTAL PROTECTION

The End-of-Life Vehicles Regulations 2003

Made 8th October 2003

Laid before Parliament 10th October 2003

Coming into force in accordance with Regulation 1(2)

PART VII

Keeping and treatment of waste motor vehicles

Modification of conditions to existing site licences

44. - (1) Any site licence which authorises, at the time of coming into force of these Regulations, the keeping or treatment (or both) of a waste motor vehicle is modified so as now to include, as conditions to that licence, the provisions of Schedule 5 to these Regulations and, in the event of any inconsistency between any such new condition and any prior condition in the licence, the prior condition shall be over-ridden by the new condition to the extent of such inconsistency.

(2) The provisions of sections 37 and 37A of the Environmental Protection Act 1990[11] shall not apply in relation to any modification of the conditions to a site licence imposed by paragraph (1) for as long as the site is authorised to accept waste motor vehicles.

SCHEDULE 5

Regulations 44, 45 and 48

CONDITIONS TO BE INCLUDED IN SITE LICENCES

PART 1

Obligations in respect of keeping or treatment of waste motor vehicles

1. No waste motor vehicle shall be kept (even temporarily) unless such keeping -

(a) is carried out in accordance with the general requirements laid down in Article 4 of Council Directive 75/442/EC on waste; and

(b) complies with the minimum technical requirements set out in Part 2 below.

2. No waste motor vehicle shall be treated unless, in respect of the activity or operation performed, that treatment -

(a) is carried out in accordance with the general requirements laid down in Article 4 of Council Directive 75/442/EC on waste; and

(b) complies with the minimum technical requirements set out in Part 2 below and, where applicable, meets the following obligations -

(i) save where it has already been so treated -

(aa) the waste motor vehicle shall first be stripped in a way that best reduces any adverse impact on the environment, before any further treatment or other equivalent arrangement is undertaken, and

(bb) any of its components or materials which have been labelled or otherwise made identifiable in accordance with regulation 18(2) of the End-of-Life Vehicles Regulations 2003 shall be stripped before any further treatment;

(ii) save where it has already been so treated in whole or part, and subject to paragraph (i), depollution of the waste motor vehicle (as described in paragraph 3 of Part 2 below) shall be completed as soon as possible;

(iii) hazardous materials and components shall be removed from the waste motor vehicle and segregated in such a way so as not to contaminate any part of the vehicle that is subsequently to be shredded;

(iv) any stripping or keeping of the waste motor vehicle shall be carried out in such a way as to ensure the suitability of its components for either reuse or recovery, and in particular recycling.

PART 2

Minimum technical requirements for the keeping and treatment of waste motor vehicles

1. The keeping (even temporarily) of a waste motor vehicle prior to treatment shall only be carried out at a site -

(a) having, in appropriate areas, impermeable surfaces and provided with spillage collection facilities, decanters, and cleanser-degreasers, and

(b) provided with equipment for the treatment of water (including rainwater) in compliance with all applicable legislation concerning health and environmental matters.

2. The treatment of a waste motor vehicle shall only be carried out at a site -

(a) having, in appropriate areas, impermeable surfaces and provided with spillage collection facilities, decanters and cleanser-degreasers;

(b) provided with storage facilities that are appropriate for dismantled spare parts, including impermeable storage facilities for spare parts that are contaminated with oil;

(c) provided with containers that are appropriate for the storage of batteries (whether electrolyte neutralisation is carried out on-site or elsewhere), filters, and condensers containing any PCB or PCT or both;

(d) provided with storage tanks that are appropriate for the separate segregated storage of any fluid from a waste motor vehicle;

(e) provided with equipment for the treatment of water (including rainwater) in compliance with all applicable legislation concerning health and environmental matters;

(f) at which there is appropriate storage for used tyres without excessive stockpiling, and minimising any risk of fire.

3. Treatment operations for the depollution of a waste motor vehicle shall consist of -

(a) the removal of the battery or batteries;

(b) the removal of the liquified gas tank;

(c) the removal or neutralisation of all potentially explosive components (including air bags);

(d) the removal and separate collection and storage of all -

(i) fuel;

(ii) motor oil;

(iii) transmission oil;

(iv) gearbox oil;

(v) hydraulic oil;

(vi) cooling liquids;

- (vii) antifreeze;
- (viii) brake fluids;
- (ix) air-conditioning system fluids;

and any other fluid contained in the said vehicle, but excluding any fluid which is necessarily retained for the re-use of the part concerned;

(e) the removal, so far as is feasible, of all components identified as containing mercury.


4. In order to promote its subsequent recycling, where an article or material listed below is first present in a waste motor vehicle, no treatment of that vehicle shall prevent the removal -

- (a) of the catalyst or catalysts;
- (b) (either during shredding or otherwise) of all metal components containing one or more of copper, aluminium and magnesium;
- (c) (either during shredding or otherwise) of the tyres;
- (d) (either during shredding or otherwise) of all large plastic components (including bumpers, the dashboard, and any fluid container) in such a way that they can be effectively recycled as materials;
- (e) of glass,

and where any such article or material is removed it shall be done in such a way as best promotes its recycling.

5. Any keeping operations shall be carried out in such a manner as avoids damage to -

- (a) any component containing a fluid or fluids;
- (b) any recoverable component;
- (c) any spare part.



C4 Certificates of registration for waste carriers

THE ENVIRONMENT AGENCY
E A NATIONAL CUSTOMER CONTACT CENTRE
THE QUADRANT
99 PARKWAY AVENUE
SHEFFIELD
S9 4WF



Environment
Agency

The following information on this copy card is hereby certified by the Environment Agency to represent an authorised copy of the information currently (†) held on register that they maintain under Regulation 28 of the Waste (England and Wales) Regulations 2011.

CEADWAC



CEADWAC

SIGNATURE OF AUTHORISED
OFFICER OF THE
REGULATION AUTHORITY

DATE:
18 Apr 2016

Name of registered carrier: **G.B.N. SERVICES LIMITED**

Registration Number: **CBDU90075**

Business Name (if any): **G.B.N. SERVICES LIMITED**

Address of registered carrier's principal place of business:

**10 ESTATE WAY
LEYTON**

LONDON

E10 7JN

Telephone: **02085561138**

Registration Date: **01 Mar 2016**

Expiry Date (Unless revoked): **19 Apr 2019**

(†) You can check whether there has been any changes to this certificate by phoning 03708 506 506 or by checking the public register at <http://www2.environment-agency.gov.uk/epr/search.asp?id=EP8&&type=register>