

Email: planning@camden.gov.uk
Phone: 020 7974 4444
Fax: 020 7974 1680

Development Management
Camden Town Hall Extension
Argyle Street
London WC1H 8EQ

Application for Planning Permission and for relevant demolition of an unlisted building in a conservation area Town and Country Planning Act 1990

Publication of applications on planning authority websites.

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

1. Site Address

Number

Suffix

Property name

Address line 1

Address line 2

Address line 3

Town/city

Postcode

Description of site location must be completed if postcode is not known:

Easting (x)

Northing (y)

Description

2. Applicant Details

Title

Other

First name

Surname

Company name

Address line 1

Address line 2

Address line 3

Town/city

2. Applicant Details

Country	<input type="text"/>
Postcode	<input type="text" value="NW1 0PE"/>
Primary number	<input type="text"/>
Secondary number	<input type="text"/>
Fax number	<input type="text"/>
Email address	<input type="text"/>

Are you an agent acting on behalf of the applicant?

Yes No

3. Agent Details

Title	<input type="text" value="Mr"/>
First name	<input type="text" value="Steve"/>
Surname	<input type="text" value="Muller"/>
Company name	<input type="text" value="FDE Architects"/>
Address line 1	<input type="text" value="25 Rectory Road"/>
Address line 2	<input type="text"/>
Address line 3	<input type="text"/>
Town/city	<input type="text" value="London"/>
Country	<input type="text"/>
Postcode	<input type="text" value="E17 3BG"/>
Primary number	<input type="text" value="02089831400"/>
Secondary number	<input type="text"/>
Fax number	<input type="text"/>
Email	<input type="text" value="steve.muller@fdearchitects.co.uk"/>

4. Site Area

What is the measurement of the site area?
(numeric characters only).

Unit

5. Description of the Proposal

Please describe details of the proposed development or works including any change of use and details of the proposed demolition.

If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, please include the relevant details in the description below.

Construction of a new single storied building as a Section 136 'Place of Safety' facility comprising five en-suite observation rooms and ancillary support accommodation and link to Sapphire Ward, extension of existing group room and alterations to create a new treatment room to Sapphire Ward. Alterations to existing car park and access from site road, external works and landscaping.

Has the work or change of use already started?

Yes No

6. Explanation for Proposed Demolition Work

Why is it necessary to demolish all or part of the building(s) and/or structure(s)?

The proposed site comprises part of the existing car park and adjoining grassed area and is not built on.

7. Existing Use

Please describe the current use of the site

Open land within the curtilage of an existing Mental Health Hospital site.

Is the site currently vacant?

Yes No

Does the proposal involve any of the following? If Yes, you will need to submit an appropriate contamination assessment with your application.

Land which is known to be contaminated

Yes No

Land where contamination is suspected for all or part of the site

Yes No

A proposed use that would be particularly vulnerable to the presence of contamination

Yes No

8. Materials

Does the proposed development require any materials to be used in the build?

Yes No

Please provide a description of existing and proposed materials and finishes to be used in the build (including type, colour and name for each material):

Walls	
Description of existing materials and finishes (optional):	Adjacent buildings are brick built using yellow London Stock Brickwork with red stock brick arches and string courses and window arches.
Description of proposed materials and finishes:	A 'weathered' yellow stock brick will be used with red stock brick string courses and window arches.

Roof	
Description of existing materials and finishes (optional):	The adjoining buildings have pitched slate roofs
Description of proposed materials and finishes:	The new building will have a flat roof behind a brick parapet.

Windows	
Description of existing materials and finishes (optional):	Adjoining buildings have white painted timber vertical sliding sash windows
Description of proposed materials and finishes:	New windows will be white self finished metal vertical sliding sash.

Doors	
Description of existing materials and finishes (optional):	Entrance doors to the adjoining reception building are white finished metal framed glazed doors
Description of proposed materials and finishes:	New doors will be metal framed, glazed and finished in a standard RAL colour

Boundary treatments (e.g. fences, walls)	
Description of existing materials and finishes (optional):	timber fencing

8. Materials

Boundary treatments (e.g. fences, walls)

Description of proposed materials and finishes:

part brick and metal railings will be fitted to preserve internal privacy prevent approach to the secure windows

Vehicle access and hard standing

Description of existing materials and finishes (optional):

Asphalt with white lining

Description of proposed materials and finishes:

Asphalt with white lining

Lighting

Description of existing materials and finishes (optional):

Access road and carp park currently lit with post top luminaires

Description of proposed materials and finishes:

Post top lighting to car park with perimeter lighting fitted to new building

Other type of material (e.g. guttering) guttering

Description of existing materials and finishes (optional):

black aluminium system

Description of proposed materials and finishes:

black aluminium system

Are you supplying additional information on submitted plans, drawings or a design and access statement?

Yes No

If Yes, please state references for the plans, drawings and/or design and access statement

Drawings 871-P-101 to P-115
P- 116 Design and Access Statement

9. Pedestrian and Vehicle Access, Roads and Rights of Way

Is a new or altered vehicular access proposed to or from the public highway?

Yes No

Is a new or altered pedestrian access proposed to or from the public highway?

Yes No

Are there any new public roads to be provided within the site?

Yes No

Are there any new public rights of way to be provided within or adjacent to the site?

Yes No

Do the proposals require any diversions/extinguishments and/or creation of rights of way?

Yes No

10. Vehicle Parking

Is vehicle parking relevant to this proposal?

Yes No

Please provide information on the existing and proposed number of on-site parking spaces

10. Vehicle Parking

Type of vehicle	Existing number of spaces	Total proposed (including spaces retained)	Difference in spaces
Cars	12	10	-2
Disability spaces	3	4	1
Motorcycles	4	4	0
Cycle spaces	11	14	3
Light goods vehicles / public carrier vehicles	0	1	1

11. Trees and Hedges

Are there trees or hedges on the proposed development site?

Yes No

And/or: Are there trees or hedges on land adjacent to the proposed development site that could influence the development or might be important as part of the local landscape character?

Yes No

If Yes to either or both of the above, you may need to provide a full tree survey, at the discretion of your local planning authority. If a tree survey is required, this and the accompanying plan should be submitted alongside your application. Your local planning authority should make clear on its website what the survey should contain, in accordance with the current 'BS5837: Trees in relation to design, demolition and construction - Recommendations'.

12. Assessment of Flood Risk

Is the site within an area at risk of flooding? (Refer to the Environment Agency's Flood Map showing flood zones 2 and 3 and consult Environment Agency standing advice and your local planning authority requirements for information as necessary.)

Yes No

If Yes, you will need to submit a Flood Risk Assessment to consider the risk to the proposed site.

Is your proposal within 20 metres of a watercourse (e.g. river, stream or beck)?

Yes No

Will the proposal increase the flood risk elsewhere?

Yes No

How will surface water be disposed of?

Sustainable drainage system

Existing water course

Soakaway

Main sewer

Pond/lake

13. Biodiversity and Geological Conservation

To assist in answering the following questions refer to the guidance notes for further information on when there is a reasonable likelihood that any important biodiversity or geological conservation features may be present or nearby and whether they are likely to be affected by your proposals. Having referred to the guidance notes, is there a reasonable likelihood of the following being affected adversely or conserved and enhanced within the application site, or on land adjacent to or near the application site?

a) Protected and priority species (see guidance note):

- Yes, on the development site
 Yes, on land adjacent to or near the proposed development
 No

b) Designated sites, important habitats or other biodiversity features (see guidance note):

13. Biodiversity and Geological Conservation

- Yes, on the development site
- Yes, on land adjacent to or near the proposed development
- No

c) Features of geological conservation importance (see guidance note):

- Yes, on the development site
- Yes, on land adjacent to or near the proposed development
- No

14. Foul Sewage

Please state how foul sewage is to be disposed of:

- Mains Sewer
- Septic Tank
- Package Treatment plant
- Cess Pit
- Other
- Unknown

Are you proposing to connect to the existing drainage system? Yes No Unknown

If Yes, please include the details of the existing system on the application drawings. Please state the plan(s)/drawing(s) references.

Main drainage system is shown on 871-P-102

15. Waste Storage and Collection

Do the plans incorporate areas to store and aid the collection of waste? Yes No

If Yes, please provide details:

Provision will be made for holding waste in the proposed dirty utility room, which will then be take to the main site Estate waste compound for collection and disposal.

Have arrangements been made for the separate storage and collection of recyclable waste? Yes No

If Yes, please provide details:

Waste is separated into general, clinical and recycling and stored in Estate compound for collection and disposal by contractor

16. Trade Effluent

Does the proposal involve the need to dispose of trade effluents or trade waste? Yes No

17. Residential/Dwelling Units

Due to changes in the information requirements for this question that are not currently available on the system, if you need to supply details of Residential/Dwelling Units for your application please follow these steps:

1. Answer 'No' to the question below;
2. Download and complete this supplementary information template (PDF);
3. Upload it as a supporting document on this application, using the 'Supplementary information template' document type.

This will provide the local authority with the required information to validate and determine your application.

Does your proposal include the gain, loss or change of use of residential units? Yes No

18. All Types of Development: Non-Residential Floorspace

Does your proposal involve the loss, gain or change of use of non-residential floorspace? Yes No

If you have answered Yes to the question above please add details in the following table:

18. All Types of Development: Non-Residential Floorspace

Use Class	Existing gross internal floorspace (square metres)	Gross internal floorspace to be lost by change of use or demolition (square metres)	Total gross new internal floorspace proposed (including changes of use) (square metres)	Net additional gross internal floorspace following development (square metres)
D1 - Non-residential institutions	0	0	246	246
Total	0	0	246	246

For hotels, residential institutions and hostels please additionally indicate the loss or gain of rooms:

19. Employment

Will the proposed development require the employment of any staff?

Yes No

Please complete the following information regarding employees:

Type	Full-time	Part-time	Equivalent number of full-time
Existing employees	0	0	0
Proposed employees	21	2	22

20. Hours of Opening

Are Hours of Opening relevant to this proposal?

Yes No

21. Industrial or Commercial Processes and Machinery

Please describe the activities and processes which would be carried out on the site and the end products including plant, ventilation or air conditioning. Please include the type of machinery which may be installed on site:

Is the proposal for a waste management development?

Yes No

If this is a landfill application you will need to provide further information before your application can be determined. Your waste planning authority should make it clear what information it requires on its website

22. Hazardous Substances

Is any hazardous waste involved in the proposal?

Yes No

23. Site Visit

Can the site be seen from a public road, public footpath, bridleway or other public land?

Yes No

If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? (Please select only one)

- The agent
 The applicant
 Other person

24. Pre-application Advice

Has assistance or prior advice been sought from the local authority about this application?

Yes No

If Yes, please complete the following information about the advice you were given (this will help the authority to deal with this application more efficiently):

Officer name:

Title	<input type="text"/>
First name	<input type="text" value="Samir"/>
Surname	<input type="text" value="Benmbaraek"/>
Reference	<input type="text" value="2018/0758/PRE"/>

Date (Must be pre-application submission)

Details of the pre-application advice received

25. Authority Employee/Member

With respect to the Authority, is the applicant and/or agent one of the following:

- (a) a member of staff
- (b) an elected member
- (c) related to a member of staff
- (d) related to an elected member

It is an important principle of decision-making that the process is open and transparent.

Yes No

For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.

Do any of the above statements apply?

26. Ownership Certificates and Agricultural Land Declaration

CERTIFICATE OF OWNERSHIP - CERTIFICATE A - Town and Country Planning (Development Management Procedure) (England) Order 2015 Certificate under Article 14

I certify/The applicant certifies that on the day 21 days before the date of this application nobody except myself/the applicant was the owner* of any part of the land or building to which the application relates, and that none of the land to which the application relates is, or is part of, an agricultural holding**

* 'owner' is a person with a freehold interest or leasehold interest with at least 7 years left to run. ** 'agricultural holding' has the meaning given by reference to the definition of 'agricultural tenant' in section 65(8) of the Act.

NOTE: You should sign Certificate B, C or D, as appropriate, if you are the sole owner of the land or building to which the application relates but the land is, or is part of, an agricultural holding.

Person role

- The applicant
 The agent

Title	<input type="text" value="Mr"/>
First name	<input type="text" value="Steve"/>
Surname	<input type="text" value="Muler"/>
Declaration date (DD/MM/YYYY)	<input type="text" value="04/10/2018"/>

Declaration made

27. Declaration

I/we hereby apply for planning permission/consent as described in this form and the accompanying plans/drawings and additional information. I/we confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of the person(s) giving them.

Date (cannot be pre-application)