Application ref: 2018/0914/P Contact: Laura Hazelton Tel: 020 7974 1017 Date: 11 October 2018

Bell Cornwell LLP The Print Rooms 164-180 Union Street London



**Development Management** 

Regeneration and Planning London Borough of Camden

Town Hall Judd Street London WC1H 9JE

Phone: 020 7974 4444

planning@camden.gov.uk

www.camden.gov.uk/planning

Dear Sir/Madam

SE1 0LH

#### **DECISION**

Town and Country Planning Act 1990 (as amended)

## Householder Application Granted Subject to a Section 106 Legal Agreement

Address:

24 Heath Drive London NW3 7SB

Proposal: Demolition of 2 storey side garage and utility room; lowering of the ground levels of the existing basement and new basement extension; erection of single storey garage replacement; part double, part single storey side extension to north east elevation; erection of 1 x side dormer and roof lights; internal alterations; tree works and landscaping including wooden shed to the rear.

### **Drawing Nos:**

**Existing Drawings:** 

0500, 999, 1000, 1001, 1002, 1003, 1100, 1101, 1102, 1103, 1200, 1201, 1202, L(00)01 rev P1, L(00)02 rev P1.

### **Proposed Drawings:**

0501 rev A, 1499 rev A, 1500 rev B, 1501 rev A, 1502 rev B, 1503 rev A, 1600 rev A, 1601 rev B, 1602 rev A, 1603 rev A, 1700 rev A, 1701 rev A, 1999 rev A, 2000 rev C, 2001 rev B, 2002 rev C, 2003 rev C, 2099 rev A, 2100 rev B, 2101 rev B, 2102 rev B, 2199 rev A, 2200 rev A, 2201 rev B, 2202 rev B, 2299 rev A, 2300 rev A, 2301 rev B, 2302 rev B, 3000 rev A, 3001 rev B, 3002 rev A, 3003 rev B, 3100, 3101, 3102 rev A, 3103, 3104, 3105 rev A, 3106, 3107, 3108, 3109, 3110, 3111, 3112, 4000 rev A, 4001, 4002 rev B, 4003, 5000, 5001, 5002 rev A, 5003, 5004, 6000, 6001, 6002, 6003, 6004, 6005 rev A, 6006, 6100 rev B, 6101, 6102, 6103 rev A, 6104, 6105, 6106, 6107, 6108, 6109, 6300, 7000, 7001, 7002, 8000, L(17)01 rev P2, L(17)02 rev P3, L(23)01 rev P3,

L(23)02 rev P6, L(23)03 rev P3, L(23)04 rev P3, L(23)05 rev P3, A(28)01 rev P3, A(28)02 rev P4, A(28)03 rev P4, A(30)00 rev P1, A(30)01 rev P2, A(30)02 rev P2, A(30)03 rev P2, A(30)04 rev P2, A(30)05 rev P2, A(30)06 rev P2, A(30)07 rev P2, A(30)08 rev P2, A(30)09 rev P2, A(30)10 rev P2, A(30)11 rev P2, A(23)01 rev P2, A(23)02 rev P1, A(28)50 rev P3, A(28)51 rev P2, A(28)52 rev P3, A(28)53 rev P2, SW/004/06A; Banham bronze locks manufacturers details; Carlisle Brass door fittings details numbered V1005, WF12S, DK39C, AA40, AA42, DK13 & Manital data sheet; Conservation Specifications - Guidelines for service removal/installation document.

Electrical Services drawings: 16/117-E01 rev PL, 16/117-E02 rev PL2, 16/117-E03 rev PL2, 16/117-E04 rev PL3, 16/117-E05 rev PL3, 16/117-E06 rev PL3, 16/117-E07 rev PL2, 16/117-E08 rev PL3, 16/117-E09 rev PL3, 16/117-E10 rev PL3, 16/117-E12 rev PL, 16/117-E13 rev PL2.

Mechanical and Servicing drawings: 16/117-M01 rev PL3, 16/117-M02 rev PL3, 16/117-M03 rev PL3, 16/117-M04 rev PL4, 16/117-M05 rev PL4, 16/117-M06 rev PL3, 16/117-M07 rev PL3, 16/117-M08 rev PL3, 16/117-M09 rev PL0, 16/117-M10 rev PL0, 16/117-M11 rev PL1, 16/117-M12 rev PL0, 16/117-M14 rev PL2, 16/117-M15 rev PL0, 16/117-M16 rev PL1, 16/117-M17 rev PL0, 16/117-M18 rev PL1, 16/117-M19 rev PL1, 16/117-PH01 rev PL1, 16/117-PH02 rev PL1, 16/117-PH03 rev PL3, 16/117-PH04 rev PL3, 16/117-PH05 rev PL3, 16/117-PH06 rev PL3, 16/117-PH08 rev PL1.

Swimming pool detailed drawings refs: HCS 1502 002 rev C, HCS 1502 003 rev A, HCS 1502 004 rev A, HCS 1502 005, HCS 1502 006, HCS 1502 007, HCS 1502 008.

Samples - 'Old Victorian Pressed Medium Dark' brick panel by Furness; 'Corten Steel' sample by Kingspan.

## Documents:

Draft Construction Management Plan and Appendices A.1, A.2, A.3, B & C; Structural Engineers Construction Method Statement rev P2 dated 30/01/2018; Planning statement dated February 2018; Planning Brochure rev B, prepared by Kyson; Heritage appraisal dated January 2018; Noise Impact Assessment ref: 12935-NIA-01 Rev C dated 20/04/2018; Specification for the Electrical Engineering Services rev 02 dated September 2018; Basement Impact Assessment dated March 2018; Email dated from Gabriel GeoConsulting Ltd; Addendum to Basement Impact Assessment dated 11/07/2018; Daylight and Sunlight Amenity Report dated 20/04/2018.

## Trees and Landscaping details:

Cowley White Landscape Design Statement dated 20/12/2017; Landscape lighting specification sheets; Hard landscaping materials and specifications document; Cowley White Sketch drawings refs: 001 rev E, Landscape design layout ref 002 rev H, Landscape dimensioned plan ref 002 rev F, 003 rev E, 005 rev B, 006, 008; Planting Schedule; Tree Survey & Landscape Design ref: 508-16; Arboricultural Implication Assessment ref: 1948 24 Heath Drive AIA 1802-06rc.docx; Arboricultural Method Statement Ref: 1948 24 Heath Drive AMS 1802-06rc.docx; Tree Protection Plan - Build construction ref: 001 rev 002; Tree Protection Plan - Landscape construction ref 002 rev 001; Tree Survey and Tree Constraints Plan ref: 1948 24 Heath Drive Tree Survey Report 1610-31sc.docx; Ecology Report ref: 2348 - 24 Heath Drive Ecology Survey - 1707-21rc.docx; Tree Condition Survey ref: 2349 - 24 Heath Drive - Tree Condition Survey - 1707-21rc.docx.

The Council has considered your application and decided to grant permission subject to the following condition(s):

# Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.
  - Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).
- All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application.
  - Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policies D1 and D2 of the London Borough of Camden Local Plan 2017.
- 3 The development hereby permitted shall be carried out in accordance with the following approved drawings and documents:

# **Existing Drawings:**

0500, 999, 1000, 1001, 1002, 1003, 1100, 1101, 1102, 1103, 1200, 1201, 1202, L(00)01 rev P1, L(00)02 rev P1.

## **Proposed Drawings:**

0501 rev A, 1499 rev A, 1500 rev B, 1501 rev A, 1502 rev B, 1503 rev A, 1600 rev A, 1601 rev B, 1602 rev A, 1603 rev A, 1700 rev A, 1701 rev A, 1999 rev A, 2000 rev C, 2001 rev B, 2002 rev C, 2003 rev C, 2099 rev A, 2100 rev B, 2101 rev B. 2102 rev B, 2199 rev A, 2200 rev A, 2201 rev B, 2202 rev B, 2299 rev A, 2300 rev A, 2301 rev B, 2302 rev B, 3000 rev A, 3001 rev B, 3002 rev A, 3003 rev B, 3100, 3101, 3102 rev A, 3103, 3104, 3105 rev A, 3106, 3107, 3108, 3109, 3110, 3111, 3112, 4000 rev A, 4001, 4002 rev B, 4003, 5000, 5001, 5002 rev A, 5003, 5004, 6000, 6001, 6002, 6003, 6004, 6005 rev A, 6006. 6100 rev B, 6101, 6102, 6103 rev A, 6104, 6105, 6106, 6107, 6108, 6109, 6300, 7000, 7001, 7002, 8000, L(17)01 rev P2, L(17)02 rev P3, L(23)01 rev P3, L(23)02 rev P6, L(23)03 rev P3, L(23)04 rev P3, L(23)05 rev P3, A(28)01 rev P3, A(28)02 rev P4, A(28)03 rev P4, A(30)00 rev P1, A(30)01 rev P2, A(30)02 rev P2, A(30)03 rev P2, A(30)04 rev P2, A(30)05 rev P2, A(30)06 rev P2, A(30)07 rev P2, A(30)08 rev P2, A(30)09 rev P2, A(30)10 rev P2, A(30)11 rev P2, A(23)01 rev P2, A(23)02 rev P1, A(28)50 rev P3, A(28)51 rev P2, A(28)52 rev P3, A(28)53 rev P2, SW/004/06A; Banham bronze locks manufacturers details; Carlisle Brass door fittings details numbered V1005, WF12S, DK39C, AA40, AA42, DK13 & Manital data sheet; Conservation Specifications - Guidelines for service removal/installation document.

Electrical Services drawings: 16/117-E01 rev PL, 16/117-E02 rev PL2, 16/117-E03 rev PL2, 16/117-E04 rev PL3, 16/117-E05 rev PL3, 16/117-E06 rev PL3, 16/117-E07 rev PL2, 16/117-E08 rev PL3, 16/117-E09 rev PL3, 16/117-E10

rev PL3, 16/117-E12 rev PL, 16/117-E13 rev PL2.

Mechanical and Servicing drawings: 16/117-M01 rev PL3, 16/117-M02 rev PL3, 16/117-M03 rev PL3, 16/117-M04 rev PL4, 16/117-M05 rev PL4, 16/117-M06 rev PL3, 16/117-M07 rev PL3, 16/117-M08 rev PL3, 16/117-M09 rev PL0, 16/117-M10 rev PL0, 16/117-M11 rev PL1, 16/117-M12 rev PL0, 16/117-M14 rev PL2, 16/117-M15 rev PL0, 16/117-M16 rev PL1, 16/117-M17 rev PL0, 16/117-M18 rev PL1, 16/117-M19 rev PL1, 16/117-M20 rev PL1, 16/117-PH01 rev PL1, 16/117-PH02 rev PL1, 16/117-PH03 rev PL3, 16/117-PH04 rev PL3, 16/117-PH05 rev PL3, 16/117-PH06 rev PL3, 16/117-PH07 rev PL3, 16/117-PH08 rev PL1.

Swimming pool detailed drawings refs: HCS 1502 002 rev C, HCS 1502 003 rev A, HCS 1502 004 rev A, HCS 1502 005, HCS 1502 006, HCS 1502 007, HCS 1502 008.

Samples - 'Old Victorian Pressed Medium Dark' brick panel by Furness; 'Corten Steel' sample by Kingspan.

#### Documents:

Draft Construction Management Plan and Appendices A.1, A.2, A.3, B & C; Structural Engineers Construction Method Statement rev P2 dated 30/01/2018; Planning statement dated February 2018; Planning Brochure rev B, prepared by Kyson; Heritage appraisal dated January 2018; Noise Impact Assessment ref: 12935-NIA-01 Rev C dated 20/04/2018; Specification for the Electrical Engineering Services rev 02 dated September 2018; Basement Impact Assessment dated March 2018; Email dated from Gabriel GeoConsulting Ltd; Addendum to Basement Impact Assessment dated 11/07/2018; Daylight and Sunlight Amenity Report dated 20/04/2018.

### 4 Trees and Landscaping details:

Cowley White Landscape Design Statement dated 20/12/2017; Landscape lighting specification sheets; Hard landscaping materials and specifications document; Cowley White Sketch drawings refs: 001 rev E, Landscape design layout ref 002 rev H, Landscape dimensioned plan ref 002 rev F, 003 rev E, 005 rev B, 006, 008; Planting Schedule; Tree Survey & Landscape Design ref: 508-16; Arboricultural Implication Assessment ref: 1948 24 Heath Drive AIA 1802-06rc.docx; Arboricultural Method Statement Ref: 1948 24 Heath Drive AMS 1802-06rc.docx; Tree Protection Plan - Build construction ref: 001 rev 002; Tree Protection Plan - Landscape construction ref 002 rev 001; Tree Survey and Tree Constraints Plan ref: 1948 24 Heath Drive Tree Survey Report 1610-31sc.docx; Ecology Report ref: 2348 - 24 Heath Drive Ecology Survey - 1707-21rc.docx; Tree Condition Survey ref: 2349 - 24 Heath Drive - Tree Condition Survey - 1707-21rc.docx.

Reason: In order to safeguard the special architectural and historic interest of the building in accordance with the requirements of policy D2 of the Camden Local Plan 2017.

All hard and soft landscaping works shall be carried out in accordance with the approved landscape details by not later than the end of the planting season following completion of the development or any phase of the development,

whichever is the sooner. Any trees or areas of planting which, within a period of 5 years from the completion of the development, die, are removed or become seriously damaged or diseased, shall be replaced as soon as is reasonably possible and, in any case, by not later than the end of the following planting season, with others of similar size and species, unless the local planning authority gives written consent to any variation.

Reason: To ensure that the landscaping is carried out within a reasonable period and to maintain a high quality of visual amenity in the scheme in accordance with the requirements of policies A2, A3, A5, D1 and D2 of the London Borough of Camden Local Plan 2017.

Prior to the commencement of any works on site, details demonstrating how trees to be retained shall be protected during construction work shall be submitted to and approved by the Council in writing. Such details shall follow guidelines and standards set out in BS5837:2012 "Trees in relation to design demolition and construction". All trees on the site, or parts of trees growing from adjoining sites, unless shown on the permitted drawings as being removed, shall be retained and protected from damage in accordance with the approved protection details.

Reason: To ensure that the development will not have an adverse effect on existing trees and in order to maintain the character and amenity of the area in accordance with the requirements of policies A2 and A3 of the London Borough of Camden Local Plan 2017.

Noise levels at a point 1 metre external to sensitive facades shall be at least 10dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment (or any part of it) is in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive façade shall be at least 15dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.

- 8 Prior to the first use of the proposed plant, detailed layout drawings indicating plant/enclosure locations, and atmosphere-side AHU ducting and attenuator layouts shall be submitted to and approved by the Council in writing.
  - Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies A1 and A4 of the London Borough of Camden Local Plan 2017.
- The development hereby approved shall not commence until such time as a suitably qualified chartered engineer with membership of the appropriate professional body has been appointed to inspect, approve and monitor the critical elements of both permanent and temporary basement construction works throughout their duration to ensure compliance with the design which has been checked and approved by a building control body. Details of the

appointment and the appointee's responsibilities shall be submitted to and approved in writing by the local planning authority prior to the commencement of development. Any subsequent change or reappointment shall be confirmed forthwith for the duration of the construction works.

Reason: To safeguard the appearance and structural stability of neighbouring buildings and the character of the immediate area in accordance with the requirements of policies D1, D2 and A5 of the London Borough of Camden Local Plan 2017.

The basement shall be constructed in accordance with the details, recommendations, methodologies and mitigation measures in the Basement Impact Assessment dated March 2018, email dated from Gabriel GeoConsulting Ltd and Addendum to Basement Impact Assessment dated 11/07/2018 hereby approved.

Reason: To safeguard the appearance and structural stability of neighbouring buildings and the character of the immediate area in accordance with the requirements of policies D1, D2 and A5 of the London Borough of Camden Local Plan 2017.

11 The first floor windows to the north east elevation shall be obscure-glazed and permanently retained as such.

Reason: In order to prevent unreasonable overlooking of neighbouring premises in accordance with the requirements of policies A1 and D1 of the London Borough of Camden Local Plan 2017.

12 No development shall take place until full details of hard and soft landscaping, means of enclosure of all un-built, open areas, and details of replacement trees proportionate to those to be removed, have been submitted to and approved by the local planning authority in writing. Such details shall include details of any proposed earthworks including grading, mounding and other changes in ground levels. The relevant part of the works shall not be carried out otherwise than in accordance with the details thus approved.

Reason: To ensure that the development achieves a high quality of landscaping which contributes to the visual amenity and character of the area in accordance with the requirements of policies A2, A3, A5, D1 and D2 of the London Borough of Camden Local Plan 2017.

# Informative(s):

- Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts that cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (tel: 020-7974 6941).
- 2 Noise from demolition and construction works is subject to control under the

Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Noise and Licensing Enforcement Team, Camden Town Hall, Judd St, Kings Cross, London NW1 2QS (Tel. No. 020 7974 4444 or search for 'environmental health' on the Camden website or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.

- This proposal may be liable for the Mayor of London's Community Infrastructure Levy (CIL) and the Camden CIL. Both CILs are collected by Camden Council after a liable scheme has started, and could be subject to surcharges for failure to assume liability or submit a commencement notice PRIOR to commencement. We issue formal CIL liability notices setting out how much you may have to pay once a liable party has been established. CIL payments will be subject to indexation in line with construction costs index. You can visit our planning website at www.camden.gov.uk/cil for more information, including guidance on your liability, charges, how to pay and who to contact for more advice.
- 4 Your attention is drawn to the fact that there is a separate legal agreement with the Council which relates to the development for which this permission is granted. Information/drawings relating to the discharge of matters covered by the Heads of Terms of the legal agreement should be marked for the attention of the Planning Obligations Officer, Sites Team, Camden Town Hall, Argyle Street, WC1H 8EQ.
- A Groundwater Risk Management Permit from Thames Water will be required for discharging groundwater into a public sewer. Any discharge made without a permit is deemed illegal and may result in prosecution under the provisions of the Water Industry Act 1991. Thames Water would expect the developer to demonstrate what measures he will undertake to minimise groundwater discharges into the public sewer. Permit enquiries should be directed to Thames Water's Risk Management Team by telephoning 02035779483 or by emailing wwqriskmanagement@thameswater.co.uk. Application forms should be completed on line via www.thameswater.co.uk/wastewaterquality.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraphs 186 and 187 of the National Planning Policy Framework.

You can find advice about your rights of appeal at:

http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent

Yours faithfully

favid T. Joyce

David Joyce Director of Regeneration and Planning