



PIPES TERMINATE BELOW LEVEL OF ROOF PARAPET

PV PANEL

PIPES TERMINATE BELOW LEVEL OF ROOF PARAPET

FLUE PIPES TERMINATE BELOW LEVEL OF ROOF PARAPET

FURTHER TO DESIGN DEVELOPMENT: (LIFT OVERRUN IS 150mm ABOVE LINE OF ROOF PARAPET (LOWER THAN SHOWN ON APPROVED DRAWINGS); TOP OF AOV IS 350mm ABOVE HEIGHT SHOWN ON APPROVED DRAWINGS). SEE DWG No. L(00) 15. UPSTANDS NOT VISIBLE TO PEDESTRIANS AT STREET LEVEL IN VICINITY OF BUILDING.

M&E DESIGN DEVELOPMENT OF SCHEME SHOWS:
 * TERMINATION OF FLUE PIPES, VPs AND SVPs ON ROOF
 * SMOKE VENTS, LIFT OVERRUN AND ROOFLIGHTS ON ROOF
 * RAINWATER OUTLETS, HOPPERS, PIPES

DRAWING MARKED-UP FOR NON-MATERIAL AMENDMENT APPLICATION
 9 JANUARY 2018
 REV A
 LAYOUT OF SOLAR PANELS ADDED FOR PLANNING APPLICATION TO DISCHARGE CONDITION 10
 11 OCTOBER 2018

REVISION NOTES:			
rev	notes	date	initials
A	Construction issue	13.11.17	DM

DRAWING STATUS: **CONSTRUCTION ISSUE**

GENERAL NOTES:
 Do not scale the drawing. Use figured dimensions only.
 All dimensions to be checked on site prior to commencement of work or shop drawings.
 Drawing to be read in conjunction with specifications / schedules / bills of quantities.
 Any discrepancies must be reported to the architects immediately.
 Copyright of this document and the designs described is owned by the Method Architects.

	CLIENT:	CAMDEN DEVELOPMENT CO LTD		
	PROJECT:	5-6 CLIFF VILLAS, NW1 9AL		
	DWG TITLE:	GENERAL ARRANGEMENT PLANS ROOF LEVEL		
	SCALE:	1:50 @ A1	DATE:	MARCH 2017
JOB No:	12-050	DWG NO:	L(00) 07	REV: A