




North Boundary Wall Survey information



Section 'A-A'



Section 'B-B' Showing New Foundations



North Boundary Wall Proposed Remedial works

THIS DRAWING SHOULD BE CROSS REFERRED WITH THE FOLLOWING DRAWINGS

- NOTES:**
- All dimensions are in millimeters unless noted otherwise. & levels in meters.
  - Do not scale from this drawing. Work to figured dimensions only.
  - This drawing is to be read in conjunction with all other relevant contract drawings and documentation.
  - This drawing is to be checked by Contractor and any discrepancy to be reported to Engineer before work commences.
  - Contractor Should provide adequate temporary bracing to all structural members like walls, columns, posts etc where required to maintain stability at all construction stages.
  - Brickwork specifications shall be as below-
    - Mortar designation - Type (I)
    - All bricks shall if possible be reclaimed from the demolition of the existing wall
  - Size & location of slab openings should be confirmed from latest architectural drawings.
  - Structural screed concrete to be grade RC-30, Confirming to BS8500-1:2006.
  - The concrete shall be waterproof and shall be a normal weight design mix with a 75mm slump and with 28 day strength to be 35N/mm<sup>2</sup> (cylinder strength 28N/mm<sup>2</sup>) or greater (BS8500 grade C28/35).
  - All high yield steel bars-Grade 500 MPa conforming to BS 4449:2005
  - Unless noted otherwise, All structural steel to be S355 J0.

REV	DATE	AMENDMENT	BY	CHK	APPR
08					
07					
06					
05					
04	10-10-18	FOR INFORMATION General revisions	REA	PS	PS
03	05-10-18	FOR INFORMATION General revisions	REA	PS	PS
02	05-10-18	FOR INFORMATION Revised where clouded	REA	PS	PS
01	28-09-18	FOR INFORMATION Revised where clouded	REA	PS	PS
00	28-09-18	FOR INFORMATION	REA	PS	PS

COPYRIGHT © KASHEC 2004

**KASHEC HOUSE**  
MARKET HILL, ROYSTON  
HERTFORDSHIRE SG8 9JN UK  
TEL: +44 (0) 01763 247131  
FAX: +44 (0) 01763 247029

PROJECT **11 Prince Albert Road Alterations & Extension**

ARCHITECTS **W** London 16 Lambton Place Notting Hill London W11 2SH T +44 (0)20 7229 3125

CLIENT **HARRISON VARMA** Harrison Varma House, 98 Great N Rd, London N2 0NL, UK TEL: +44 20 8733 1580

TITLE **NORTH BOUNDARY WALL CURRENT CONDITION SURVEY AND PROPOSED REMEDIAL WORKS**

DRAWN	CHECKED	APPROVED	DATE	SCALE
REA	PS	PS	13-09-18	AS NOTED

DRG. NO. **K1914 - 502** REVISION **04**