



Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground areas where the surface has been reshaped.
 Disturbed ground areas of ill-defined shallow or near surface mineral.
- Disturbed ground areas of ill-defined shallow or near surface miners workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A





Order Details:

Order Number: 171097301_1_1
Customer Reference: J18142
National Grid Reference: 525670, 186150
Slice: A
Site Area (Ha): 0.1

Site Area (Ha): 0.1 Search Buffer (m): 1000

Site Details:


58a, Redington Road, LONDON, NW3 7RS



el: 0844 844 9952 fax: 0844 844 9951 Veb: www.envirocheck.c

v15.0 25-Jun-2018

Page 2 of 5






Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A





Order Details:

Order Number: 171097301_1_1
Customer Reference: J18142
National Grid Reference: 525670, 186150
A
Slice: Area (Ha): 0.1

Site Area (Ha): 0.1 Search Buffer (m): 1000

Site Details:


58a, Redington Road, LONDON, NW3 7RS



el: 0844 844 9952 ax: 0844 844 9951 Veb: www.envirocheck.c

v15.0 25-Jun-2018

Page 3 of 5





Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A





Order Details:

Order Number: 171097301_1_1
Customer Reference: J18142 18142
National Grid Reference: 525670, 186150
Slice: A
Site Area (Ha): 0.1

Site Area (Ha): 0.1 Search Buffer (m): 1000

Site Details:


58a, Redington Road, LONDON, NW3 7RS



el: 0844 844 9952 ax: 0844 844 9951 Veb: www.envirocheck

v15.0 25-Jun-2018

Page 4 of 5





Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey Kingsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@bgs.ac.uk website: www.bgs.ac.uk

Combined Geology Map - Slice A





Order Details:

Order Number: 171097301_1_1
Customer Reference: J18142
National Grid Reference: 525670, 186150
Slice: A
Sile Area (Ha): 0.1
Search Buffer (m): 1000

Site Details:

58a, Redington Road, LONDON, NW3 7RS



el: 0844 844 9952 ax: 0844 844 9951 Veb: www.envirocheck.

v15.0 25-Jun-2018

Page 5 of 5

