


**EXTERIOR CHAIRS & TABLES LAYOUT**  
**COVERS 16 (CHAIRS 10 / CHAIRS WITH ARMS 6 )**  
**LOW TABLES 8**



EXISTING PHONE BOX TO BE REMOVED BY BT



LOCATION PLAN

**CONTRACTOR TO ALLOW FOR CONFORMING WITH THE FOLLOWING REGULATIONS AS NECESSARY**

- WALL FINISHES TO BE CLASS 1 GENERALLY WITH CLASS 0 FINISHES TO CORRIDORS AND CIRCULATION AREAS
- CAVITY BARRIERS TO BE PROVIDED IN CEILING VOIDS AT MAXIMUM 20M CENTRES. EXCEPT WHEN THE CEILING VOID IS OVER A SINGLE ENCLOSED ROOM WHERE THEY WILL BE PROVIDED AT A MAXIMUM 40 M CENTRES
- LIGHTING DIFFUSERS (IF SPECIFIED) METAL LIGHTING DIFFUSERS WILL BE USED IN THE SUSPENDED CEILING SYSTEM
- CEILING FINISHES TO BE CLASS 0 GENERALLY THROUGHOUT INCLUDING CORRIDOR AND CIRCULATION AREAS
- SPRINKLERS TO BE PROVIDED IN ACCORDANCE WITH BRITISH STANDARD 5306 PART 2, HAZARD CLASS: ORDINARY HAZARD GROUP II
- FIRE ALARM TO BS5839 PART 1: 1988. A TYPE 'M' BREAK GLASS FIRE ALARM SYSTEM WILL BE PROVIDED, DESIGNED AND INSTALLED IN ACCORDANCE WITH BRITISH STANDARD 5839 PART 1
- A SMOKE DETECTION SYSTEM WILL BE PROVIDED, DESIGNED AND INSTALLED IN ACCORDANCE WITH BRITISH STANDARD 5839 PART 1.
- FIRE EXTINGUISHERS INSTALLED TO BS5036 PART 3 1983 WATER TYPE FIRE EXTINGUISHERS WILL BE PROVIDED AT THE RATE OF ONE FOR EVERY 200M SQ OF FLOOR AREA. SPECIALIST EXTINGUISHER WILL BE PROVIDED TO SUIT THE INDIVIDUAL RISKS WHEN IDENTIFIED
- NOTICES TO BS5499 PART 1: 1990 SUFFICIENT FIRE NOTICES WILL BE PROVIDED TO ENABLE THE OCCUPANTS OF THE BUILDING TO IDENTIFY ALL THE FIRE EXIT ROUTES NOT IN EVERYDAY USE.
- ALL FIRE RESISTING DOORS WILL BE PROVIDED WITH EITHER A FIRE DOOR KEEP SHUT NOTICE OR A FIRE DOOR KEEP LOCKED SHUT WHEN NOT IN USE
- 3 HOUR NON - MAINTAINED EMERGENCY LIGHTING SYSTEM WILL BE PROVIDED DESIGNED AND INSTALLED IN ACCORDANCE WITH BRITISH STANDARD 5266 PART 1

**STUD PARTITIONING LEGEND**

- NEW STUD PARTITIONING CONSISTING OF 70MM STUDS AT MAXIMUM 600MM CENTRES FACING BOTH SIDES WITH ONE LAYER OF 12.5MM PLASTERBOARD SCRIMMED AND TAPED JOINTS TO RECEIVE DECORATION PROVIDING MINIMUM 1/2 HOUR FIRE RESISTANCE AND MINIMUM CLASS 1 SPREAD OF FLAME
- EXISTING WALLS/PARTITIONS
- DEMOLITION

**NOTES**

- DESIGN INTENT DRAWING ONLY - BASED ON DIMENSIONS SUPPLIED.
- BUSBYWEBB RECOMMEND FULL MEASURED SURVEY BY CONTRACTOR PRIOR TO FINALISATION OF DETAIL DRAWINGS AND MANUFACTURING.
- CROSS REFERENCE WITH OTHER DRAWINGS & CHECK ALL DIMENSIONS.
- DO NOT SCALE FROM THIS DRAWING.
- ANY CHANGES ON SPECIFICATION TO BE AGREED WITH BUSBYWEBB
- ALL WORKS TO COMPLY WITH LOCAL AUTHORITY AND SITE REGULATIONS.
- COPYRIGHT BUSBYWEBB 2018

REV	DATE	DESCRIPTION
A	14.10.18	REVISED NOTES.

DWG STATUS **Design Intent**

**Busby Webb**  
 3RD FLOOR  
 32 GREAT SUTTON STREET  
 LONDON  
 EC1V 0NB

CLIENT	VQ		
PROJECT	VQ EUSTON SQUARE		
SITE ADDRESS	Euston Square Hotel, 152-156 North Gower Street, London. NW1 2LU		
TITLE	Pavement plan		
SCALE	1.50 @ A1		
DATE	01.10.18		
DRAWN BY	JC	CHECKED BY	JSC
DWG NO.	BW67_112	REVISION	A

DINING CHAIR



**DESCRIPTION:** OUTSIDE DINING CHAIR WITH ARMS  
**REF:** KRISTALIA LP STACKABLE CHAIR  
**FINISH:** BLACK  
**SIZE:** 500mm x 500mm

DINING CHAIR WITH ARMS




**DESCRIPTION:** OUTSIDE DINING CHAIR WITH ARMS  
**REF:** KRISTALIA LP STACKABLE CHAIR  
**FINISH:** BLACK  
**SIZE:** 590mm x 500mm

BARRIERS



**DESCRIPTION:** BARRIERS  
**FINISH:** BLACK  
**SIZE:** 1200mm x 860mm

TABLE



**DESCRIPTION:** OUTSIDE DINING TABLE  
**TOP:** BLACK  
**REF:** STABLE TABLE FLIP TOP  
**FINISH:** BLACK  
**SIZE:** 600MM X 600MM

