LDC (Proposed) Report	Application number	2018/4497/P
Officer	Expiry date	
Thomas Sild	14/11/2018	
Application Address	Authorised Offic	er Signature
67 Minster Road		
London		
NW2 3SJ		
Conservation Area	Article 4	
Proposal		
Erection of dormer roof extension to rear ar rooflights to front roof slopes and 1 rooflight facing window at second floor level		

Recommendation:

If yes to an	y of the questions below the proposal is not permitted development	Yes/no
A.1 (a)	As a result of the works, will the total area of ground covered by buildings within the curtilage of the dwellinghouse (other than the original dwellinghouse) exceed 50% of the total area of the curtilage (excluding the ground area of the original dwellinghouse)?	No
A.1 (b)	Will the height of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the highest part of the roof of the existing dwellinghouse?	No
A.1 (c)	Will the height of the eaves of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the eaves of the existing dwellinghouse?	No
A.1 (d)	<ul> <li>Will the enlarged part of the dwellinghouse extend beyond a wall which</li> <li>(i) fronts a highway, and</li> <li>(ii) forms either the principal elevation or a side elevation of the original dwellinghouse?</li> </ul>	No
A.1 (e)	Will the enlarged part of the dwellinghouse have a single storey and (i) extend beyond the rear wall of the original dwellinghouse by more than 4 metres in the case of a detached dwellinghouse, or 3 metres in the case of any other dwellinghouse, or (ii) exceed 4 metres in height?	No
A.1 (f)	Will the enlarged part of the dwellinghouse have more than one storey and— (i) extend beyond the rear wall of the original dwellinghouse by more than 3 metres, or	No

		-
	(ii) be within 7 metres of any boundary of the curtilage of the dwellinghouse opposite the rear wall of the dwellinghouse?	
A.1 (g)	Will the enlarged part of the dwellinghouse be within 2 metres of the boundary of the curtilage of the dwellinghouse, and the height of the eaves of the enlarged part exceed 3 metres?	No
A.1 (h)	<ul> <li>Will the enlarged part of the dwellinghouse extend beyond a wall forming a side elevation of the original dwellinghouse, and either</li> <li>(i) exceed 4 metres in height,</li> <li>(ii) have more than one storey, or</li> <li>(ii) have a width greater than half the width of the original dwellinghouse?</li> </ul>	No
A.1(i)	<ul> <li>Would it would consist of or include either</li> <li>(i) the construction or provision of a veranda, balcony or raised platform,</li> <li>(ii) the installation, alteration or replacement of a microwave antenna,</li> <li>(iii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or</li> <li>(iv) an alteration to any part of the roof of the dwellinghouse?</li> </ul>	No
Is the property not permitted c	in a conservation area? If yes to any of the questions below then the pr	oposal is
A.2(a)	Would it consist of or include the cladding of any part of the exterior of the dwellinghouse with stone, artificial stone, pebble dash, render, timber, plastic or tiles?	n/a
A.2(b)	Would the enlarged part of the dwellinghouse extend beyond a wall forming a side elevation of the original dwellinghouse?	n/a
A.2(c)	Would the enlarged part of the dwellinghouse have more than one storey and extend beyond the rear wall of the original dwellinghouse?	n/a
Conditions. If n	no to any of the below then the proposal is not permitted development	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?	Yes
A.3(b)	Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be— (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	Yes
A.3(c)	Where the enlarged part of the dwellinghouse has more than one storey, would the roof pitch of the enlarged part, so far as practicable, be the same as the roof pitch of the original dwellinghouse?	Yes
Class B		
	ent of a dwellinghouse consisting of an addition or alteration to its roof	
If yes to any of	the questions below the proposal is not permitted development	Yes/no
	As a result of the works, would any part of the dwellinghouse exceed	No
B.1(a)	the height of the highest part of the existing roof?	

B.1(c)	alayatian of the dwallinghayaa and fronte a highway?	
B 1(c)	elevation of the dwellinghouse and fronts a highway?	
J. 1(0)	As a result of the works, would the cubic content of the resulting roof space exceed the cubic content of the original roof space by more than—	No
	(i) 40 cubic metres in the case of a terrace house, or	
	(ii) 50 cubic metres in any other case?	
B.1(d)	<ul> <li>would it consist of or include—</li> <li>(i) the construction or provision of a veranda, balcony or raised platform, or</li> <li>(ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe?</li> </ul>	No
B.1(e)	Is the dwellinghouse on article 1(5) land?	No
B.2(a)	Would the materials used in any exterior work not be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?	No
B.2(b)	Other than in the case of a hip-to-gable enlargement, would the edge of the enlargement closest to the eaves of the original roof be less than 20 centimetres from the eaves of the original roof, so far as practicable?	No
B.2(c)	Would any windows inserted on a wall or roof slope forming a side elevation not be obscured-glazed and non-opening unless the opening part is higher than 1.7 metres above the floor of the room in which the window is installed?	No
	teration to the roof of a dwellinghouse	
Any other al	teration to the roof of a dwellinghouse As a result of the works, would the alteration protrude more than 150 millimetres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof?	No
Any other al	As a result of the works, would the alteration protrude more than 150 millimetres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the	No
Class C Any other al C.1(a) C.1(b) C.1(c)	As a result of the works, would the alteration protrude more than 150 millimetres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? As a result of the works, would it result in the highest part of the	
Any other al C.1(a) C.1(b) C.1(c)	<ul> <li>As a result of the works, would the alteration protrude more than 150 millimetres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof?</li> <li>As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof?</li> <li>Would it consist of or include— <ul> <li>(i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or</li> <li>(ii) the installation, alteration or replacement of solar photovoltaics or</li> </ul> </li> </ul>	No