


- CONCRETE SLAB TO ENGINEERS SPECIFICATION
- 50mm AGGREGATE SEPARATION LAYER
- POLYPIPE HEAVY DUTY GEOTEXTILE PROTECTION FLEECE
- 2m THICK POLYPIPE PSM1a ATTENUATION TANK
- 0.4m THICK POLYPIPE PSM4 ATTENUATION TANK
- HEAVY DUTY IMPERMEABLE GEOMEMBRANE
- POLYPIPE HEAVY DUTY GEOTEXTILE PROTECTION FLEECE
- BLINDING LAYER 50mm THK
- PREPARED FORMATION



SECTION THROUGH TANK 1 SHOWING 2m THK POLYPIPE POLYSTORM PSM1 & 0.4m PSM4 ATTENUATION TANK

Legend.

- Surface Water Drainage Network To Richard Jackson Engineering Consultants Specification
- Polystorm PSM1a Attenuation Tank 2.4m Thick
- Attenuation Tank Combining Polystorm PSM1a units 2.0m thick on a PSM4 unit 0.4m Thick

DRAINAGE NETWORK TO RICHARD JACKSON ENGINEERING CONSULTANTS
DRAWING 47707-C-001

REV	DESCRIPTION	DATE



PROJECT: CHARLIE RATCHFORD EXTRA CARE

CLIENT: GALLIFORD TRY

DRAWING TITLE: SURFACE WATER MANAGEMENT ATTENUATION TANK DESIGN

SCALE	@A1	DATE
1:125		09/11/2018
DRAWN BY: PRW	CHECKED BY: PDC	STATUS: FOR COMMENT

DRAWING NO: 0000-EPG-ZZ-XX-DR-Y-0001-