

Existing vs Proposed



Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
11 Kentish Town Road							11 Kentish Town Road								
R1/161		W1/161	28.47	28.02	0.45	1.58	R1/161		W1/161	1.38	1.38	1.38	1.38	0.01	0.51
R2/161		W2/161	28.94	28.40	0.54	1.87	R2/161		W2/161	1.37	1.37	1.35	1.35	0.01	0.81
R1/162		W1/162	32.11	31.81	0.30	0.93	R1/162		W1/162	1.21	1.21	1.21	1.21	0.00	0.17
R2/162		W2/162	32.48	32.14	0.34	1.05	R2/162		W2/162	1.21	1.21	1.21	1.21	0.00	0.17
R1/163		W1/163	35.64	35.37	0.27	0.76	R1/163		W1/163	0.74		0.73			
R1/163		W2/163	35.75	35.52	0.23	0.64	R1/163		W2/163	0.73	1.46	0.72	1.45	0.01	0.62
13 Kentish Town Road							13 Kentish Town Road								
R3/161		W3/161	29.25	28.59	0.66	2.26	R3/161		W3/161	0.93		0.92			
R3/161		W4/161	29.56	28.70	0.86	2.91	R3/161		W4/161	0.93	1.86	0.91	1.83	0.03	1.40
R4/161		W5/161	29.92	28.87	1.05	3.51	R4/161		W5/161	1.45	1.45	1.42	1.42	0.03	2.07
R3/162		W3/162	32.66	32.26	0.40	1.22	R3/162		W3/162	0.86		0.86			
R3/162		W4/162	32.90	32.40	0.50	1.52	R3/162		W4/162	0.79	1.65	0.79	1.64	0.01	0.36
R4/162		W5/162	33.07	32.45	0.62	1.87	R4/162		W5/162	1.27	1.27	1.26	1.26	0.01	0.71
R2/163		W3/163	33.85	33.55	0.30	0.89	R2/163		W3/163	0.41		0.41			
R2/163		W4/163	36.34	35.99	0.35	0.96	R2/163		W4/163	0.45		0.45			
R2/163		W5/163	35.84	35.53	0.31	0.86	R2/163		W5/163	0.45	1.31	0.44	1.30	0.01	0.76
15 Kentish Town Road							15 Kentish Town Road								
R5/161		W6/161	30.30	28.92	1.38	4.55	R5/161		W6/161	1.46	1.46	1.42	1.42	0.04	2.88

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R6/161		W7/161	30.56	28.83	1.73	5.66	R6/161		W7/161	1.41	1.41	1.36	1.36	0.05	3.63
R5/162		W6/162	33.27	32.48	0.79	2.37	R5/162		W6/162	1.28	1.28	1.26	1.26	0.01	1.10
R6/162		W7/162	33.40	32.38	1.02	3.05	R6/162		W7/162	1.26	1.26	1.24	1.24	0.02	1.58
R3/163		W6/163	35.45	35.00	0.45	1.27	R3/163		W6/163	0.65		0.64			
R3/163		W7/163	36.43	35.94	0.49	1.35	R3/163		W7/163	0.71	1.36	0.71	1.35	0.02	1.10
17 Kentish Town Road							17 Kentish Town Road								
R7/161		W8/161	30.80	28.58	2.22	7.21	R7/161		W8/161	1.47	1.47	1.39	1.39	0.07	4.98
R8/161		W9/161	30.95	28.27	2.68	8.66	R8/161		W9/161	1.48	1.48	1.39	1.39	0.09	6.03
R7/162		W8/162	33.54	32.19	1.35	4.03	R7/162		W8/162	1.27	1.27	1.24	1.24	0.03	2.37
R8/162		W9/162	33.60	31.91	1.69	5.03	R8/162		W9/162	1.27	1.27	1.23	1.23	0.04	3.07
R4/163		W8/163	36.41	35.82	0.59	1.62	R4/163		W8/163	0.65		0.64			
R4/163		W9/163	35.74	35.17	0.57	1.59	R4/163		W9/163	0.65	1.30	0.64	1.28	0.02	1.38
19 Kentish Town Road							19 Kentish Town Road								
R1/500		W1/500	26.90	22.73	4.17	15.50	R1/500		W1/500	1.34		1.19			
R1/500		W2/500	25.05	21.12	3.93	15.69	R1/500		W2/500	0.32	1.66	0.28	1.47	0.19	11.30
R2/500		W3/500	26.93	22.38	4.55	16.90	R2/500		W3/500	1.26		1.11			
R2/500		W4/500	26.78	21.76	5.02	18.75	R2/500		W4/500	1.99		1.73			
R2/500		W5/500	26.70	21.29	5.41	20.26	R2/500		W5/500	1.27	4.52	1.09	3.93	0.59	13.11
R1/501		W1/501	31.05	27.72	3.33	10.72	R1/501		W1/501	1.02		0.94			
R1/501		W2/501	31.17	27.29	3.88	12.45	R1/501		W2/501	1.02	2.04	0.93	1.87	0.17	8.44

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/502		W1/502	33.26	31.15	2.11	6.34	R1/502		W1/502	0.92		0.88			
R1/502		W2/502	33.40	30.89	2.51	7.51	R1/502		W2/502	0.92	1.84	0.87	1.75	0.09	4.73
R1/503		W1/503	35.67	34.83	0.84	2.35	R1/503		W1/503	0.40		0.39			
R1/503		W2/503	36.27	35.28	0.99	2.73	R1/503		W2/503	0.41	0.81	0.40	0.79	0.02	2.10
United Reformed Church							United Reformed Church								
R1/540		W1/540	25.38	20.23	5.15	20.29	R1/540		W1/540	0.23		0.20			
R1/540		W2/540	26.96	21.63	5.33	19.77	R1/540		W2/540	0.14		0.12			
R1/540		W3/540	25.34	20.16	5.18	20.44	R1/540		W3/540	0.23		0.20			
R1/540		W4/540	26.92	21.55	5.37	19.95	R1/540		W4/540	0.14		0.12			
R1/540		W5/540	25.25	20.03	5.22	20.67	R1/540		W5/540	0.23		0.20			
R1/540		W6/540	26.83	21.41	5.42	20.20	R1/540		W6/540	0.14	1.11	0.12	0.93	0.17	15.63
R2/540		W7/540	25.14	19.86	5.28	21.00	R2/540		W7/540	0.22		0.19			
R2/540		W8/540	26.76	21.22	5.54	20.70	R2/540		W8/540	0.14		0.11			
R2/540		W9/540	25.13	19.77	5.36	21.33	R2/540		W9/540	0.23		0.19			
R2/540		W10/540	26.75	21.11	5.64	21.08	R2/540		W10/540	0.14		0.11			
R2/540		W11/540	25.11	19.68	5.43	21.62	R2/540		W11/540	0.22		0.19			
R2/540		W12/540	26.73	21.00	5.73	21.44	R2/540		W12/540	0.14		0.11			
R2/540		W13/540	25.07	19.68	5.39	21.50	R2/540		W13/540	0.22		0.19			
R2/540		W14/540	26.70	21.01	5.69	21.31	R2/540		W14/540	0.14	1.44	0.11	1.20	0.24	16.70
R3/540		W15/540	24.75	19.01	5.74	23.19	R3/540		W15/540	0.23		0.19			
R3/540		W16/540	26.39	20.29	6.10	23.11	R3/540		W16/540	0.15		0.12			
R3/540		W17/540	24.54	18.73	5.81	23.68	R3/540		W17/540	0.24		0.19			
R3/540		W18/540	26.18	20.01	6.17	23.57	R3/540		W18/540	0.15		0.12			
R3/540		W19/540	23.65	17.92	5.73	24.23	R3/540		W19/540	0.23		0.19			
R3/540		W20/540	25.28	19.17	6.11	24.17	R3/540		W20/540	0.15	1.14	0.12	0.93	0.22	19.00
R1/541		W1/541	30.87	25.23	5.64	18.27	R1/541		W1/541	0.33		0.29			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/541		W2/541	30.84	25.10	5.74	18.61	R1/541		W2/541	0.34		0.29			
R1/541		W3/541	30.73	24.87	5.86	19.07	R1/541		W3/541	0.33	1.00	0.29	0.86	0.14	14.07
R2/541		W4/541	30.75	24.65	6.10	19.84	R2/541		W4/541	0.33		0.28			
R2/541		W5/541	32.56	26.26	6.30	19.35	R2/541		W5/541	0.12		0.10			
R2/541		W6/541	30.75	24.50	6.25	20.33	R2/541		W6/541	0.33		0.28			
R2/541		W7/541	32.56	26.11	6.45	19.81	R2/541		W7/541	0.12		0.10			
R2/541		W8/541	30.74	24.39	6.35	20.66	R2/541		W8/541	0.33		0.28			
R2/541		W9/541	32.56	25.97	6.59	20.24	R2/541		W9/541	0.12		0.09			
R2/541		W10/541	30.73	24.36	6.37	20.73	R2/541		W10/541	0.33		0.28			
R2/541		W11/541	32.56	25.94	6.62	20.33	R2/541		W11/541	0.12	1.78	0.09	1.49	0.29	16.20
R3/541		W12/541	30.61	23.71	6.90	22.54	R3/541		W12/541	0.34		0.28			
R3/541		W13/541	30.68	23.66	7.02	22.88	R3/541		W13/541	0.34		0.28			
R3/541		W14/541	30.56	23.52	7.04	23.04	R3/541		W14/541	0.34	1.02	0.28	0.83	0.18	18.01
R1/551		W1/551	27.25	20.32	6.93	25.43	R1/551		W1/551	0.28		0.22			
R1/551		W2/551	27.25	20.32	6.93	25.43	R1/551		W2/551	0.28		0.22			
R1/551		W3/551	27.24	20.17	7.07	25.95	R1/551		W3/551	0.28	0.83	0.22	0.65	0.18	21.50
R1/552		W1/552	31.30	23.49	7.81	24.95	R1/552		W1/552	0.13		0.10			
R1/552		W2/552	31.28	23.35	7.93	25.35	R1/552		W2/552	0.13		0.10			
R1/552		W1/562	32.57	29.80	2.77	8.50	R1/552		W1/562	0.28		0.27			
R1/552		W2/562	32.67	29.76	2.91	8.91	R1/552		W2/562	0.28	0.83	0.27	0.74	0.09	10.48
R1/560		W1/560	28.71	26.38	2.33	8.12	R1/560		W1/560	0.11		0.10			
R1/560		W2/560	29.31	26.86	2.45	8.36	R1/560		W2/560	0.11		0.10			
R1/560		W3/560	29.14	26.74	2.40	8.24	R1/560		W3/560	0.11	0.32	0.10	0.31	0.01	2.83
R1/570		W1/570	16.49	15.29	1.20	7.28	R1/570		W1/570	0.26		0.25			
R1/570		W2/570	7.43	6.52	0.91	12.25	R1/570		W2/570	0.11		0.10			
R1/570		W3/570	22.24	21.12	1.12	5.04	R1/570		W3/570	0.29		0.28			
R1/570		W4/570	10.04	9.06	0.98	9.76	R1/570		W4/570	0.14		0.13			

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/570		W5/570	22.36	21.54	0.82	3.67	R1/570		W5/570	0.29		0.29			
R1/570		W6/570	10.15	9.35	0.80	7.88	R1/570		W6/570	0.14		0.13			
R1/570		W7/570	17.20	17.20	0.00	0.00	R1/570		W7/570	0.27		0.27			
R1/570		W8/570	8.11	8.11	0.00	0.00	R1/570		W8/570	0.12		0.12			
R1/570		W29/580	35.94	35.94	0.00	0.00	R1/570		W29/580	0.18		0.18			
R1/570		W30/580	35.92	35.92	0.00	0.00	R1/570		W30/580	0.20		0.20			
R1/570		W31/580	35.86	35.86	0.00	0.00	R1/570		W31/580	0.18		0.18			
R1/570		W32/580	33.78	32.23	1.55	4.59	R1/570		W32/580	0.42		0.41			
R1/570		W33/580	33.88	32.26	1.62	4.78	R1/570		W33/580	0.47		0.47			
R1/570		W34/580	33.96	32.22	1.74	5.12	R1/570		W34/580	0.50		0.50			
R1/570		W35/580	33.81	32.00	1.81	5.35	R1/570		W35/580	0.47		0.47			
R1/570		W36/580	33.61	31.72	1.89	5.62	R1/570		W36/580	0.42	4.46	0.41	4.38	0.08	1.68
R1/580		W1/580	36.16	36.16	0.00	0.00	R1/580		W1/580	0.07		0.07			
R1/580		W2/580	36.16	36.16	0.00	0.00	R1/580		W2/580	0.07		0.07			
R1/580		W3/580	36.15	36.15	0.00	0.00	R1/580		W3/580	0.07		0.07			
R1/580		W5/580	36.16	36.16	0.00	0.00	R1/580		W5/580	0.07		0.07			
R1/580		W6/580	37.17	37.17	0.00	0.00	R1/580		W6/580	0.04		0.04			
R1/580		W9/580	36.15	36.15	0.00	0.00	R1/580		W9/580	0.07		0.07			
R1/580		W11/580	37.15	37.15	0.00	0.00	R1/580		W11/580	0.04		0.04			
R1/580		W12/580	37.14	37.14	0.00	0.00	R1/580		W12/580	0.04		0.04			
R1/580		W13/580	36.12	36.12	0.00	0.00	R1/580		W13/580	0.07		0.07			
R1/580		W14/580	37.15	37.15	0.00	0.00	R1/580		W14/580	0.04		0.04			
R1/580		W15/580	36.06	36.06	0.00	0.00	R1/580		W15/580	0.07		0.07			
R1/580		W16/580	36.07	36.07	0.00	0.00	R1/580		W16/580	0.07		0.07			
R1/580		W17/580	36.09	36.09	0.00	0.00	R1/580		W17/580	0.07		0.07			
R1/580		W19/580	36.05	36.05	0.00	0.00	R1/580		W19/580	0.07		0.07			
R1/580		W20/580	37.07	37.07	0.00	0.00	R1/580		W20/580	0.04		0.04			
R1/580		W23/580	37.12	37.12	0.00	0.00	R1/580		W23/580	0.04		0.04			
R1/580		W24/580	36.06	36.06	0.00	0.00	R1/580		W24/580	0.07		0.07			
R1/580		W26/580	37.10	37.10	0.00	0.00	R1/580		W26/580	0.04		0.04			
R1/580		W27/580	36.02	36.02	0.00	0.00	R1/580		W27/580	0.07		0.07			
R1/580		W28/580	37.09	37.09	0.00	0.00	R1/580		W28/580	0.04	1.15	0.04	1.15	0.00	0.00

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
25,25B Kentish Town Road							25,25B Kentish Town Road								
R1/699	ASSUMED	W2/699	14.77	10.44	4.33	29.32	R1/699	ASSUMED	W2/699	0.15	0.15	0.09	0.09	0.06	40.67
R2/699	ASSUMED	W1/699	23.93	22.75	1.18	4.93	R2/699	ASSUMED	W1/699	0.11	0.11	0.10	0.10	0.01	7.34
R3/699	ASSUMED	W3/699	20.70	14.54	6.16	29.76	R3/699	ASSUMED	W3/699	0.49		0.36			
R3/699	ASSUMED	W4/699	19.54	13.84	5.70	29.17	R3/699	ASSUMED	W4/699	0.49	0.98	0.36	0.72	0.26	26.78
R1/700	ASSUMED	W1/700	20.83	14.24	6.59	31.64	R1/700	ASSUMED	W1/700	1.42	1.42	1.08	1.08	0.34	24.17
R2/700	ASSUMED	W2/700	22.57	15.08	7.49	33.19	R2/700	ASSUMED	W2/700	0.69		0.49			
R2/700	ASSUMED	W3/700	22.49	14.91	7.58	33.70	R2/700	ASSUMED	W3/700	0.69	1.37	0.49	0.98	0.40	28.97
R1/701	ASSUMED	W1/701	24.18	16.40	7.78	32.18	R1/701	ASSUMED	W1/701	0.93	0.93	0.70	0.70	0.23	25.11
R2/701	ASSUMED	W2/701	28.59	19.46	9.13	31.93	R2/701	ASSUMED	W2/701	1.01		0.75			
R2/701	ASSUMED	W3/701	28.58	19.36	9.22	32.26	R2/701	ASSUMED	W3/701	1.01	2.02	0.75	1.49	0.52	25.94
R1/702	ASSUMED	W1/702	25.81	17.91	7.90	30.61	R1/702	ASSUMED	W1/702	0.85	0.85	0.67	0.67	0.18	21.34
R2/702	ASSUMED	W2/702	32.94	22.14	10.80	32.79	R2/702	ASSUMED	W2/702	0.91		0.67			
R2/702	ASSUMED	W3/702	32.92	22.02	10.90	33.11	R2/702	ASSUMED	W3/702	0.91	1.82	0.66	1.33	0.50	27.25
R1/703	ASSUMED	W1/703	37.84	36.47	1.37	3.62	R1/703	ASSUMED	W1/703	0.41		0.41			
R1/703	ASSUMED	W4/703	37.46	37.46	0.00	0.00	R1/703	ASSUMED	W4/703	0.80		0.80			
R1/703	ASSUMED	W6/703	37.39	37.39	0.00	0.00	R1/703	ASSUMED	W6/703	0.80	2.01	0.80	2.01	0.00	0.15
R2/703	ASSUMED	W2/703	37.84	36.08	1.76	4.65	R2/703	ASSUMED	W2/703	0.73		0.71			
R2/703	ASSUMED	W3/703	37.14	26.19	10.95	29.48	R2/703	ASSUMED	W3/703	0.81		0.61			
R2/703	ASSUMED	W5/703	37.18	26.06	11.12	29.91	R2/703	ASSUMED	W5/703	0.81	2.35	0.61	1.93	0.42	17.97

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
27 Kentish Town Road							27 Kentish Town Road								
R1/709	ASSUMED	W1/709	17.40	12.29	5.11	29.37	R1/709	ASSUMED	W1/709	0.63	0.63	0.47	0.47	0.16	25.71
R1/710	ASSUMED	W1/710	19.53	11.43	8.10	41.47	R1/710	ASSUMED	W1/710	0.00	0.00	0.00	0.00	0.00	100.00
R2/710	ASSUMED	W2/710	22.35	14.66	7.69	34.41	R2/710	ASSUMED	W2/710	1.12	1.12	0.79	0.79	0.33	29.12
R1/711	ASSUMED	W1/711	28.55	19.30	9.25	32.40	R1/711	ASSUMED	W1/711	0.99		0.73			
R1/711	ASSUMED	W2/711	28.58	19.25	9.33	32.65	R1/711	ASSUMED	W2/711	1.00	1.98	0.73	1.46	0.52	26.42
R1/712	ASSUMED	W1/712	33.00	22.02	10.98	33.27	R1/712	ASSUMED	W1/712	0.89		0.64			
R1/712	ASSUMED	W2/712	33.03	21.97	11.06	33.48	R1/712	ASSUMED	W2/712	0.89	1.77	0.64	1.28	0.49	27.73
R1/722	ASSUMED	W1/722	30.53	29.31	1.22	4.00	R1/722	ASSUMED	W1/722	0.37	0.37	0.36	0.36	0.00	1.09
Daysun House, Hawley Crescent And 29 Kentish Town Road							Daysun House, Hawley Crescent And 29 Kentish Town Road								
R1/731	STUDIO	W1/731	29.23	19.78	9.45	32.33	R1/731	STUDIO	W1/731	3.39	3.39	2.54	2.54	0.85	25.09
R2/731	STUDIO	W2/731	29.12	19.72	9.40	32.28	R2/731	STUDIO	W2/731	2.25	2.25	1.69	1.69	0.56	25.03
R1/732	STUDIO	W1/732	15.40	5.30	10.10	65.58	R1/732	STUDIO	W1/732	2.22	2.22	0.85	0.85	1.37	61.84
R2/732	STUDIO	W2/732	33.48	22.60	10.88	32.50	R2/732	STUDIO	W2/732	2.52	2.52	1.86	1.86	0.66	26.16
R1/733	STUDIO	W1/733	37.50	25.79	11.71	31.23	R1/733	STUDIO	W1/733	4.15	4.15	3.06	3.06	1.09	26.25
R2/733	STUDIO	W2/733	32.08	22.13	9.95	31.02	R2/733	STUDIO	W2/733	2.58	2.58	1.94	1.94	0.64	24.80
R1/734	STUDIO	W1/734	39.19	30.51	8.68	22.15	R1/734	STUDIO	W1/734	1.78		1.43			
R1/734	STUDIO	W2/734	39.17	30.52	8.65	22.08	R1/734	STUDIO	W2/734	1.79		1.44			
R1/734	STUDIO	W3/734	39.03	30.44	8.59	22.01	R1/734	STUDIO	W3/734	1.78	5.35	1.43	4.29	1.06	19.78

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
31 Kentish Town Road							31 Kentish Town Road								
R1/31	LKD	W1/31	5.91	2.15	3.76	63.62	R1/31	LKD	W1/31	0.13		0.07			
R1/31	LKD	W2/31	10.38	10.38	0.00	0.00	R1/31	LKD	W2/31	0.12		0.12			
R1/31	LKD	W3/31	26.83	17.78	9.05	33.73	R1/31	LKD	W3/31	1.23		0.94			
R1/31	LKD	W28/31	7.00	3.75	3.25	46.43	R1/31	LKD	W28/31	0.52	2.00	0.34	1.47	0.53	26.68
R2/31	BEDROOM	W4/31	16.27	9.21	7.06	43.39	R2/31	BEDROOM	W4/31	0.66		0.50			
R2/31	BEDROOM	W5/31	9.33	4.29	5.04	54.02	R2/31	BEDROOM	W5/31	0.52	1.18	0.35	0.84	0.34	28.85
R3/31	LKD	W6/31	14.19	10.08	4.11	28.96	R3/31	LKD	W6/31	0.98		0.78			
R3/31	LKD	W7/31	28.22	19.54	8.68	30.76	R3/31	LKD	W7/31	3.53	4.51	2.76	3.54	0.97	21.58
R4/31	BEDROOM	W8/31	11.91	6.86	5.05	42.40	R4/31	BEDROOM	W8/31	0.68		0.52			
R4/31	BEDROOM	W9/31	7.07	2.75	4.32	61.10	R4/31	BEDROOM	W9/31	0.55	1.23	0.32	0.84	0.39	31.84
R5/31	LKD	W10/31	11.69	7.09	4.60	39.35	R5/31	LKD	W10/31	1.02		0.73			
R5/31	LKD	W11/31	30.02	22.51	7.51	25.02	R5/31	LKD	W11/31	3.99	5.01	3.25	3.98	1.03	20.53
R6/31	LKD	W12/31	8.54	5.20	3.34	39.11	R6/31	LKD	W12/31	0.14		0.11			
R6/31	LKD	W13/31	12.09	7.91	4.18	34.57	R6/31	LKD	W13/31	0.27		0.21			
R6/31	LKD	W14/31	30.31	23.85	6.46	21.31	R6/31	LKD	W14/31	1.63	2.04	1.37	1.69	0.35	17.17
R1/32	LKD	W1/32	8.88	3.65	5.23	58.90	R1/32	LKD	W1/32	0.17		0.10			
R1/32	LKD	W2/32	10.01	10.01	0.00	0.00	R1/32	LKD	W2/32	0.16		0.16			
R1/32	LKD	W3/32	31.14	20.66	10.48	33.65	R1/32	LKD	W3/32	1.37		1.03			
R1/32	LKD	W28/32	10.13	6.51	3.62	35.74	R1/32	LKD	W28/32	0.64	2.33	0.45	1.73	0.60	25.84
R2/32	BEDROOM	W4/32	19.82	11.07	8.75	44.15	R2/32	BEDROOM	W4/32	0.75		0.55			
R2/32	BEDROOM	W5/32	12.13	5.24	6.89	56.80	R2/32	BEDROOM	W5/32	0.62	1.37	0.39	0.94	0.43	31.24
R3/32	LKD	W6/32	16.01	11.38	4.63	28.92	R3/32	LKD	W6/32	1.07		0.83			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R3/32	LKD	W7/32	32.64	22.42	10.22	31.31	R3/32	LKD	W7/32	3.95	5.02	3.01	3.84	1.18	23.51
R4/32	BEDROOM	W8/32	14.64	8.23	6.41	43.78	R4/32	BEDROOM	W8/32	0.77		0.58			
R4/32	BEDROOM	W9/32	9.75	3.62	6.13	62.87	R4/32	BEDROOM	W9/32	0.67	1.43	0.38	0.96	0.48	33.12
R5/32	LKD	W10/32	13.67	8.43	5.24	38.33	R5/32	LKD	W10/32	1.15		0.81			
R5/32	LKD	W11/32	34.03	25.23	8.80	25.86	R5/32	LKD	W11/32	4.42	5.56	3.51	4.31	1.25	22.47
R6/32	LKD	W12/32	10.00	6.27	3.73	37.30	R6/32	LKD	W12/32	0.15		0.12			
R6/32	LKD	W13/32	13.90	9.10	4.80	34.53	R6/32	LKD	W13/32	0.29		0.23			
R6/32	LKD	W14/32	33.45	26.06	7.39	22.09	R6/32	LKD	W14/32	1.76	2.20	1.45	1.80	0.40	18.36
R1/33	LKD	W1/33	12.24	5.46	6.78	55.39	R1/33	LKD	W1/33	0.20		0.13			
R1/33	LKD	W2/33	15.81	11.92	3.89	24.60	R1/33	LKD	W2/33	0.85		0.69			
R1/33	LKD	W3/33	35.87	24.59	11.28	31.45	R1/33	LKD	W3/33	1.56	2.62	1.17	1.98	0.64	24.30
R2/33	BEDROOM	W4/33	23.83	14.19	9.64	40.45	R2/33	BEDROOM	W4/33	0.88		0.66			
R2/33	BEDROOM	W5/33	14.97	6.89	8.08	53.97	R2/33	BEDROOM	W5/33	0.74	1.62	0.47	1.13	0.50	30.60
R3/33	BEDROOM	W6/33	37.11	25.82	11.29	30.42	R3/33	BEDROOM	W6/33	7.30		5.45			
R3/33	BEDROOM	W12/33	19.34	14.47	4.87	25.18	R3/33	BEDROOM	W12/33	3.84	11.14	3.10	8.55	2.59	23.26
R4/33	BEDROOM	W15/33	36.37	25.67	10.70	29.42	R4/33	BEDROOM	W15/33	6.69	6.69	5.06	5.06	1.63	24.30
R5/33	BEDROOM	W7/33	18.24	11.28	6.96	38.16	R5/33	BEDROOM	W7/33	0.90		0.70			
R5/33	BEDROOM	W8/33	13.03	5.69	7.34	56.33	R5/33	BEDROOM	W8/33	0.82	1.72	0.51	1.20	0.52	29.99
R6/33	LKD	W9/33	37.59	28.19	9.40	25.01	R6/33	LKD	W9/33	4.87		3.82			
R6/33	LKD	W13/33	16.87	11.32	5.55	32.90	R6/33	LKD	W13/33	1.33	6.20	0.98	4.80	1.39	22.49
R7/33	LKD	W10/33	11.56	7.88	3.68	31.83	R7/33	LKD	W10/33	0.17		0.14			
R7/33	LKD	W11/33	37.58	29.93	7.65	20.36	R7/33	LKD	W11/33	1.98		1.63			
R7/33	LKD	W14/33	15.97	10.83	5.14	32.19	R7/33	LKD	W14/33	0.32	2.47	0.26	2.02	0.44	18.01

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/34	LKD	W1/34	8.15	8.06	0.09	1.10	R1/34	LKD	W1/34	0.92		0.91			
R1/34	LKD	W2/34	8.85	8.62	0.23	2.60	R1/34	LKD	W2/34	1.12		1.10			
R1/34	LKD	W3/34	12.39	10.91	1.48	11.95	R1/34	LKD	W3/34	1.78		1.67			
R1/34	LKD	W4/34	33.72	24.95	8.77	26.01	R1/34	LKD	W4/34	2.70		2.14			
R1/34	LKD	W5/34	28.18	28.18	0.00	0.00	R1/34	LKD	W5/34	1.50	8.02	1.50	7.32	0.70	8.68
R2/34	LD	W6/34	23.31	19.54	3.77	16.17	R2/34	LD	W6/34	1.37		1.22			
R2/34	LD	W7/34	37.52	29.05	8.47	22.57	R2/34	LD	W7/34	4.31	5.68	3.48	4.70	0.98	17.21
R3/34	LKD	W8/34	22.12	17.69	4.43	20.03	R3/34	LKD	W8/34	0.70		0.62			
R3/34	LKD	W9/34	37.97	31.18	6.79	17.88	R3/34	LKD	W9/34	4.16		3.51			
R3/34	LKD	W10/34	38.11	32.09	6.02	15.80	R3/34	LKD	W10/34	1.68		1.45			
R3/34	LKD	W11/34	38.20	32.89	5.31	13.90	R3/34	LKD	W11/34	2.35	8.90	2.06	7.63	1.26	14.21
33 Kentish Town Road							33 Kentish Town Road								
R1/21		W1/21	32.08	25.83	6.25	19.48	R1/21		W1/21	1.17		0.98			
R1/21		W7/21	32.31	32.31	0.00	0.00	R1/21		W7/21	1.38	2.54	1.38	2.36	0.19	7.28
R1/22		W1/22	35.10	28.08	7.02	20.00	R1/22		W1/22	1.44		1.20			
R1/22		W7/22	34.29	34.29	0.00	0.00	R1/22		W7/22	1.83	3.27	1.83	3.03	0.24	7.33
R1/23		W1/23	34.20	27.13	7.07	20.67	R1/23		W1/23	0.05	0.05	0.04	0.04	0.01	25.53
32-52 Camden Street							32-52 Camden Street								
R1/40	ASSUMED	W1/40	33.33	32.88	0.45	1.35	R1/40	ASSUMED	W1/40	3.04	3.04	3.00	3.00	0.04	1.15
R2/40	ASSUMED	W2/40	33.04	32.51	0.53	1.60	R2/40	ASSUMED	W2/40	2.42	2.42	2.39	2.39	0.03	1.36
R3/40	ASSUMED	W3/40	32.90	32.37	0.53	1.61	R3/40	ASSUMED	W3/40	2.65	2.65	2.61	2.61	0.04	1.36

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R4/40	ASSUMED	W4/40	32.55	31.98	0.57	1.75	R4/40	ASSUMED	W4/40	2.64	2.64	2.60	2.60	0.04	1.52
R5/40	ASSUMED	W5/40	29.53	28.95	0.58	1.96	R5/40	ASSUMED	W5/40	2.70	2.70	2.65	2.65	0.04	1.63
R6/40	ASSUMED	W6/40	32.55	32.03	0.52	1.60	R6/40	ASSUMED	W6/40	2.69	2.69	2.65	2.65	0.04	1.41
R7/40	ASSUMED	W7/40	32.35	31.80	0.55	1.70	R7/40	ASSUMED	W7/40	2.24	2.24	2.21	2.21	0.03	1.47
R8/40	ASSUMED	W8/40	32.00	31.38	0.62	1.94	R8/40	ASSUMED	W8/40	3.15	3.15	3.10	3.10	0.05	1.68
R1/41		W1/41	34.78	34.12	0.66	1.90	R1/41		W1/41	2.46	2.46	2.42	2.42	0.04	1.63
R2/41		W2/41	34.61	33.94	0.67	1.94	R2/41		W2/41	2.08	2.08	2.04	2.04	0.04	1.73
R3/41	ASSUMED	W3/41	34.40	33.68	0.72	2.09	R3/41	ASSUMED	W3/41	4.26	4.26	4.19	4.19	0.08	1.83
R4/41	ASSUMED	W4/41	34.34	33.62	0.72	2.10	R4/41	ASSUMED	W4/41	4.65	4.65	4.56	4.56	0.09	1.83
R5/41	ASSUMED	W5/41	34.36	33.54	0.82	2.39	R5/41	ASSUMED	W5/41	2.03	2.03	1.99	1.99	0.04	2.12
R6/41	ASSUMED	W6/41	32.43	31.54	0.89	2.74	R6/41	ASSUMED	W6/41	2.05	2.05	2.00	2.00	0.05	2.30
R7/41	ASSUMED	W7/41	35.10	34.27	0.83	2.36	R7/41	ASSUMED	W7/41	3.15	3.15	3.09	3.09	0.07	2.13
R8/41	ASSUMED	W8/41	34.53	33.66	0.87	2.52	R8/41	ASSUMED	W8/41	2.48	2.48	2.42	2.42	0.06	2.34
R9/41	ASSUMED	W9/41	32.20	31.27	0.93	2.89	R9/41	ASSUMED	W9/41	1.78		1.73			
R9/41	ASSUMED	W10/41	34.35	33.41	0.94	2.74	R9/41	ASSUMED	W10/41	1.90	3.68	1.86	3.59	0.09	2.45
R1/42	ASSUMED	W1/42	23.71	22.99	0.72	3.04	R1/42	ASSUMED	W1/42	1.75	1.75	1.71	1.71	0.04	2.51
R2/42	ASSUMED	W2/42	27.96	27.19	0.77	2.75	R2/42	ASSUMED	W2/42	0.20		0.20			
R2/42	ASSUMED	W3/42	28.04	27.22	0.82	2.92	R2/42	ASSUMED	W3/42	0.20	0.40	0.20	0.39	0.01	2.48

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R3/42	ASSUMED	W4/42	27.96	27.10	0.86	3.08	R3/42	ASSUMED	W4/42	0.22		0.22			
R3/42	ASSUMED	W5/42	28.04	27.14	0.90	3.21	R3/42	ASSUMED	W5/42	0.22	0.44	0.21	0.43	0.01	3.15
R4/42	ASSUMED	W6/42	24.07	23.10	0.97	4.03	R4/42	ASSUMED	W6/42	1.63	1.63	1.58	1.58	0.05	3.31
R5/42	ASSUMED	W7/42	36.23	35.14	1.09	3.01	R5/42	ASSUMED	W7/42	2.65		2.58			
R5/42	ASSUMED	W10/42	85.90	85.22	0.68	0.79	R5/42	ASSUMED	W10/42	1.81	4.47	1.79	4.37	0.09	2.10
R6/42	ASSUMED	W8/42	36.23	35.08	1.15	3.17	R6/42	ASSUMED	W8/42	2.49		2.41			
R6/42	ASSUMED	W11/42	85.64	84.91	0.73	0.85	R6/42	ASSUMED	W11/42	1.64	4.12	1.62	4.03	0.09	2.23
R7/42	ASSUMED	W9/42	24.40	23.17	1.23	5.04	R7/42	ASSUMED	W9/42	2.19	2.19	2.10	2.10	0.09	4.25
1-28 Camden Street							1-28 Camden Street								
R1/50	ASSUMED	W14/50	31.75	31.12	0.63	1.98	R1/50	ASSUMED	W14/50	0.37		0.36			
R1/50	ASSUMED	W15/50	31.36	30.74	0.62	1.98	R1/50	ASSUMED	W15/50	1.01		0.99			
R1/50	ASSUMED	W16/50	31.37	30.73	0.64	2.04	R1/50	ASSUMED	W16/50	0.35	1.73	0.34	1.70	0.03	1.73
R2/50	ASSUMED	W13/50	32.21	31.56	0.65	2.02	R2/50	ASSUMED	W13/50	1.19	1.19	1.17	1.17	0.02	1.76
R3/50	ASSUMED	W12/50	32.89	32.26	0.63	1.92	R3/50	ASSUMED	W12/50	1.19	1.19	1.17	1.17	0.02	1.69
R4/50	ASSUMED	W9/50	33.14	32.54	0.60	1.81	R4/50	ASSUMED	W9/50	0.39		0.39			
R4/50	ASSUMED	W10/50	32.96	32.35	0.61	1.85	R4/50	ASSUMED	W10/50	1.06		1.05			
R4/50	ASSUMED	W11/50	33.03	32.41	0.62	1.88	R4/50	ASSUMED	W11/50	0.37	1.82	0.36	1.79	0.03	1.65
R5/50	ASSUMED	W6/50	33.15	32.57	0.58	1.75	R5/50	ASSUMED	W6/50	0.39		0.39			
R5/50	ASSUMED	W7/50	33.02	32.46	0.56	1.70	R5/50	ASSUMED	W7/50	1.06		1.05			
R5/50	ASSUMED	W8/50	33.16	32.58	0.58	1.75	R5/50	ASSUMED	W8/50	0.36	1.82	0.36	1.79	0.03	1.54
R6/50	ASSUMED	W5/50	33.11	32.57	0.54	1.63	R6/50	ASSUMED	W5/50	1.21	1.21	1.19	1.19	0.02	1.49

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R7/50	ASSUMED	W4/50	32.81	32.32	0.49	1.49	R7/50	ASSUMED	W4/50	1.22	1.22	1.20	1.20	0.02	1.31
R8/50	ASSUMED	W1/50	32.50	32.08	0.42	1.29	R8/50	ASSUMED	W1/50	0.39		0.38			
R8/50	ASSUMED	W2/50	32.41	31.99	0.42	1.30	R8/50	ASSUMED	W2/50	1.04		1.03			
R8/50	ASSUMED	W3/50	32.66	32.21	0.45	1.38	R8/50	ASSUMED	W3/50	0.35	1.77	0.35	1.75	0.02	1.18
R1/51	ASSUMED	W1/51	33.50	32.65	0.85	2.54	R1/51	ASSUMED	W1/51	1.08		1.05			
R1/51	ASSUMED	W2/51	33.55	32.70	0.85	2.53	R1/51	ASSUMED	W2/51	0.37		0.36			
R1/51	ASSUMED	W3/51	33.77	32.91	0.86	2.55	R1/51	ASSUMED	W3/51	0.39	1.84	0.38	1.79	0.04	2.29
R2/51	ASSUMED	W4/51	34.06	33.16	0.90	2.64	R2/51	ASSUMED	W4/51	1.26	1.26	1.23	1.23	0.03	2.38
R3/51	ASSUMED	W8/51	34.54	33.63	0.91	2.63	R3/51	ASSUMED	W8/51	1.25	1.25	1.22	1.22	0.03	2.41
R4/51	ASSUMED	W5/51	34.74	33.82	0.92	2.65	R4/51	ASSUMED	W5/51	0.41		0.40			
R4/51	ASSUMED	W6/51	34.66	33.74	0.92	2.65	R4/51	ASSUMED	W6/51	0.38		0.37			
R4/51	ASSUMED	W7/51	34.60	33.69	0.91	2.63	R4/51	ASSUMED	W7/51	1.12	1.91	1.09	1.86	0.05	2.46
R5/51	ASSUMED	W10/51	34.76	33.85	0.91	2.62	R5/51	ASSUMED	W10/51	0.41		0.40			
R5/51	ASSUMED	W11/51	34.76	33.85	0.91	2.62	R5/51	ASSUMED	W11/51	0.38		0.37			
R5/51	ASSUMED	W12/51	34.67	33.78	0.89	2.57	R5/51	ASSUMED	W12/51	1.12	1.90	1.09	1.86	0.05	2.42
R6/51	ASSUMED	W9/51	34.75	33.85	0.90	2.59	R6/51	ASSUMED	W9/51	1.27	1.27	1.24	1.24	0.03	2.37
R7/51	ASSUMED	W16/51	34.58	33.70	0.88	2.54	R7/51	ASSUMED	W16/51	1.28	1.28	1.25	1.25	0.03	2.19
R8/51	ASSUMED	W13/51	34.45	33.64	0.81	2.35	R8/51	ASSUMED	W13/51	0.40		0.39			
R8/51	ASSUMED	W14/51	34.50	33.66	0.84	2.43	R8/51	ASSUMED	W14/51	0.37		0.36			
R8/51	ASSUMED	W15/51	34.35	33.55	0.80	2.33	R8/51	ASSUMED	W15/51	1.10	1.87	1.08	1.83	0.04	2.19
R1/52	ASSUMED	W1/52	34.44	33.46	0.98	2.85	R1/52	ASSUMED	W1/52	1.13		1.10			
R1/52	ASSUMED	W2/52	34.46	33.50	0.96	2.79	R1/52	ASSUMED	W2/52	0.38		0.37			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/52	ASSUMED	W3/52	34.34	33.35	0.99	2.88	R1/52	ASSUMED	W3/52	0.41	1.93	0.40	1.88	0.05	2.55
R2/52	ASSUMED	W4/52	34.39	33.34	1.05	3.05	R2/52	ASSUMED	W4/52	1.32	1.32	1.28	1.28	0.04	2.66
R3/52	ASSUMED	W8/52	34.65	33.55	1.10	3.17	R3/52	ASSUMED	W8/52	1.30	1.30	1.26	1.26	0.04	2.86
R4/52	ASSUMED	W5/52	34.80	33.64	1.16	3.33	R4/52	ASSUMED	W5/52	0.42		0.41			
R4/52	ASSUMED	W6/52	34.75	33.62	1.13	3.25	R4/52	ASSUMED	W6/52	0.39		0.38			
R4/52	ASSUMED	W7/52	34.91	33.76	1.15	3.29	R4/52	ASSUMED	W7/52	1.16	1.98	1.13	1.92	0.06	2.99
R5/52	ASSUMED	W10/52	34.86	33.64	1.22	3.50	R5/52	ASSUMED	W10/52	0.42		0.41			
R5/52	ASSUMED	W11/52	34.84	33.65	1.19	3.42	R5/52	ASSUMED	W11/52	0.39		0.38			
R5/52	ASSUMED	W12/52	34.98	33.79	1.19	3.40	R5/52	ASSUMED	W12/52	1.16	1.97	1.12	1.91	0.06	3.10
R6/52	ASSUMED	W9/52	34.85	33.61	1.24	3.56	R6/52	ASSUMED	W9/52	1.32	1.32	1.27	1.27	0.04	3.12
R7/52	ASSUMED	W16/52	34.82	33.53	1.29	3.70	R7/52	ASSUMED	W16/52	1.33	1.33	1.29	1.29	0.04	3.22
R8/52	ASSUMED	W13/52	34.95	33.66	1.29	3.69	R8/52	ASSUMED	W13/52	0.42		0.40			
R8/52	ASSUMED	W14/52	34.84	33.56	1.28	3.67	R8/52	ASSUMED	W14/52	0.39		0.37			
R8/52	ASSUMED	W15/52	35.00	33.74	1.26	3.60	R8/52	ASSUMED	W15/52	1.15	1.95	1.11	1.89	0.06	3.23
R1/53	ASSUMED	W10/53	24.43	23.45	0.98	4.01	R1/53	ASSUMED	W10/53	0.77		0.75			
R1/53	ASSUMED	W14/53	21.46	20.51	0.95	4.43	R1/53	ASSUMED	W14/53	0.27		0.25			
R1/53	ASSUMED	W15/53	21.11	20.14	0.97	4.59	R1/53	ASSUMED	W15/53	0.29	1.32	0.27	1.28	0.05	3.63
R2/53	ASSUMED	W1/53	20.72	19.69	1.03	4.97	R2/53	ASSUMED	W1/53	0.87	0.87	0.84	0.84	0.03	3.78
R3/53	ASSUMED	W2/53	20.78	19.69	1.09	5.25	R3/53	ASSUMED	W2/53	0.85	0.85	0.82	0.82	0.04	4.10
R4/53	ASSUMED	W9/53	24.44	23.28	1.16	4.75	R4/53	ASSUMED	W9/53	0.78		0.75			
R4/53	ASSUMED	W12/53	21.19	20.06	1.13	5.33	R4/53	ASSUMED	W12/53	0.27		0.26			
R4/53	ASSUMED	W13/53	21.21	20.05	1.16	5.47	R4/53	ASSUMED	W13/53	0.29	1.34	0.28	1.28	0.06	4.33

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R5/53	ASSUMED	W7/53	24.47	23.24	1.23	5.03	R5/53	ASSUMED	W7/53	0.78		0.75			
R5/53	ASSUMED	W8/53	21.22	20.02	1.20	5.66	R5/53	ASSUMED	W8/53	0.27		0.25			
R5/53	ASSUMED	W11/53	21.23	19.99	1.24	5.84	R5/53	ASSUMED	W11/53	0.29	1.33	0.27	1.27	0.06	4.50
R6/53	ASSUMED	W3/53	20.84	19.59	1.25	6.00	R6/53	ASSUMED	W3/53	0.86	0.86	0.82	0.82	0.04	4.75
R7/53	ASSUMED	W16/53	20.84	19.51	1.33	6.38	R7/53	ASSUMED	W16/53	0.88	0.88	0.83	0.83	0.04	4.90
R8/53	ASSUMED	W4/53	24.53	23.16	1.37	5.58	R8/53	ASSUMED	W4/53	0.78		0.74			
R8/53	ASSUMED	W5/53	21.24	19.89	1.35	6.36	R8/53	ASSUMED	W5/53	0.27		0.25			
R8/53	ASSUMED	W6/53	21.31	19.95	1.36	6.38	R8/53	ASSUMED	W6/53	0.29	1.33	0.27	1.26	0.07	5.05
St Michael's Church							St Michael's Church								
R1/10		W7/10	25.40	19.61	5.79	22.80	R1/10		W7/10	0.45		0.37			
R1/10		W8/10	22.30	17.70	4.60	20.63	R1/10		W8/10	0.42		0.36			
R1/10		W9/10	15.42	15.42	0.00	0.00	R1/10		W9/10	0.36	1.23	0.36	1.08	0.15	11.81
R2/10		W6/10	0.00	0.00	0.00	0.00	R2/10		W6/10	0.84	0.84	0.69	0.69	0.14	17.22
R3/10	CHURCH	W1/10	29.73	26.42	3.31	11.13	R3/10	CHURCH	W1/10	0.12		0.12			
R3/10	CHURCH	W2/10	38.51	26.56	11.95	31.03	R3/10	CHURCH	W2/10	0.84		0.64			
R3/10	CHURCH	W3/10	35.27	35.00	0.27	0.77	R3/10	CHURCH	W3/10	0.13		0.13			
R3/10	CHURCH	W4/10	34.75	34.75	0.00	0.00	R3/10	CHURCH	W4/10	0.13		0.13			
R3/10	CHURCH	W5/10	35.33	35.33	0.00	0.00	R3/10	CHURCH	W5/10	0.13		0.13			
R3/10	CHURCH	W10/10	35.68	35.68	0.00	0.00	R3/10	CHURCH	W10/10	0.13		0.13			
R3/10	CHURCH	W11/10	35.66	35.66	0.00	0.00	R3/10	CHURCH	W11/10	0.13		0.13			
R3/10	CHURCH	W12/10	35.70	35.70	0.00	0.00	R3/10	CHURCH	W12/10	0.13		0.13			
R3/10	CHURCH	W13/10	35.72	35.72	0.00	0.00	R3/10	CHURCH	W13/10	0.13		0.13			
R3/10	CHURCH	W14/10	35.69	35.69	0.00	0.00	R3/10	CHURCH	W14/10	0.13		0.13			
R3/10	CHURCH	W15/10	27.83	27.83	0.00	0.00	R3/10	CHURCH	W15/10	0.04		0.04			
R3/10	CHURCH	W16/10	38.79	38.79	0.00	0.00	R3/10	CHURCH	W16/10	0.84		0.84			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R3/10	CHURCH	W17/10	28.45	28.45	0.00	0.00	R3/10	CHURCH	W17/10	0.05		0.05			
R3/10	CHURCH	W18/10	32.07	32.03	0.04	0.12	R3/10	CHURCH	W18/10	0.12		0.12			
R3/10	CHURCH	W19/10	30.63	30.55	0.08	0.26	R3/10	CHURCH	W19/10	0.12		0.12			
R3/10	CHURCH	W20/10	29.22	29.20	0.02	0.07	R3/10	CHURCH	W20/10	0.12		0.12			
R3/10	CHURCH	W21/10	14.77	14.76	0.01	0.07	R3/10	CHURCH	W21/10	0.02		0.02			
R3/10	CHURCH	W22/10	28.89	28.62	0.27	0.93	R3/10	CHURCH	W22/10	0.12		0.12			
R3/10	CHURCH	W23/10	14.57	14.49	0.08	0.55	R3/10	CHURCH	W23/10	0.02		0.02			
R3/10	CHURCH	W24/10	29.06	28.28	0.78	2.68	R3/10	CHURCH	W24/10	0.11		0.11			
R3/10	CHURCH	W25/10	12.94	12.96	-0.02	-0.15	R3/10	CHURCH	W25/10	0.02		0.02			
R3/10	CHURCH	W26/10	29.44	27.76	1.68	5.71	R3/10	CHURCH	W26/10	0.12		0.11			
R3/10	CHURCH	W27/10	12.85	12.79	0.06	0.47	R3/10	CHURCH	W27/10	0.01		0.02			
R3/10	CHURCH	W28/10	12.33	12.57	-0.24	-1.95	R3/10	CHURCH	W28/10	0.02		0.02			
R3/10	CHURCH	W29/10	32.78	24.76	8.02	24.47	R3/10	CHURCH	W29/10	0.00		0.00			
R3/10	CHURCH	W30/10	18.80	14.22	4.58	24.36	R3/10	CHURCH	W30/10	0.00	3.73	0.00	3.53	0.21	5.49

9-15 Camden Road, Barnes House

9-15 Camden Road, Barnes House

R1/102	RECEPTION	W1/102	21.82	21.73	0.09	0.41	R1/102	RECEPTION	W1/102	1.35	1.35	1.36	1.36	-0.01	-0.59
R2/102	BEDROOM	W2/102	21.98	21.50	0.48	2.18	R2/102	BEDROOM	W2/102	0.82	0.82	0.82	0.82	0.00	0.37
R3/102	RECEPTION	W3/102	21.87	21.35	0.52	2.38	R3/102	RECEPTION	W3/102	0.64		0.64			
R3/102	RECEPTION	W4/102	21.82	21.30	0.52	2.38	R3/102	RECEPTION	W4/102	0.63	1.28	0.63	1.27	0.00	0.16
R5/102	BEDROOM	W5/102	21.92	21.45	0.47	2.14	R5/102	BEDROOM	W5/102	0.94	0.94	0.94	0.94	0.00	0.00
R6/102	KITCHEN	W10/102	9.08	4.25	4.83	53.19	R6/102	KITCHEN	W10/102	0.76	0.76	0.45	0.45	0.30	40.00
R8/102	BEDROOM	W6/102	22.19	21.78	0.41	1.85	R8/102	BEDROOM	W6/102	0.77	0.77	0.77	0.77	0.00	0.00
R9/102	KITCHEN	W13/102	9.70	5.04	4.66	48.04	R9/102	KITCHEN	W13/102	0.76	0.76	0.49	0.49	0.28	36.09
R10/102	RECEPTION	W7/102	22.54	22.20	0.34	1.51	R10/102	RECEPTION	W7/102	0.65		0.65			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R10/102	RECEPTION	W8/102	22.92	22.61	0.31	1.35	R10/102	RECEPTION	W8/102	0.66	1.31	0.66	1.31	0.00	0.00
R15/102	BEDROOM	W18/102	10.04	6.90	3.14	31.27	R15/102	BEDROOM	W18/102	0.73	0.73	0.56	0.56	0.17	23.29
R16/102	KITCHEN	W19/102	9.85	7.32	2.53	25.69	R16/102	KITCHEN	W19/102	0.77	0.77	0.62	0.62	0.15	18.95
R19/102	BEDROOM	W26/102	8.47	6.91	1.56	18.42	R19/102	BEDROOM	W26/102	0.54	0.54	0.47	0.47	0.07	13.12
R23/102	KITCHEN	W28/102	6.94	5.03	1.91	27.52	R23/102	KITCHEN	W28/102	0.62	0.62	0.49	0.49	0.13	21.32
R24/102	BEDROOM	W29/102	7.99	5.69	2.30	28.79	R24/102	BEDROOM	W29/102	0.62	0.62	0.49	0.49	0.14	21.86
R28/102	KITCHEN	W34/102	9.30	6.43	2.87	30.86	R28/102	KITCHEN	W34/102	0.76	0.76	0.57	0.57	0.19	24.41
R29/102	BEDROOM	W38/102	30.79	27.21	3.58	11.63	R29/102	BEDROOM	W38/102	1.51	1.51	1.38	1.38	0.14	8.92
R32/102	KITCHEN	W35/102	9.06	6.09	2.97	32.78	R32/102	KITCHEN	W35/102	0.71	0.71	0.53	0.53	0.18	25.81
R33/102	BEDROOM	W39/102	21.33	14.38	6.95	32.58	R33/102	BEDROOM	W39/102	1.38	1.38	1.05	1.05	0.33	23.97
R1/103	RECEPTION	W1/103	25.62	25.04	0.58	2.26	R1/103	RECEPTION	W1/103	1.61	1.61	1.60	1.60	0.01	0.81
R2/103	BEDROOM	W2/103	25.69	25.01	0.68	2.65	R2/103	BEDROOM	W2/103	0.97	0.97	0.96	0.96	0.00	0.31
R3/103	RECEPTION	W3/103	25.58	24.93	0.65	2.54	R3/103	RECEPTION	W3/103	0.76		0.76			
R3/103	RECEPTION	W4/103	25.53	24.91	0.62	2.43	R3/103	RECEPTION	W4/103	0.76	1.52	0.76	1.52	0.00	0.13
R5/103	BEDROOM	W5/103	25.60	25.05	0.55	2.15	R5/103	BEDROOM	W5/103	1.12	1.12	1.12	1.12	0.00	0.09
R6/103	KITCHEN	W10/103	10.86	7.50	3.36	30.94	R6/103	KITCHEN	W10/103	0.85	0.85	0.69	0.69	0.17	19.44
R8/103	BEDROOM	W6/103	25.79	25.31	0.48	1.86	R8/103	BEDROOM	W6/103	0.91	0.91	0.91	0.91	0.00	0.00

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R9/103	KITCHEN	W13/103	11.65	8.66	2.99	25.67	R9/103	KITCHEN	W13/103	0.86	0.86	0.71	0.71	0.14	16.61
R10/103	RECEPTION	W7/103	26.04	25.60	0.44	1.69	R10/103	RECEPTION	W7/103	0.77		0.77			
R10/103	RECEPTION	W8/103	26.37	25.96	0.41	1.55	R10/103	RECEPTION	W8/103	0.78	1.54	0.78	1.54	0.00	0.00
R15/103	BEDROOM	W18/103	12.10	10.29	1.81	14.96	R15/103	BEDROOM	W18/103	0.82	0.82	0.74	0.74	0.08	10.00
R16/103	KITCHEN	W19/103	11.74	10.28	1.46	12.44	R16/103	KITCHEN	W19/103	0.82	0.82	0.76	0.76	0.07	8.37
R19/103	BEDROOM	W26/103	10.41	9.38	1.03	9.89	R19/103	BEDROOM	W26/103	0.61	0.61	0.57	0.57	0.04	6.25
R23/103	KITCHEN	W28/103	8.83	7.30	1.53	17.33	R23/103	KITCHEN	W28/103	0.70	0.70	0.61	0.61	0.09	12.55
R24/103	BEDROOM	W29/103	9.85	8.01	1.84	18.68	R24/103	BEDROOM	W29/103	0.70	0.70	0.61	0.61	0.09	13.20
R28/103	KITCHEN	W34/103	11.27	9.12	2.15	19.08	R28/103	KITCHEN	W34/103	0.85	0.85	0.73	0.73	0.12	14.05
R29/103	BEDROOM	W38/103	34.32	31.87	2.45	7.14	R29/103	BEDROOM	W38/103	1.69	1.69	1.59	1.59	0.10	5.98
R32/103	KITCHEN	W35/103	10.78	8.59	2.19	20.32	R32/103	KITCHEN	W35/103	0.78	0.78	0.67	0.67	0.12	14.69
R33/103	BEDROOM	W39/103	25.16	19.36	5.80	23.05	R33/103	BEDROOM	W39/103	1.65	1.65	1.38	1.38	0.28	16.75
R1/104	RECEPTION	W1/104	29.71	28.58	1.13	3.80	R1/104	RECEPTION	W1/104	1.61	1.61	1.58	1.58	0.03	1.86
R2/104	RECEPTION	W4/104	29.26	28.54	0.72	2.46	R2/104	RECEPTION	W4/104	0.76		0.76			
R2/104	RECEPTION	W5/104	29.31	28.65	0.66	2.25	R2/104	RECEPTION	W5/104	0.74	1.50	0.74	1.50	0.00	0.07
R3/104	KITCHEN	W7/104	32.00	27.62	4.38	13.69	R3/104	KITCHEN	W7/104	1.41	1.41	1.26	1.26	0.15	10.53
R4/104	RECEPTION	W6/104	29.42	28.83	0.59	2.01	R4/104	RECEPTION	W6/104	0.76		0.76			
R4/104	RECEPTION	W8/104	29.60	29.08	0.52	1.76	R4/104	RECEPTION	W8/104	0.76	1.52	0.76	1.52	0.00	0.00

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R6/104	RECEPTION	W2/104	29.46	28.58	0.88	2.99	R6/104	RECEPTION	W2/104	0.76		0.76			
R6/104	RECEPTION	W3/104	29.31	28.51	0.80	2.73	R6/104	RECEPTION	W3/104	0.76	1.52	0.76	1.51	0.00	0.20
R11/104	KITCHEN	W16/104	36.08	34.37	1.71	4.74	R11/104	KITCHEN	W16/104	1.78	1.78	1.71	1.71	0.07	3.93
R12/104	KITCHEN	W17/104	35.83	34.44	1.39	3.88	R12/104	KITCHEN	W17/104	1.79	1.79	1.74	1.74	0.05	2.96
R19/104	KITCHEN	W24/104	35.32	34.59	0.73	2.07	R19/104	KITCHEN	W24/104	1.44	1.44	1.42	1.42	0.02	1.53
R23/104	KITCHEN	W32/104	32.66	32.14	0.52	1.59	R23/104	KITCHEN	W32/104	1.39	1.39	1.38	1.38	0.01	0.93
R27/104	BEDROOM	W35/104	30.58	29.40	1.18	3.86	R27/104	BEDROOM	W35/104	1.37	1.37	1.33	1.33	0.04	3.14
R28/104	KITCHEN	W36/104	32.91	31.46	1.45	4.41	R28/104	KITCHEN	W36/104	1.66	1.66	1.60	1.60	0.06	3.61
R31/104	ASSUMED	W40/104	34.60	33.01	1.59	4.60	R31/104	ASSUMED	W40/104	1.67	1.67	1.60	1.60	0.07	3.90
R32/104	ASSUMED	W41/104	35.91	34.32	1.59	4.43	R32/104	ASSUMED	W41/104	1.70	1.70	1.63	1.63	0.07	4.06
R33/104	ASSUMED	W42/104	35.71	34.12	1.59	4.45	R33/104	ASSUMED	W42/104	1.70	1.70	1.63	1.63	0.07	3.95
R37/104	KITCHEN	W49/104	36.25	34.94	1.31	3.61	R37/104	KITCHEN	W49/104	1.89	1.89	1.83	1.83	0.06	3.39
R1/105	BEDROOM	W1/105	33.75	32.51	1.24	3.67	R1/105	BEDROOM	W1/105	0.86	0.86	0.86	0.86	0.00	0.00
R2/105	BEDROOM	W4/105	33.23	32.43	0.80	2.41	R2/105	BEDROOM	W4/105	0.78	0.78	0.78	0.78	0.00	0.00
R3/105	BEDROOM	W7/105	38.50	37.49	1.01	2.62	R3/105	BEDROOM	W7/105	0.96	0.96	0.95	0.95	0.02	1.87
R4/105	BEDROOM	W5/105	33.13	32.53	0.60	1.81	R4/105	BEDROOM	W5/105	0.67		0.67			
R4/105	BEDROOM	W6/105	30.16	30.10	0.06	0.20	R4/105	BEDROOM	W6/105	0.15	0.83	0.15	0.83	0.00	0.00
R5/105	BEDROOM	W10/105	38.38	37.74	0.64	1.67	R5/105	BEDROOM	W10/105	0.81		0.80			

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R5/105	BEDROOM	W12/105	38.32	37.99	0.33	0.86	R5/105	BEDROOM	W12/105	0.81	1.62	0.80	1.60	0.01	0.87
R6/105	BEDROOM	W8/105	33.34	32.86	0.48	1.44	R6/105	BEDROOM	W8/105	0.61		0.61			
R6/105	BEDROOM	W9/105	31.46	31.33	0.13	0.41	R6/105	BEDROOM	W9/105	0.14	0.75	0.14	0.75	0.00	0.00
R7/105	BEDROOM	W15/105	38.04	37.83	0.21	0.55	R7/105	BEDROOM	W15/105	0.88	0.88	0.87	0.87	0.00	0.11
R8/105	BEDROOM	W16/105	37.63	37.49	0.14	0.37	R8/105	BEDROOM	W16/105	0.85	0.85	0.85	0.85	0.00	0.00
R9/105	BEDROOM	W13/105	33.99	33.63	0.36	1.06	R9/105	BEDROOM	W13/105	0.61	0.61	0.61	0.61	0.00	0.00
R10/105	BEDROOM	W18/105	36.76	36.66	0.10	0.27	R10/105	BEDROOM	W18/105	0.79	0.79	0.79	0.79	0.00	0.00
R11/105	BEDROOM	W19/105	33.09	33.03	0.06	0.18	R11/105	BEDROOM	W19/105	0.73	0.73	0.73	0.73	0.00	0.14
R12/105	BEDROOM	W21/105	35.66	34.91	0.75	2.10	R12/105	BEDROOM	W21/105	1.14	1.14	1.11	1.11	0.02	2.11
R13/105	BEDROOM	W22/105	37.18	36.40	0.78	2.10	R13/105	BEDROOM	W22/105	0.90	0.90	0.88	0.88	0.02	2.12
R14/105	BEDROOM	W24/105	38.01	37.33	0.68	1.79	R14/105	BEDROOM	W24/105	1.26	1.26	1.23	1.23	0.02	1.91
R15/105	BEDROOM	W25/105	38.16	37.52	0.64	1.68	R15/105	BEDROOM	W25/105	1.14	1.14	1.12	1.12	0.02	1.76
R21/105	BEDROOM	W20/105	34.01	33.30	0.71	2.09	R21/105	BEDROOM	W20/105	1.08	1.08	1.05	1.05	0.02	2.04
R22/105	BEDROOM	W23/105	37.79	37.07	0.72	1.91	R22/105	BEDROOM	W23/105	1.26	1.26	1.23	1.23	0.03	1.99
5A Camden Road							5A Camden Road								
R1/110		W1/110	29.75	26.18	3.57	12.00	R1/110		W1/110	0.32		0.28			
R1/110		W2/110	31.88	29.16	2.72	8.53	R1/110		W2/110	0.11		0.09			
R1/110		W3/110	13.52	13.51	0.01	0.07	R1/110		W3/110	0.14	0.57	0.14	0.51	0.06	11.05

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R2/110		W4/110	28.58	26.18	2.40	8.40	R2/110		W4/110	1.37	1.37	1.28	1.28	0.09	6.35
R1/111		W2/111	34.57	32.74	1.83	5.29	R1/111		W2/111	0.55	0.55	0.52	0.52	0.03	5.48
R2/111		W1/111	34.51	32.49	2.02	5.85	R2/111		W1/111	0.60	0.60	0.57	0.57	0.03	5.51
5 Camden Road							5 Camden Road								
R1/122		W1/122	32.12	31.84	0.28	0.87	R1/122		W1/122	0.24	0.24	0.24	0.24	0.00	0.41
R1/129		W1/129	23.09	21.74	1.35	5.85	R1/129		W1/129	0.78	0.78	0.75	0.75	0.04	4.60
R1/130		W1/130	25.08	24.10	0.98	3.91	R1/130		W1/130	0.88	0.88	0.86	0.86	0.03	3.17
3A Camden Road							3A Camden Road								
R1/149	ASSUMED_WIND	W1/149	4.95	4.95	0.00	0.00	R1/149	ASSUMED_WIND	W1/149	0.52	0.52	0.52	0.52	0.00	0.00
R1/150	BEDROOM	W1/150	12.03	11.68	0.35	2.91	R1/150	BEDROOM	W1/150	0.87	0.87	0.85	0.85	0.02	2.18
R1/151	LD	W1/151	19.27	18.77	0.50	2.59	R1/151	LD	W1/151	0.56	0.56	0.55	0.55	0.01	2.50
R1/152		W1/152	33.90	33.46	0.44	1.30	R1/152		W1/152	1.16		1.15			
R1/152		W2/152	24.58	24.13	0.45	1.83	R1/152		W2/152	0.91	2.07	0.90	2.05	0.03	1.21
R2/152		W3/152	21.43	20.96	0.47	2.19	R2/152		W3/152	0.16		0.16			
R2/152		W4/152	29.56	29.16	0.40	1.35	R2/152		W4/152	0.37	0.53	0.36	0.52	0.01	0.95
3 Camden Road							3 Camden Road								
R1/153		W1/153	3.69	3.56	0.13	3.52	R1/153		W1/153	0.01		0.01			
R1/153		W2/153	2.61	2.59	0.02	0.77	R1/153		W2/153	0.00	0.01	0.00	0.01	0.00	0.00

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/154		W1/154	10.77	10.53	0.24	2.23	R1/154		W1/154	0.77	0.77	0.75	0.75	0.02	2.09
R1/155		W1/155	20.57	20.23	0.34	1.65	R1/155		W1/155	1.30	1.30	1.29	1.29	0.02	1.30
22 Camden Road							22 Camden Road								
R1/81	ASSUMED	W1/81	29.87	29.23	0.64	2.14	R1/81	ASSUMED	W1/81	1.74	1.74	1.71	1.71	0.03	1.84
R2/81	ASSUMED	W2/81	29.62	28.96	0.66	2.23	R2/81	ASSUMED	W2/81	1.74	1.74	1.71	1.71	0.03	1.89
R1/82	ASSUMED	W1/82	32.47	31.69	0.78	2.40	R1/82	ASSUMED	W1/82	1.29	1.29	1.26	1.26	0.03	2.10
R2/82	ASSUMED	W2/82	32.67	31.89	0.78	2.39	R2/82	ASSUMED	W2/82	1.28	1.28	1.26	1.26	0.03	2.10
24 Camden Road							24 Camden Road								
R1/71	ASSUMED	W2/71	29.98	29.44	0.54	1.80	R1/71	ASSUMED	W2/71	1.93	1.93	1.90	1.90	0.03	1.50
R2/71	ASSUMED	W1/71	30.00	29.56	0.44	1.47	R2/71	ASSUMED	W1/71	1.73	1.73	1.71	1.71	0.02	1.27
R1/72	ASSUMED	W2/72	33.07	32.31	0.76	2.30	R1/72	ASSUMED	W2/72	1.44	1.44	1.41	1.41	0.03	2.09
R2/72	ASSUMED	W1/72	33.11	32.42	0.69	2.08	R2/72	ASSUMED	W1/72	1.29	1.29	1.26	1.26	0.03	1.94
26 Camden Road							26 Camden Road								
R1/61	ASSUMED	W1/61	30.09	29.78	0.31	1.03	R1/61	ASSUMED	W1/61	1.79	1.79	1.77	1.77	0.02	0.95
R2/61	ASSUMED	W2/61	30.20	29.98	0.22	0.73	R2/61	ASSUMED	W2/61	1.77	1.77	1.76	1.76	0.01	0.62
R1/62	ASSUMED	W1/62	33.20	32.66	0.54	1.63	R1/62	ASSUMED	W1/62	1.32	1.32	1.30	1.30	0.02	1.52
R2/62	ASSUMED	W2/62	33.29	32.87	0.42	1.26	R2/62	ASSUMED	W2/62	1.30	1.30	1.29	1.29	0.01	1.07

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/63	ASSUMED	W1/63	35.68	35.10	0.58	1.63	R1/63	ASSUMED	W1/63	0.80	0.80	0.79	0.79	0.01	1.51
R2/63	ASSUMED	W2/63	35.77	35.25	0.52	1.45	R2/63	ASSUMED	W2/63	0.78	0.78	0.77	0.77	0.01	1.40



Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
11 Kentish Town Road						
R1/161		94.3	87.7	87.7	0.0	0.0
R2/161		94.3	91.9	91.9	0.0	0.0
R1/162		94.3	91.2	91.2	0.0	0.0
R2/162		94.3	92.8	92.8	0.0	0.0
R1/163		141.6	133.1	133.1	0.0	0.0
13 Kentish Town Road						
R3/161		175.7	173.5	173.5	0.0	0.0
R4/161		90.3	88.8	88.8	0.0	0.0
R3/162		175.7	173.2	173.2	0.0	0.0
R4/162		90.3	88.8	88.8	0.0	0.0
R2/163		214.1	201.9	201.9	0.0	0.0
15 Kentish Town Road						
R5/161		91.9	90.5	90.5	0.0	0.0
R6/161		91.9	90.5	90.5	0.0	0.0
R5/162		91.9	90.4	90.4	0.0	0.0
R6/162		91.9	90.5	90.5	0.0	0.0
R3/163		140.7	132.3	132.3	0.0	0.0
17 Kentish Town Road						
R7/161		93.3	91.8	91.8	0.0	0.0
R8/161		90.4	89.0	88.5	0.5	0.6
R7/162		93.3	91.7	91.7	0.0	0.0
R8/162		90.4	89.0	89.0	0.0	0.0
R4/163		142.4	133.1	133.1	0.0	0.0
19 Kentish Town Road						
R1/500		31.4	31.4	31.1	0.3	1.0
R2/500		163.1	163.1	161.7	1.4	0.9
R1/501		184.8	182.0	181.8	0.3	0.2
R1/502		184.8	181.8	181.8	0.0	0.0
R1/503		146.7	134.4	134.4	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
----------------	----------	---------------	---------------	--------------	---------------	-------

United Reformed Church

R1/540		196.2	187.9	187.9	0.0	0.0
R2/540		199.7	192.4	187.4	5.0	2.6
R3/540		191.9	183.8	164.1	19.7	10.7
R1/541		196.2	174.5	130.5	44.1	25.3
R2/541		199.7	196.8	193.7	3.1	1.6
R3/541		191.9	171.7	114.2	57.5	33.5
R1/551		90.8	66.7	43.2	23.5	35.2
R1/552		136.5	128.4	128.2	0.2	0.2
R1/560		80.5	57.5	57.5	0.0	0.0
R1/570		267.0	231.3	223.9	7.3	3.2
R1/580		1074.4	960.6	960.6	0.0	0.0

25,25B Kentish Town Road

R1/699	ASSUMED	63.5	26.6	17.7	9.0	33.8
R2/699	ASSUMED	62.9	36.3	36.3	0.0	0.0
R3/699	ASSUMED	194.9	130.6	104.4	26.2	20.1
R1/700	ASSUMED	49.7	47.6	39.4	8.2	17.2
R2/700	ASSUMED	194.9	169.8	146.5	23.3	13.7
R1/701	ASSUMED	90.2	87.9	39.3	48.6	55.3
R2/701	ASSUMED	194.9	191.7	100.4	91.3	47.6
R1/702	ASSUMED	90.2	78.1	43.8	34.3	43.9
R2/702	ASSUMED	194.9	191.7	113.1	78.6	41.0
R1/703	ASSUMED	183.8	175.3	175.3	0.0	0.0
R2/703	ASSUMED	177.9	170.6	168.8	1.8	1.1

27 Kentish Town Road

R1/709	ASSUMED	133.3	90.9	70.9	20.0	22.0
R1/710	ASSUMED	71.3	31.8	12.2	19.6	61.6
R2/710	ASSUMED	133.3	108.8	83.4	25.4	23.3
R1/711	ASSUMED	207.8	204.7	101.7	103.0	50.3
R1/712	ASSUMED	207.8	204.6	118.3	86.3	42.2
R1/722	ASSUMED	82.1	41.5	41.5	0.0	0.0

Daysun House, Hawley Crescent And 29 Kentish Town Road

R1/731	STUDIO	192.7	179.6	71.7	107.9	60.1
R2/731	STUDIO	232.2	142.7	52.5	90.2	63.2
R1/732	STUDIO	145.7	141.6	75.6	66.1	46.7
R2/732	STUDIO	231.7	225.0	68.1	156.9	69.7
R1/733	STUDIO	192.7	187.2	131.7	55.5	29.6

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
----------------	----------	---------------	---------------	--------------	---------------	-------

R2/733	STUDIO	194.5	190.4	115.1	75.3	39.5
R1/734	STUDIO	221.3	218.6	218.6	0.0	0.0

31 Kentish Town Road

R1/31	LKD	407.4	212.9	126.2	86.7	40.7
R2/31	BEDROOM	169.4	148.4	64.4	84.1	56.7
R3/31	LKD	258.2	171.9	113.9	58.0	33.7
R4/31	BEDROOM	133.4	128.3	54.3	74.1	57.8
R5/31	LKD	258.7	215.6	157.2	58.4	27.1
R6/31	LKD	368.6	234.3	149.5	84.8	36.2
R1/32	LKD	407.4	333.0	161.7	171.2	51.4
R2/32	BEDROOM	169.4	167.1	79.8	87.3	52.2
R3/32	LKD	258.2	258.2	126.4	131.8	51.0
R4/32	BEDROOM	133.4	128.3	69.0	59.4	46.3
R5/32	LKD	258.7	258.7	166.1	92.5	35.8
R6/32	LKD	368.6	303.4	162.3	141.1	46.5
R1/33	LKD	407.4	406.1	143.7	262.4	64.6
R2/33	BEDROOM	155.6	146.8	85.1	61.7	42.0
R3/33	BEDROOM	58.6	58.6	58.6	0.0	0.0
R4/33	BEDROOM	50.7	50.7	50.7	0.0	0.0
R5/33	BEDROOM	133.4	132.3	96.1	36.2	27.4
R6/33	LKD	258.7	258.7	196.7	62.0	24.0
R7/33	LKD	368.6	368.0	191.3	176.7	48.0
R1/34	LKD	381.8	381.8	381.8	0.0	0.0
R2/34	LD	382.6	380.7	375.5	5.2	1.4
R3/34	LKD	399.9	398.6	398.6	0.0	0.0

33 Kentish Town Road

R1/21		258.7	256.1	255.3	0.9	0.4
R1/22		258.7	257.8	257.1	0.7	0.3
R1/23		137.5	85.2	42.5	42.7	50.1

32-52 Camden Street

R1/40	ASSUMED	259.5	258.9	258.9	0.0	0.0
R2/40	ASSUMED	177.0	176.2	176.2	0.0	0.0
R3/40	ASSUMED	154.4	154.1	154.1	0.0	0.0
R4/40	ASSUMED	155.4	154.7	154.7	0.0	0.0
R5/40	ASSUMED	127.2	127.1	127.1	0.0	0.0
R6/40	ASSUMED	127.2	126.9	126.9	0.0	0.0
R7/40	ASSUMED	130.5	129.8	129.8	0.0	0.0
R8/40	ASSUMED	238.0	236.2	236.2	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R1/41		116.5	115.3	115.3	0.0	0.0
R2/41		138.4	136.1	136.1	0.0	0.0
R3/41	ASSUMED	177.0	176.2	176.2	0.0	0.0
R4/41	ASSUMED	154.4	154.1	154.1	0.0	0.0
R5/41	ASSUMED	155.4	151.6	151.6	0.0	0.0
R6/41	ASSUMED	127.2	125.7	125.7	0.0	0.0
R7/41	ASSUMED	127.2	126.9	126.9	0.0	0.0
R8/41	ASSUMED	130.5	129.7	129.7	0.0	0.0
R9/41	ASSUMED	238.0	235.1	235.1	0.0	0.0
R1/42	ASSUMED	259.5	258.4	258.4	0.0	0.0
R2/42	ASSUMED	177.0	171.4	171.4	0.0	0.0
R3/42	ASSUMED	154.4	151.5	151.5	0.0	0.0
R4/42	ASSUMED	287.1	285.6	285.6	0.0	0.0
R5/42	ASSUMED	124.5	124.0	124.0	0.0	0.0
R6/42	ASSUMED	126.2	124.8	124.8	0.0	0.0
R7/42	ASSUMED	238.0	236.2	236.2	0.0	0.0

1-28 Camden Street

R1/50	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/50	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/50	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/50	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/50	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/50	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/50	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/50	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/51	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/51	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/51	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/51	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/51	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/51	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/51	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/51	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/52	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/52	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/52	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/52	ASSUMED	170.4	169.3	169.3	0.0	0.0
R5/52	ASSUMED	171.7	170.6	170.6	0.0	0.0
R6/52	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/52	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/52	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/53	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/53	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/53	ASSUMED	111.2	109.8	109.8	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R4/53	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/53	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/53	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/53	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/53	ASSUMED	173.1	169.7	169.7	0.0	0.0

St Michael's Church

R1/10		412.6	399.9	389.6	10.3	2.6
R2/10		204.4	168.3	114.4	53.9	32.0
R3/10	CHURCH	6634.0	6590.0	6590.0	0.0	0.0

9-15 Camden Road, Barnes House

R1/102	RECEPTION	155.8	79.9	79.6	0.2	0.3
R2/102	BEDROOM	109.5	49.9	49.9	0.0	0.0
R3/102	RECEPTION	157.9	89.9	89.9	0.0	0.0
R5/102	BEDROOM	80.8	38.2	38.2	0.0	0.0
R6/102	KITCHEN	65.1	60.1	51.2	8.9	14.8
R8/102	BEDROOM	114.3	48.9	48.9	0.0	0.0
R9/102	KITCHEN	71.3	60.8	54.5	6.3	10.4
R10/102	RECEPTION	157.9	107.2	107.2	0.0	0.0
R15/102	BEDROOM	78.3	71.1	70.7	0.3	0.4
R16/102	KITCHEN	72.4	64.8	64.3	0.6	0.9
R19/102	BEDROOM	104.7	77.4	77.3	0.1	0.1
R23/102	KITCHEN	71.5	63.1	63.1	0.0	0.0
R24/102	BEDROOM	82.5	68.4	67.2	1.2	1.8
R28/102	KITCHEN	66.9	61.3	61.3	0.0	0.0
R29/102	BEDROOM	141.5	129.9	128.2	1.7	1.3
R32/102	KITCHEN	74.4	66.4	65.8	0.6	0.9
R33/102	BEDROOM	101.6	97.8	78.1	19.7	20.1
R1/103	RECEPTION	155.8	104.1	104.1	0.0	0.0
R2/103	BEDROOM	109.5	74.9	74.9	0.0	0.0
R3/103	RECEPTION	157.9	114.3	114.3	0.0	0.0
R5/103	BEDROOM	80.8	57.0	57.0	0.0	0.0
R6/103	KITCHEN	65.1	59.3	59.2	0.0	0.0
R8/103	BEDROOM	114.3	72.4	72.4	0.0	0.0
R9/103	KITCHEN	71.3	63.1	59.9	3.3	5.2
R10/103	RECEPTION	157.9	127.9	127.9	0.0	0.0
R15/103	BEDROOM	78.3	70.8	70.6	0.2	0.3
R16/103	KITCHEN	72.4	64.7	64.4	0.3	0.5
R19/103	BEDROOM	104.8	82.3	82.3	0.0	0.0
R23/103	KITCHEN	71.5	61.7	61.7	0.0	0.0
R24/103	BEDROOM	82.5	67.7	67.7	0.0	0.0
R28/103	KITCHEN	66.9	58.5	58.5	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R29/103	BEDROOM	141.5	131.6	131.6	0.0	0.0
R32/103	KITCHEN	74.4	65.1	65.1	0.0	0.0
R33/103	BEDROOM	101.6	97.8	94.4	3.4	3.5
R1/104	RECEPTION	192.9	175.9	174.9	1.0	0.6
R2/104	RECEPTION	179.6	161.9	161.9	0.0	0.0
R3/104	KITCHEN	83.0	81.5	81.5	0.0	0.0
R4/104	RECEPTION	179.7	166.2	166.2	0.0	0.0
R6/104	RECEPTION	180.7	163.7	163.7	0.0	0.0
R11/104	KITCHEN	68.4	65.8	65.8	0.0	0.0
R12/104	KITCHEN	69.0	67.3	67.3	0.0	0.0
R19/104	KITCHEN	93.3	89.1	89.1	0.0	0.0
R23/104	KITCHEN	92.0	86.4	86.4	0.0	0.0
R27/104	BEDROOM	85.2	81.1	81.1	0.0	0.0
R28/104	KITCHEN	72.0	70.1	70.1	0.0	0.0
R31/104	ASSUMED	70.5	69.4	69.4	0.0	0.0
R32/104	ASSUMED	70.9	69.9	69.9	0.0	0.0
R33/104	ASSUMED	79.2	77.6	77.6	0.0	0.0
R37/104	KITCHEN	64.6	62.9	62.9	0.0	0.0
R1/105	BEDROOM	92.0	86.9	86.9	0.0	0.0
R2/105	BEDROOM	96.0	87.9	87.9	0.0	0.0
R3/105	BEDROOM	101.1	92.6	92.6	0.0	0.0
R4/105	BEDROOM	114.3	100.9	100.9	0.0	0.0
R5/105	BEDROOM	126.3	123.0	123.0	0.0	0.0
R6/105	BEDROOM	132.6	113.4	113.4	0.0	0.0
R7/105	BEDROOM	111.9	98.3	98.3	0.0	0.0
R8/105	BEDROOM	117.4	103.0	103.0	0.0	0.0
R9/105	BEDROOM	99.5	80.6	80.6	0.0	0.0
R10/105	BEDROOM	122.3	104.7	104.7	0.0	0.0
R11/105	BEDROOM	122.7	102.5	102.5	0.0	0.0
R12/105	BEDROOM	84.4	78.0	78.0	0.0	0.0
R13/105	BEDROOM	115.0	104.7	104.7	0.0	0.0
R14/105	BEDROOM	70.4	67.7	67.7	0.0	0.0
R15/105	BEDROOM	82.8	77.6	77.6	0.0	0.0
R21/105	BEDROOM	84.6	80.3	80.3	0.0	0.0
R22/105	BEDROOM	73.2	69.1	69.1	0.0	0.0

5A Camden Road

R1/110	117.7	106.7	93.8	12.8	12.0
R2/110	111.2	107.2	107.2	0.0	0.0
R1/111	152.1	143.1	143.1	0.0	0.0
R2/111	72.6	70.1	70.1	0.0	0.0

5 Camden Road

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R1/122		325.8	106.8	106.3	0.5	0.5
R1/129		16.4	14.4	14.4	0.0	0.0
R1/130		125.0	99.2	99.2	0.0	0.0
3A Camden Road						
R1/149	ASSUMED_WIN	81.6	19.5	19.5	0.0	0.0
R1/150	BEDROOM	82.4	35.7	35.7	0.0	0.0
R1/151	LD	103.7	47.9	47.9	0.0	0.0
R1/152		97.3	85.7	85.7	0.0	0.0
R2/152		45.2	36.1	36.1	0.0	0.0
3 Camden Road						
R1/153		88.2	7.4	7.4	0.0	0.0
R1/154		101.3	30.3	30.3	0.0	0.0
R1/155		101.7	91.5	91.5	0.0	0.0
22 Camden Road						
R1/81	ASSUMED	111.9	110.4	110.4	0.0	0.0
R2/81	ASSUMED	112.3	110.8	110.8	0.0	0.0
R1/82	ASSUMED	112.6	111.1	111.1	0.0	0.0
R2/82	ASSUMED	111.9	110.4	110.4	0.0	0.0
24 Camden Road						
R1/71	ASSUMED	96.4	95.7	95.7	0.0	0.0
R2/71	ASSUMED	113.1	109.5	109.5	0.0	0.0
R1/72	ASSUMED	96.4	95.7	95.7	0.0	0.0
R2/72	ASSUMED	113.1	109.7	109.7	0.0	0.0
26 Camden Road						
R1/61	ASSUMED	114.2	110.7	110.7	0.0	0.0
R2/61	ASSUMED	111.5	104.9	104.9	0.0	0.0
R1/62	ASSUMED	114.2	110.9	110.9	0.0	0.0
R2/62	ASSUMED	111.5	105.4	105.4	0.0	0.0
R1/63	ASSUMED	114.2	106.3	106.3	0.0	0.0
R2/63	ASSUMED	111.5	106.6	106.6	0.0	0.0

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
11 Kentish Town Road														
R1/161	W1/161		11	40	11	40	0.0	0.0	11	40	11	40	0.0	0.0
R2/161	W2/161		11	41	11	41	0.0	0.0	11	41	11	41	0.0	0.0
R1/162	W1/162		12	44	12	44	0.0	0.0	12	44	12	44	0.0	0.0
R2/162	W2/162		12	45	12	45	0.0	0.0	12	45	12	45	0.0	0.0
R1/163	W1/163		11	47	11	47	0.0	0.0						
R1/163	W2/163		14	50	14	50	0.0	0.0	14	50	14	50	0.0	0.0
13 Kentish Town Road														
R3/161	W3/161		10	40	10	40	0.0	0.0						
R3/161	W4/161		10	41	10	41	0.0	0.0	10	42	10	42	0.0	0.0
R4/161	W5/161		10	43	10	43	0.0	0.0	10	43	10	43	0.0	0.0
R3/162	W3/162		12	44	12	44	0.0	0.0						
R3/162	W4/162		13	46	13	46	0.0	0.0	13	46	13	46	0.0	0.0
R4/162	W5/162		12	45	12	45	0.0	0.0	12	45	12	45	0.0	0.0

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R2/163	W3/163		7	38	7	38	0.0	0.0						
R2/163	W4/163		14	50	14	50	0.0	0.0						
R2/163	W5/163		15	51	15	51	0.0	0.0	15	51	15	51	0.0	0.0
15 Kentish Town Road														
R5/161	W6/161		10	45	10	45	0.0	0.0	10	45	10	45	0.0	0.0
R6/161	W7/161		11	44	11	43	0.0	2.3	11	44	11	43	0.0	2.3
R5/162	W6/162		13	46	13	46	0.0	0.0	13	46	13	46	0.0	0.0
R6/162	W7/162		14	47	14	47	0.0	0.0	14	47	14	47	0.0	0.0
R3/163	W6/163		9	43	9	43	0.0	0.0						
R3/163	W7/163		14	50	14	50	0.0	0.0	14	50	14	50	0.0	0.0
17 Kentish Town Road														
R7/161	W8/161		11	46	11	43	0.0	6.5	11	46	11	43	0.0	6.5
R8/161	W9/161		13	47	13	44	0.0	6.4	13	47	13	44	0.0	6.4
R7/162	W8/162		14	47	14	46	0.0	2.1	14	47	14	46	0.0	2.1

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R8/162	W9/162		14	47	14	46	0.0	2.1	14	47	14	46	0.0	2.1
R4/163	W8/163		15	51	15	51	0.0	0.0						
R4/163	W9/163		16	52	16	52	0.0	0.0	16	52	16	52	0.0	0.0
19 Kentish Town Road														
R1/500	W1/500		8	39	8	36	0.0	7.7						
R1/500	W2/500		9	34	9	31	0.0	8.8	9	40	9	37	0.0	7.5
R2/500	W3/500		7	36	7	31	0.0	13.9						
R2/500	W4/500		8	37	8	32	0.0	13.5						
R2/500	W5/500		9	38	9	33	0.0	13.2	9	39	9	33	0.0	15.4
R1/501	W1/501		11	45	11	41	0.0	8.9						
R1/501	W2/501		13	46	13	41	0.0	10.9	13	47	13	43	0.0	8.5
R1/502	W1/502		13	46	13	44	0.0	4.3						
R1/502	W2/502		13	46	13	42	0.0	8.7	13	46	13	44	0.0	4.3
R1/503	W1/503		11	46	11	46	0.0	0.0						
R1/503	W2/503		15	50	15	50	0.0	0.0	15	50	15	50	0.0	0.0
United Reformed Church														

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/540	W1/540		11	37	8	30	27.3	18.9						
R1/540	W2/540		11	38	9	34	18.2	10.5						
R1/540	W3/540		11	37	8	30	27.3	18.9						
R1/540	W4/540		11	38	9	35	18.2	7.9						
R1/540	W5/540		11	37	8	30	27.3	18.9						
R1/540	W6/540		11	38	9	35	18.2	7.9	11	38	9	35	18.2	7.9
R2/540	W7/540		12	38	9	30	25.0	21.1						
R2/540	W8/540		12	39	9	34	25.0	12.8						
R2/540	W9/540		12	38	9	31	25.0	18.4						
R2/540	W10/540		12	39	9	35	25.0	10.3						
R2/540	W11/540		11	37	8	30	27.3	18.9						
R2/540	W12/540		12	39	8	34	33.3	12.8						
R2/540	W13/540		11	37	8	29	27.3	21.6						
R2/540	W14/540		12	39	8	31	33.3	20.5	12	39	9	35	25.0	10.3
R3/540	W15/540		10	36	7	29	30.0	19.4						
R3/540	W16/540		11	38	7	32	36.4	15.8						
R3/540	W17/540		10	36	8	30	20.0	16.7						
R3/540	W18/540		11	38	9	32	18.2	15.8						
R3/540	W19/540		10	36	8	28	20.0	22.2						
R3/540	W20/540		11	38	8	30	27.3	21.1	12	39	9	34	25.0	12.8
R1/541	W1/541		12	41	12	40	0.0	2.4						
R1/541	W2/541		12	41	12	40	0.0	2.4						

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R1/541	W3/541		12	41	12	40	0.0	2.4	12	41	12	40	0.0	2.4
R2/541	W4/541		12	41	12	40	0.0	2.4						
R2/541	W5/541		12	45	12	40	0.0	11.1						
R2/541	W6/541		12	41	12	40	0.0	2.4						
R2/541	W7/541		12	45	12	40	0.0	11.1						
R2/541	W8/541		12	41	12	40	0.0	2.4						
R2/541	W9/541		12	45	12	40	0.0	11.1						
R2/541	W10/541		12	41	12	39	0.0	4.9						
R2/541	W11/541		12	45	12	40	0.0	11.1	12	45	12	40	0.0	11.1
R3/541	W12/541		11	40	11	36	0.0	10.0						
R3/541	W13/541		12	41	12	37	0.0	9.8						
R3/541	W14/541		12	41	11	35	8.3	14.6	12	41	12	37	0.0	9.8
R1/551	W1/551		11	38	10	33	9.1	13.2						
R1/551	W2/551		11	38	9	31	18.2	18.4						
R1/551	W3/551		11	38	10	32	9.1	15.8	11	38	10	33	9.1	13.2
R1/552	W1/552		12	42	12	35	0.0	16.7						
R1/552	W2/552		12	42	12	35	0.0	16.7						
R1/552	W1/562		0	6	0	3	-	50.0						
R1/552	W2/562		0	8	0	4	-	50.0	12	48	12	39	0.0	18.8
25,25B Kentish Town Road														

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/699	W2/699	ASSUMED	8	32	7	23	12.5	28.1	8	32	7	23	12.5	28.1
R2/699	W1/699	ASSUMED	9	64	7	55	22.2	14.1	9	64	7	55	22.2	14.1
R3/699	W3/699	ASSUMED	7	29	7	23	0.0	20.7	7	29	7	23	0.0	20.7
R3/699	W4/699	ASSUMED	7	27	7	20	0.0	25.9						
R1/700	W1/700	ASSUMED	11	40	8	28	27.3	30.0	11	40	8	28	27.3	30.0
R2/700	W2/700	ASSUMED	10	36	7	23	30.0	36.1	10	36	7	23	30.0	36.1
R2/700	W3/700	ASSUMED	10	34	7	20	30.0	41.2						
R1/701	W1/701	ASSUMED	12	43	10	31	16.7	27.9	12	43	10	31	16.7	27.9
R2/701	W2/701	ASSUMED	12	42	9	29	25.0	31.0	12	42	9	30	25.0	28.6
R2/701	W3/701	ASSUMED	12	41	9	29	25.0	29.3						
R1/702	W1/702	ASSUMED	13	49	11	35	15.4	28.6	13	49	11	35	15.4	28.6
R2/702	W2/702	ASSUMED	13	45	9	30	30.8	33.3	13	45	9	30	30.8	33.3
R2/702	W3/702	ASSUMED	13	45	9	29	30.8	35.6						
R1/703	W1/703	ASSUMED	30	89	27	83	10.0	6.7						
R1/703	W4/703	ASSUMED	15	48	15	48	0.0	0.0						

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/703	W6/703	ASSUMED	15	48	15	48	0.0	0.0	30	94	27	88	10.0	6.4
R2/703	W2/703	ASSUMED	30	89	27	83	10.0	6.7						
R2/703	W3/703	ASSUMED	15	52	12	41	20.0	21.2						
R2/703	W5/703	ASSUMED	15	52	10	39	33.3	25.0	30	95	27	84	10.0	11.6
27 Kentish Town Road														
R1/709	W1/709	ASSUMED	4	25	4	18	0.0	28.0	4	25	4	18	0.0	28.0
R1/710	W1/710	ASSUMED	8	36	6	25	25.0	30.6	8	36	6	25	25.0	30.6
R2/710	W2/710	ASSUMED	10	34	7	20	30.0	41.2	10	34	7	20	30.0	41.2
R1/711	W1/711	ASSUMED	12	40	9	27	25.0	32.5						
R1/711	W2/711	ASSUMED	12	40	8	27	33.3	32.5	12	40	9	28	25.0	30.0
R1/712	W1/712	ASSUMED	13	45	9	30	30.8	33.3						
R1/712	W2/712	ASSUMED	13	45	9	30	30.8	33.3	13	45	9	31	30.8	31.1
Daysun House, Hawley Crescent And 29 Kentish Town Road														
R1/731	W1/731	STUDIO	12	42	7	27	41.7	35.7	12	42	7	27	41.7	35.7
R2/731	W2/731	STUDIO	12	42	7	28	41.7	33.3	12	42	7	28	41.7	33.3

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/732	W1/732	STUDIO	10	26	5	10	50.0	61.5	10	26	5	10	50.0	61.5
R2/732	W2/732	STUDIO	13	48	7	30	46.2	37.5	13	48	7	30	46.2	37.5
R1/733	W1/733	STUDIO	15	52	10	38	33.3	26.9	15	52	10	38	33.3	26.9
R2/733	W2/733	STUDIO	5	35	1	23	80.0	34.3	5	35	1	23	80.0	34.3
R1/734	W1/734	STUDIO	15	52	12	44	20.0	15.4						
R1/734	W2/734	STUDIO	15	52	12	42	20.0	19.2						
R1/734	W3/734	STUDIO	15	52	12	43	20.0	17.3	15	52	12	44	20.0	15.4
31 Kentish Town Road														
R1/31	W1/31	LKD	2	14	0	8	100.0	42.9						
R1/31	W2/31	LKD	0	2	0	2	-	0.0						
R1/31	W3/31	LKD	12	40	7	26	41.7	35.0						
R1/31	W28/31	LKD	7	21	2	8	71.4	61.9	12	42	7	28	41.7	33.3
R3/31	W6/31	LKD	12	32	7	18	41.7	43.8						
R3/31	W7/31	LKD	11	39	6	24	45.5	38.5	12	41	7	27	41.7	34.1
R5/31	W10/31	LKD	11	30	6	15	45.5	50.0						
R5/31	W11/31	LKD	9	37	4	22	55.6	40.5	11	39	6	24	45.5	38.5

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R6/31	W12/31	LKD	0	4	0	0	-	100.0						
R6/31	W13/31	LKD	6	30	2	16	66.7	46.7						
R6/31	W14/31	LKD	8	37	3	20	62.5	45.9	8	37	3	20	62.5	45.9
R1/32	W1/32	LKD	3	21	0	13	100.0	38.1						
R1/32	W2/32	LKD	0	3	0	3	-	0.0						
R1/32	W3/32	LKD	13	46	7	29	46.2	37.0						
R1/32	W28/32	LKD	8	29	2	17	75.0	41.4	13	50	7	35	46.2	30.0
R3/32	W6/32	LKD	13	36	7	20	46.2	44.4						
R3/32	W7/32	LKD	12	45	6	27	50.0	40.0	13	48	7	30	46.2	37.5
R5/32	W10/32	LKD	12	34	6	19	50.0	44.1						
R5/32	W11/32	LKD	10	43	4	23	60.0	46.5	12	45	6	28	50.0	37.8
R6/32	W12/32	LKD	0	7	0	0	-	100.0						
R6/32	W13/32	LKD	7	34	2	20	71.4	41.2						
R6/32	W14/32	LKD	9	41	3	24	66.7	41.5	9	41	3	25	66.7	39.0
R1/33	W1/33	LKD	8	26	4	18	50.0	30.8						
R1/33	W2/33	LKD	16	40	11	32	31.3	20.0						
R1/33	W3/33	LKD	15	50	10	35	33.3	30.0	16	54	12	42	25.0	22.2
R3/33	W6/33	BEDROOM	14	49	7	32	50.0	34.7						

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R3/33	W12/33	BEDROOM	17	43	11	34	35.3	20.9	17	56	11	42	35.3	25.0
R6/33	W9/33	LKD	12	46	5	31	58.3	32.6						
R6/33	W13/33	LKD	14	40	8	27	42.9	32.5	14	51	8	38	42.9	25.5
R7/33	W10/33	LKD	0	8	0	1	-	87.5						
R7/33	W11/33	LKD	11	44	6	31	45.5	29.5						
R7/33	W14/33	LKD	9	37	4	26	55.6	29.7	11	44	6	31	45.5	29.5
R1/34	W1/34	LKD	0	30	0	29	-	3.3						
R1/34	W2/34	LKD	0	30	0	29	-	3.3						
R1/34	W3/34	LKD	5	42	2	37	60.0	11.9						
R1/34	W4/34	LKD	15	44	12	35	20.0	20.5						
R1/34	W5/34	LKD	2	31	2	31	0.0	0.0	17	81	14	72	17.6	11.1
R2/34	W6/34	LD	16	50	13	45	18.8	10.0						
R2/34	W7/34	LD	13	44	10	34	23.1	22.7	16	57	13	47	18.8	17.5
R3/34	W8/34	LKD	14	40	11	35	21.4	12.5						
R3/34	W9/34	LKD	12	42	9	36	25.0	14.3						
R3/34	W10/34	LKD	11	41	8	36	27.3	12.2						
R3/34	W11/34	LKD	10	40	7	33	30.0	17.5	14	49	11	44	21.4	10.2
33 Kentish Town Road														

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/21	W1/21		12	45	7	31	41.7	31.1						
R1/21	W7/21		0	10	0	10	-	0.0	12	50	7	37	41.7	26.0
R1/22	W1/22		13	47	7	32	46.2	31.9						
R1/22	W7/22		0	6	0	6	-	0.0	13	49	7	34	46.2	30.6
R1/23	W1/23		11	42	6	33	45.5	21.4	11	42	6	33	45.5	21.4
32-52 Camden Street														
R1/40	W1/40	ASSUMED	24	74	22	72	8.3	2.7	24	74	22	72	8.3	2.7
R2/40	W2/40	ASSUMED	24	74	22	72	8.3	2.7	24	74	22	72	8.3	2.7
R3/40	W3/40	ASSUMED	24	74	22	72	8.3	2.7	24	74	22	72	8.3	2.7
R4/40	W4/40	ASSUMED	24	73	22	71	8.3	2.7	24	73	22	71	8.3	2.7
R5/40	W5/40	ASSUMED	19	58	17	56	10.5	3.4	19	58	17	56	10.5	3.4
R6/40	W6/40	ASSUMED	23	72	22	71	4.3	1.4	23	72	22	71	4.3	1.4
R7/40	W7/40	ASSUMED	24	77	23	76	4.2	1.3	24	77	23	76	4.2	1.3
R8/40	W8/40	ASSUMED	25	74	24	73	4.0	1.4	25	74	24	73	4.0	1.4

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R1/41	W1/41		25	73	23	71	8.0	2.7	25	73	23	71	8.0	2.7
R2/41	W2/41		25	73	23	71	8.0	2.7	25	73	23	71	8.0	2.7
R3/41	W3/41	ASSUMED	24	73	23	72	4.2	1.4	24	73	23	72	4.2	1.4
R4/41	W4/41	ASSUMED	24	73	23	72	4.2	1.4	24	73	23	72	4.2	1.4
R5/41	W5/41	ASSUMED	24	72	22	70	8.3	2.8	24	72	22	70	8.3	2.8
R6/41	W6/41	ASSUMED	21	68	20	67	4.8	1.5	21	68	20	67	4.8	1.5
R7/41	W7/41	ASSUMED	25	74	24	73	4.0	1.4	25	74	24	73	4.0	1.4
R8/41	W8/41	ASSUMED	25	75	24	74	4.0	1.3	25	75	24	74	4.0	1.3
R9/41	W9/41	ASSUMED	25	68	24	67	4.0	1.5						
R9/41	W10/41	ASSUMED	25	75	24	74	4.0	1.3	25	75	24	74	4.0	1.3
R1/42	W1/42	ASSUMED	24	48	24	48	0.0	0.0	24	48	24	48	0.0	0.0
R2/42	W2/42	ASSUMED	26	60	25	59	3.8	1.7						
R2/42	W3/42	ASSUMED	26	60	25	59	3.8	1.7	26	60	25	59	3.8	1.7

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/42	W4/42	ASSUMED	26	60	25	59	3.8	1.7						
R3/42	W5/42	ASSUMED	26	60	25	59	3.8	1.7	26	60	25	59	3.8	1.7
R4/42	W6/42	ASSUMED	26	49	26	49	0.0	0.0	26	49	26	49	0.0	0.0
R5/42	W7/42	ASSUMED	26	73	26	73	0.0	0.0						
R5/42	W10/42	ASSUMED	29	92	29	92	0.0	0.0	29	92	29	92	0.0	0.0
R6/42	W8/42	ASSUMED	23	74	22	73	4.3	1.4						
R6/42	W11/42	ASSUMED	28	92	27	91	3.6	1.1	28	92	27	91	3.6	1.1
R7/42	W9/42	ASSUMED	26	50	25	49	3.8	2.0	26	50	25	49	3.8	2.0
1-28 Camden Street														
R1/50	W14/50	ASSUMED	18	50	17	49	5.6	2.0						
R1/50	W15/50	ASSUMED	18	50	17	49	5.6	2.0						
R1/50	W16/50	ASSUMED	18	50	18	50	0.0	0.0	18	50	18	50	0.0	0.0
R2/50	W13/50	ASSUMED	19	51	19	51	0.0	0.0	19	51	19	51	0.0	0.0
R3/50	W12/50	ASSUMED	19	56	19	56	0.0	0.0	19	56	19	56	0.0	0.0
R4/50	W9/50	ASSUMED	19	56	19	56	0.0	0.0						
R4/50	W10/50	ASSUMED	19	56	19	56	0.0	0.0						

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R4/50	W11/50	ASSUMED	19	56	19	56	0.0	0.0	19	56	19	56	0.0	0.0
R5/50	W6/50	ASSUMED	19	57	19	57	0.0	0.0						
R5/50	W7/50	ASSUMED	19	57	19	57	0.0	0.0						
R5/50	W8/50	ASSUMED	19	57	19	57	0.0	0.0	20	58	20	58	0.0	0.0
R6/50	W5/50	ASSUMED	19	58	18	57	5.3	1.7	19	58	18	57	5.3	1.7
R7/50	W4/50	ASSUMED	18	60	17	59	5.6	1.7	18	60	17	59	5.6	1.7
R8/50	W1/50	ASSUMED	16	58	15	57	6.3	1.7						
R8/50	W2/50	ASSUMED	17	59	16	58	5.9	1.7						
R8/50	W3/50	ASSUMED	17	59	16	58	5.9	1.7	17	59	16	58	5.9	1.7
R1/51	W1/51	ASSUMED	18	49	17	48	5.6	2.0						
R1/51	W2/51	ASSUMED	17	49	16	48	5.9	2.0						
R1/51	W3/51	ASSUMED	17	49	16	48	5.9	2.0	18	50	17	49	5.6	2.0
R2/51	W4/51	ASSUMED	18	51	17	50	5.6	2.0	18	51	17	50	5.6	2.0
R3/51	W8/51	ASSUMED	18	55	17	54	5.6	1.8	18	55	17	54	5.6	1.8
R4/51	W5/51	ASSUMED	19	56	18	55	5.3	1.8						
R4/51	W6/51	ASSUMED	19	56	18	55	5.3	1.8						
R4/51	W7/51	ASSUMED	19	56	18	55	5.3	1.8	19	56	18	55	5.3	1.8

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/51	W10/51	ASSUMED	19	56	18	55	5.3	1.8						
R5/51	W11/51	ASSUMED	19	56	18	55	5.3	1.8						
R5/51	W12/51	ASSUMED	19	56	18	55	5.3	1.8	19	56	18	55	5.3	1.8
R6/51	W9/51	ASSUMED	20	58	18	56	10.0	3.4	20	58	18	56	10.0	3.4
R7/51	W16/51	ASSUMED	19	58	19	58	0.0	0.0	19	58	19	58	0.0	0.0
R8/51	W13/51	ASSUMED	18	60	18	60	0.0	0.0						
R8/51	W14/51	ASSUMED	19	60	19	60	0.0	0.0						
R8/51	W15/51	ASSUMED	18	60	18	60	0.0	0.0	19	61	19	61	0.0	0.0
R1/52	W1/52	ASSUMED	21	55	19	53	9.5	3.6						
R1/52	W2/52	ASSUMED	21	56	19	54	9.5	3.6						
R1/52	W3/52	ASSUMED	21	57	19	55	9.5	3.5	21	57	19	55	9.5	3.5
R2/52	W4/52	ASSUMED	20	56	18	54	10.0	3.6	20	56	18	54	10.0	3.6
R3/52	W8/52	ASSUMED	20	55	18	53	10.0	3.6	20	55	18	53	10.0	3.6
R4/52	W5/52	ASSUMED	20	56	19	55	5.0	1.8						
R4/52	W6/52	ASSUMED	20	55	18	53	10.0	3.6						
R4/52	W7/52	ASSUMED	20	56	19	55	5.0	1.8	20	56	19	55	5.0	1.8

Room	Window	Room Use	Window						Room					
			Existing			Proposed			Existing			Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R5/52	W10/52	ASSUMED	20	56	19	55	5.0	1.8						
R5/52	W11/52	ASSUMED	20	56	19	55	5.0	1.8						
R5/52	W12/52	ASSUMED	20	56	19	55	5.0	1.8	20	56	19	55	5.0	1.8
R6/52	W9/52	ASSUMED	21	57	20	56	4.8	1.8	21	57	20	56	4.8	1.8
R7/52	W16/52	ASSUMED	22	58	20	56	9.1	3.4	22	58	20	56	9.1	3.4
R8/52	W13/52	ASSUMED	24	63	22	61	8.3	3.2						
R8/52	W14/52	ASSUMED	24	61	22	59	8.3	3.3						
R8/52	W15/52	ASSUMED	24	62	22	60	8.3	3.2	24	63	22	61	8.3	3.2
R1/53	W10/53	ASSUMED	16	39	15	38	6.3	2.6						
R1/53	W14/53	ASSUMED	15	34	14	33	6.7	2.9						
R1/53	W15/53	ASSUMED	15	34	14	33	6.7	2.9	16	39	15	38	6.3	2.6
R2/53	W1/53	ASSUMED	15	33	14	32	6.7	3.0	15	33	14	32	6.7	3.0
R3/53	W2/53	ASSUMED	15	33	14	32	6.7	3.0	15	33	14	32	6.7	3.0
R4/53	W9/53	ASSUMED	17	40	16	39	5.9	2.5						
R4/53	W12/53	ASSUMED	15	34	14	33	6.7	2.9						
R4/53	W13/53	ASSUMED	15	34	14	33	6.7	2.9	17	40	16	39	5.9	2.5
R5/53	W7/53	ASSUMED	17	40	16	39	5.9	2.5						

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/53	W8/53	ASSUMED	15	34	14	33	6.7	2.9						
R5/53	W11/53	ASSUMED	15	34	14	33	6.7	2.9	17	40	16	39	5.9	2.5
R6/53	W3/53	ASSUMED	15	33	14	32	6.7	3.0	15	33	14	32	6.7	3.0
R7/53	W16/53	ASSUMED	15	33	13	31	13.3	6.1	15	33	13	31	13.3	6.1
R8/53	W4/53	ASSUMED	19	42	17	40	10.5	4.8						
R8/53	W5/53	ASSUMED	15	34	13	32	13.3	5.9						
R8/53	W6/53	ASSUMED	17	36	15	34	11.8	5.6	19	42	17	40	10.5	4.8
St Michael's Church														
R1/10	W7/10		1	14	0	5	100.0	64.3						
R1/10	W8/10		1	14	0	6	100.0	57.1						
R1/10	W9/10		3	22	3	22	0.0	0.0	4	36	3	28	25.0	22.2
R3/10	W1/10	CHURCH	14	53	14	46	0.0	13.2						
R3/10	W2/10	CHURCH	4	24	1	9	75.0	62.5						
R3/10	W3/10	CHURCH	0	15	0	15	-	0.0						
R3/10	W4/10	CHURCH	0	17	0	17	-	0.0						
R3/10	W5/10	CHURCH	0	17	0	17	-	0.0						
R3/10	W10/10	CHURCH	0	17	0	17	-	0.0						
R3/10	W11/10	CHURCH	0	17	0	17	-	0.0						
R3/10	W12/10	CHURCH	0	18	0	18	-	0.0						

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/10	W13/10	CHURCH	0	18	0	18	-	0.0						
R3/10	W14/10	CHURCH	2	20	2	20	0.0	0.0						
R3/10	W15/10	CHURCH	16	61	16	61	0.0	0.0						
R3/10	W16/10	CHURCH	26	76	26	76	0.0	0.0						
R3/10	W17/10	CHURCH	17	64	17	64	0.0	0.0						
R3/10	W18/10	CHURCH	21	60	21	60	0.0	0.0						
R3/10	W19/10	CHURCH	18	57	18	57	0.0	0.0						
R3/10	W20/10	CHURCH	16	55	16	55	0.0	0.0						
R3/10	W21/10	CHURCH	4	21	4	21	0.0	0.0						
R3/10	W22/10	CHURCH	15	55	15	55	0.0	0.0						
R3/10	W23/10	CHURCH	4	21	4	21	0.0	0.0						
R3/10	W24/10	CHURCH	15	55	15	54	0.0	1.8						
R3/10	W25/10	CHURCH	4	22	4	22	0.0	0.0						
R3/10	W26/10	CHURCH	16	56	15	50	6.3	10.7						
R3/10	W27/10	CHURCH	3	22	3	23	0.0	-4.5						
R3/10	W28/10	CHURCH	2	21	2	21	0.0	0.0						
R3/10	W29/10	CHURCH	21	63	21	51	0.0	19.0						
R3/10	W30/10	CHURCH	5	26	5	21	0.0	19.2	30	100	28	97	6.7	3.0
9-15 Camden Road, Barnes House														
R6/102	W10/102	KITCHEN	11	14	6	7	45.5	50.0	11	14	6	7	45.5	50.0
R9/102	W13/102	KITCHEN	10	15	6	8	40.0	46.7	10	15	6	8	40.0	46.7

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R15/102	W18/102	BEDROOM	8	17	7	12	12.5	29.4	8	17	7	12	12.5	29.4
R16/102	W19/102	KITCHEN	7	17	6	12	14.3	29.4	7	17	6	12	14.3	29.4
R19/102	W26/102	BEDROOM	5	14	5	12	0.0	14.3	5	14	5	12	0.0	14.3
R33/102	W39/102	BEDROOM	18	47	13	37	27.8	21.3	18	47	13	37	27.8	21.3
R6/103	W10/103	KITCHEN	12	18	9	11	25.0	38.9	12	18	9	11	25.0	38.9
R9/103	W13/103	KITCHEN	12	18	9	14	25.0	22.2	12	18	9	14	25.0	22.2
R15/103	W18/103	BEDROOM	11	21	8	16	27.3	23.8	11	21	8	16	27.3	23.8
R16/103	W19/103	KITCHEN	10	20	9	17	10.0	15.0	10	20	9	17	10.0	15.0
R19/103	W26/103	BEDROOM	5	15	5	14	0.0	6.7	5	15	5	14	0.0	6.7
R33/103	W39/103	BEDROOM	20	51	16	41	20.0	19.6	20	51	16	41	20.0	19.6
R3/104	W7/104	KITCHEN	16	54	15	51	6.3	5.6	16	54	15	51	6.3	5.6
R11/104	W16/104	KITCHEN	23	66	22	62	4.3	6.1	23	66	22	62	4.3	6.1
R12/104	W17/104	KITCHEN	21	65	20	59	4.8	9.2	21	65	20	59	4.8	9.2

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R19/104	W24/104	KITCHEN	19	63	19	62	0.0	1.6	19	63	19	62	0.0	1.6
R23/104	W32/104	KITCHEN	11	52	11	51	0.0	1.9	11	52	11	51	0.0	1.9
R3/105	W7/105	BEDROOM	25	69	24	68	4.0	1.4	25	69	24	68	4.0	1.4
R5/105	W10/105	BEDROOM	25	69	25	69	0.0	0.0						
R5/105	W12/105	BEDROOM	25	69	25	69	0.0	0.0	25	69	25	69	0.0	0.0
R7/105	W15/105	BEDROOM	25	69	25	69	0.0	0.0	25	69	25	69	0.0	0.0
R8/105	W16/105	BEDROOM	24	68	24	68	0.0	0.0	24	68	24	68	0.0	0.0
R10/105	W18/105	BEDROOM	21	65	21	65	0.0	0.0	21	65	21	65	0.0	0.0
R11/105	W19/105	BEDROOM	12	55	12	55	0.0	0.0	12	55	12	55	0.0	0.0
5A Camden Road														
R1/110	W1/110		0	14	0	14	-	0.0						
R1/110	W2/110		1	21	1	21	0.0	0.0						
R1/110	W3/110		0	17	0	17	-	0.0	1	22	1	22	0.0	0.0

Existing vs Proposed School



Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
27 Kentish Town Road, Hawley Infant School							27 Kentish Town Road, Hawley Infant School								
R1/750	ASSUMED	W1/750	14.45	13.49	0.96	6.64	R1/750	ASSUMED	W1/750	0.22		0.21			
R1/750	ASSUMED	W2/750	17.96	16.87	1.09	6.07	R1/750	ASSUMED	W2/750	0.16		0.14			
R1/750	ASSUMED	W4/750	59.77	59.55	0.22	0.37	R1/750	ASSUMED	W4/750	1.24	1.62	1.24	1.59	0.03	1.61
R2/750	ASSUMED_WINI	W3/750	20.08	18.89	1.19	5.93	R2/750	ASSUMED_WINI	W3/750	0.14		0.13			
R2/750	ASSUMED_WINI	W5/750	21.51	20.23	1.28	5.95	R2/750	ASSUMED_WINI	W5/750	0.15		0.14			
R2/750	ASSUMED_WINI	W6/750	59.63	59.35	0.28	0.47	R2/750	ASSUMED_WINI	W6/750	1.04		1.04			
R2/750	ASSUMED_WINI	W7/750	7.10	7.07	0.03	0.42	R2/750	ASSUMED_WINI	W7/750	0.03		0.03			
R2/750	ASSUMED_WINI	W8/750	8.02	7.99	0.03	0.37	R2/750	ASSUMED_WINI	W8/750	0.03	1.38	0.03	1.36	0.02	1.66
R1/760	ASSUMED	W1/760	34.06	33.63	0.43	1.26	R1/760	ASSUMED	W1/760	1.19		1.18			
R1/760	ASSUMED	W2/760	3.22	2.87	0.35	10.87	R1/760	ASSUMED	W2/760	0.01		0.01			
R1/760	ASSUMED	W3/760	4.96	4.63	0.33	6.65	R1/760	ASSUMED	W3/760	0.01		0.01			
R1/760	ASSUMED	W4/760	0.34	0.14	0.20	58.82	R1/760	ASSUMED	W4/760	0.02		0.01			
R1/760	ASSUMED	W5/760	26.67	25.26	1.41	5.29	R1/760	ASSUMED	W5/760	1.00	2.22	0.95	2.17	0.05	2.39
R2/760	ASSUMED	W6/760	24.40	22.06	2.34	9.59	R2/760	ASSUMED	W6/760	1.43		1.33			
R2/760	ASSUMED	W7/760	26.89	23.70	3.19	11.86	R2/760	ASSUMED	W7/760	2.65	4.07	2.42	3.75	0.32	7.95
R3/760	ASSUMED	W8/760	26.35	22.67	3.68	13.97	R3/760	ASSUMED	W8/760	1.51		1.35			
R3/760	ASSUMED	W9/760	27.49	23.40	4.09	14.88	R3/760	ASSUMED	W9/760	2.69		2.40			
R3/760	ASSUMED	W10/760	1.14	0.60	0.54	47.37	R3/760	ASSUMED	W10/760	0.02		0.02			
R3/760	ASSUMED	W11/760	21.51	21.08	0.43	2.00	R3/760	ASSUMED	W11/760	1.06	5.28	1.05	4.81	0.46	8.78
R1/770	ASSUMED	W1/770	5.34	3.68	1.66	31.09	R1/770	ASSUMED	W1/770	0.08		0.06			
R1/770	ASSUMED	W2/770	18.62	18.62	0.00	0.00	R1/770	ASSUMED	W2/770	0.13		0.13			
R1/770	ASSUMED	W3/770	3.89	2.85	1.04	26.74	R1/770	ASSUMED	W3/770	0.07	0.28	0.06	0.24	0.04	12.54
R1/781	ASSUMED	W1/781	19.95	19.95	0.00	0.00	R1/781	ASSUMED	W1/781	0.83		0.83			
R1/781	ASSUMED	W2/781	26.27	26.26	0.01	0.04	R1/781	ASSUMED	W2/781	0.96	1.79	0.96	1.78	0.01	0.56
R2/781	ASSUMED	W3/781	28.23	28.22	0.01	0.04	R2/781	ASSUMED	W3/781	1.04		1.03			
R2/781	ASSUMED	W4/781	28.78	28.78	0.00	0.00	R2/781	ASSUMED	W4/781	1.06	2.10	1.05	2.08	0.02	0.72

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
----------------	----------	---------------	---------------	--------------	---------------	-------

27 Kentish Town Road, Hawley Infant School

R1/750	ASSUMED	107.4	103.4	103.4	0.0	0.0
R2/750	ASSUMED_WI	142.7	133.1	133.1	0.0	0.0
R1/760	ASSUMED	308.9	307.1	307.1	0.0	0.0
R2/760	ASSUMED	291.7	287.9	287.9	0.0	0.0
R3/760	ASSUMED	291.8	290.7	290.7	0.0	0.0
R1/770	ASSUMED	178.9	130.7	123.9	6.8	5.2
R1/781	ASSUMED	237.3	184.7	169.3	15.4	8.3
R2/781	ASSUMED	230.4	178.6	161.3	17.3	9.7



			Window						Room					
			Existing		Proposed				Existing		Proposed			
Room	Window	Room Use	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
27 Kentish Town Road, Hawley Infant School														
R1/750	W1/750	ASSUMED	0	6	0	4	-	33.3						
R1/750	W2/750	ASSUMED	0	12	0	10	-	16.7						
R1/750	W4/750	ASSUMED	8	45	8	43	0.0	4.4	8	45	8	43	0.0	4.4
R2/750	W3/750	ASSUMED_WIN	0	21	0	19	-	9.5						
R2/750	W5/750	ASSUMED_WIN	0	29	0	27	-	6.9						
R2/750	W6/750	ASSUMED_WIN	11	49	11	48	0.0	2.0						
R2/750	W7/750	ASSUMED_WIN	0	1	0	1	-	0.0						
R2/750	W8/750	ASSUMED_WIN	0	1	0	1	-	0.0	11	50	11	49	0.0	2.0
R1/760	W1/760	ASSUMED	25	78	24	76	4.0	2.6						
R1/760	W2/760	ASSUMED	5	10	5	10	0.0	0.0						
R1/760	W3/760	ASSUMED	5	15	5	15	0.0	0.0						
R1/760	W4/760	ASSUMED	0	0	0	0	-	-						
R1/760	W5/760	ASSUMED	12	36	12	36	0.0	0.0	26	81	25	79	3.8	2.5
R2/760	W6/760	ASSUMED	8	30	8	27	0.0	10.0						
R2/760	W7/760	ASSUMED	8	40	8	36	0.0	10.0	8	40	8	36	0.0	10.0
R3/760	W8/760	ASSUMED	8	39	8	33	0.0	15.4						
R3/760	W9/760	ASSUMED	9	44	8	37	11.1	15.9						
R3/760	W10/760	ASSUMED	0	4	0	1	-	75.0						
R3/760	W11/760	ASSUMED	0	5	0	1	-	80.0	9	46	8	38	11.1	17.4
R1/770	W1/770	ASSUMED	1	11	0	9	100.0	18.2						
R1/770	W2/770	ASSUMED	12	37	12	37	0.0	0.0						
R1/770	W3/770	ASSUMED	3	5	2	4	33.3	20.0	15	50	14	48	6.7	4.0
R1/781	W1/781	ASSUMED	12	35	12	35	0.0	0.0						

Room	Window	Room Use	Window		Window		Winter %Loss	Annual %Loss	Room		Room		Winter %Loss	Annual %Loss
			Existing	Proposed	Existing	Proposed			Existing	Proposed	Existing	Proposed		
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R1/781	W2/781	ASSUMED	7	35	7	35	0.0	0.0	12	42	12	42	0.0	0.0
R2/781	W3/781	ASSUMED	10	39	10	39	0.0	0.0						
R2/781	W4/781	ASSUMED	10	41	10	41	0.0	0.0	12	43	12	43	0.0	0.0

Balconies Removed



Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
9-15 Camden Road, Barnes House							9-15 Camden Road, Barnes House								
R1/102	RECEPTION	W1/102	21.82	21.73	0.09	0.41	R1/102	RECEPTION	W1/102	1.35	1.35	1.36	1.36	-0.01	-0.59
R2/102	BEDROOM	W2/102	21.98	21.50	0.48	2.18	R2/102	BEDROOM	W2/102	0.82	0.82	0.82	0.82	0.00	0.37
R3/102	RECEPTION	W3/102	21.87	21.35	0.52	2.38	R3/102	RECEPTION	W3/102	0.64		0.64			
R3/102	RECEPTION	W4/102	21.82	21.30	0.52	2.38	R3/102	RECEPTION	W4/102	0.63	1.28	0.63	1.27	0.00	0.16
R5/102	BEDROOM	W5/102	21.92	21.45	0.47	2.14	R5/102	BEDROOM	W5/102	0.94	0.94	0.94	0.94	0.00	0.00
R6/102	KITCHEN	W10/102	25.53	19.77	5.76	22.56	R6/102	KITCHEN	W10/102	1.44	1.44	1.20	1.20	0.24	16.43
R8/102	BEDROOM	W6/102	22.19	21.78	0.41	1.85	R8/102	BEDROOM	W6/102	0.77	0.77	0.77	0.77	0.00	0.00
R9/102	KITCHEN	W13/102	28.87	23.32	5.55	19.22	R9/102	KITCHEN	W13/102	1.53	1.53	1.30	1.30	0.23	14.89
R10/102	RECEPTION	W7/102	22.54	22.20	0.34	1.51	R10/102	RECEPTION	W7/102	0.65		0.65			
R10/102	RECEPTION	W8/102	22.92	22.61	0.31	1.35	R10/102	RECEPTION	W8/102	0.66	1.31	0.66	1.31	0.00	0.00
R15/102	BEDROOM	W18/102	30.31	26.77	3.54	11.68	R15/102	BEDROOM	W18/102	1.48	1.48	1.34	1.34	0.13	8.94
R16/102	KITCHEN	W19/102	29.78	26.94	2.84	9.54	R16/102	KITCHEN	W19/102	1.54	1.54	1.43	1.43	0.11	7.20
R19/102	BEDROOM	W26/102	26.25	24.51	1.74	6.63	R19/102	BEDROOM	W26/102	1.09	1.09	1.04	1.04	0.05	4.61
R23/102	KITCHEN	W28/102	22.96	20.97	1.99	8.67	R23/102	KITCHEN	W28/102	1.27	1.27	1.19	1.19	0.08	6.55
R24/102	BEDROOM	W29/102	26.34	24.02	2.32	8.81	R24/102	BEDROOM	W29/102	1.29	1.29	1.21	1.21	0.09	6.65
R28/102	KITCHEN	W34/102	29.30	26.43	2.87	9.80	R28/102	KITCHEN	W34/102	1.60	1.60	1.48	1.48	0.12	7.75
R29/102	BEDROOM	W38/102	30.79	27.21	3.58	11.63	R29/102	BEDROOM	W38/102	1.51	1.51	1.38	1.38	0.14	8.92

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R32/102	KITCHEN	W35/102	26.63	23.65	2.98	11.19	R32/102	KITCHEN	W35/102	1.43	1.43	1.31	1.31	0.12	8.42
R33/102	BEDROOM	W39/102	21.33	14.38	6.95	32.58	R33/102	BEDROOM	W39/102	1.38	1.38	1.05	1.05	0.33	23.97
R1/103	RECEPTION	W1/103	25.62	25.04	0.58	2.26	R1/103	RECEPTION	W1/103	1.61	1.61	1.60	1.60	0.01	0.81
R2/103	BEDROOM	W2/103	25.69	25.01	0.68	2.65	R2/103	BEDROOM	W2/103	0.97	0.97	0.96	0.96	0.00	0.31
R3/103	RECEPTION	W3/103	25.58	24.93	0.65	2.54	R3/103	RECEPTION	W3/103	0.76		0.76			
R3/103	RECEPTION	W4/103	25.53	24.91	0.62	2.43	R3/103	RECEPTION	W4/103	0.76	1.52	0.76	1.52	0.00	0.13
R5/103	BEDROOM	W5/103	25.60	25.05	0.55	2.15	R5/103	BEDROOM	W5/103	1.12	1.12	1.12	1.12	0.00	0.09
R6/103	KITCHEN	W10/103	29.02	25.26	3.76	12.96	R6/103	KITCHEN	W10/103	1.59	1.59	1.44	1.44	0.15	9.46
R8/103	BEDROOM	W6/103	25.79	25.31	0.48	1.86	R8/103	BEDROOM	W6/103	0.91	0.91	0.91	0.91	0.00	0.00
R9/103	KITCHEN	W13/103	32.67	29.07	3.60	11.02	R9/103	KITCHEN	W13/103	1.66	1.66	1.51	1.51	0.15	9.00
R10/103	RECEPTION	W7/103	26.04	25.60	0.44	1.69	R10/103	RECEPTION	W7/103	0.77		0.77			
R10/103	RECEPTION	W8/103	26.37	25.96	0.41	1.55	R10/103	RECEPTION	W8/103	0.78	1.54	0.78	1.54	0.00	0.00
R15/103	BEDROOM	W18/103	33.36	31.30	2.06	6.18	R15/103	BEDROOM	W18/103	1.57	1.57	1.50	1.50	0.08	4.76
R16/103	KITCHEN	W19/103	32.80	31.17	1.63	4.97	R16/103	KITCHEN	W19/103	1.59	1.59	1.53	1.53	0.06	3.78
R19/103	BEDROOM	W26/103	29.52	28.40	1.12	3.79	R19/103	BEDROOM	W26/103	1.17	1.17	1.14	1.14	0.03	2.57
R23/103	KITCHEN	W28/103	26.18	24.63	1.55	5.92	R23/103	KITCHEN	W28/103	1.35	1.35	1.29	1.29	0.06	4.67
R24/103	BEDROOM	W29/103	29.73	27.89	1.84	6.19	R24/103	BEDROOM	W29/103	1.38	1.38	1.31	1.31	0.07	4.87

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R28/103	KITCHEN	W34/103	32.89	30.74	2.15	6.54	R28/103	KITCHEN	W34/103	1.67	1.67	1.58	1.58	0.09	5.57
R29/103	BEDROOM	W38/103	34.32	31.87	2.45	7.14	R29/103	BEDROOM	W38/103	1.69	1.69	1.59	1.59	0.10	5.98
R32/103	KITCHEN	W35/103	30.93	28.74	2.19	7.08	R32/103	KITCHEN	W35/103	1.52	1.52	1.44	1.44	0.09	5.72
R33/103	BEDROOM	W39/103	25.16	19.36	5.80	23.05	R33/103	BEDROOM	W39/103	1.65	1.65	1.38	1.38	0.28	16.75
R1/104	RECEPTION	W1/104	29.71	28.58	1.13	3.80	R1/104	RECEPTION	W1/104	1.61	1.61	1.58	1.58	0.03	1.86
R2/104	RECEPTION	W4/104	29.26	28.54	0.72	2.46	R2/104	RECEPTION	W4/104	0.76		0.76			
R2/104	RECEPTION	W5/104	29.31	28.65	0.66	2.25	R2/104	RECEPTION	W5/104	0.74	1.50	0.74	1.50	0.00	0.07
R3/104	KITCHEN	W7/104	33.04	28.65	4.39	13.29	R3/104	KITCHEN	W7/104	1.43	1.43	1.28	1.28	0.15	10.40
R4/104	RECEPTION	W6/104	29.42	28.83	0.59	2.01	R4/104	RECEPTION	W6/104	0.76		0.76			
R4/104	RECEPTION	W8/104	29.60	29.08	0.52	1.76	R4/104	RECEPTION	W8/104	0.76	1.52	0.76	1.52	0.00	0.00
R6/104	RECEPTION	W2/104	29.46	28.58	0.88	2.99	R6/104	RECEPTION	W2/104	0.76		0.76			
R6/104	RECEPTION	W3/104	29.31	28.51	0.80	2.73	R6/104	RECEPTION	W3/104	0.76	1.52	0.76	1.51	0.00	0.20
R11/104	KITCHEN	W16/104	36.33	34.49	1.84	5.06	R11/104	KITCHEN	W16/104	1.78	1.78	1.71	1.71	0.07	3.98
R12/104	KITCHEN	W17/104	36.40	34.99	1.41	3.87	R12/104	KITCHEN	W17/104	1.81	1.81	1.76	1.76	0.05	2.93
R19/104	KITCHEN	W24/104	35.51	34.75	0.76	2.14	R19/104	KITCHEN	W24/104	1.44	1.44	1.42	1.42	0.02	1.53
R23/104	KITCHEN	W32/104	32.81	32.29	0.52	1.58	R23/104	KITCHEN	W32/104	1.39	1.39	1.38	1.38	0.01	0.93
R27/104	BEDROOM	W35/104	30.60	29.41	1.19	3.89	R27/104	BEDROOM	W35/104	1.37	1.37	1.33	1.33	0.04	3.14
R28/104	KITCHEN	W36/104	33.12	31.66	1.46	4.41	R28/104	KITCHEN	W36/104	1.66	1.66	1.60	1.60	0.06	3.61

Grand Union House, Camden
Existing vs Proposed (151118)

Site Name
DAYLIGHT ANALYSIS
BALCONIES REMOVED

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R31/104	ASSUMED	W40/104	35.30	33.71	1.59	4.50	R31/104	ASSUMED	W40/104	1.69	1.69	1.63	1.63	0.07	3.90
R32/104	ASSUMED	W41/104	35.96	34.36	1.60	4.45	R32/104	ASSUMED	W41/104	1.70	1.70	1.63	1.63	0.07	4.06
R33/104	ASSUMED	W42/104	36.34	34.74	1.60	4.40	R33/104	ASSUMED	W42/104	1.71	1.71	1.64	1.64	0.07	3.92
R37/104	KITCHEN	W49/104	36.79	35.48	1.31	3.56	R37/104	KITCHEN	W49/104	1.90	1.90	1.84	1.84	0.06	3.31
R1/105	BEDROOM	W1/105	33.75	32.51	1.24	3.67	R1/105	BEDROOM	W1/105	0.86	0.86	0.86	0.86	0.00	0.00
R2/105	BEDROOM	W4/105	33.23	32.43	0.80	2.41	R2/105	BEDROOM	W4/105	0.78	0.78	0.78	0.78	0.00	0.00
R3/105	BEDROOM	W7/105	38.50	37.49	1.01	2.62	R3/105	BEDROOM	W7/105	0.96	0.96	0.95	0.95	0.02	1.87
R4/105	BEDROOM	W5/105	33.13	32.53	0.60	1.81	R4/105	BEDROOM	W5/105	0.67		0.67			
R4/105	BEDROOM	W6/105	30.16	30.10	0.06	0.20	R4/105	BEDROOM	W6/105	0.15	0.83	0.15	0.83	0.00	0.00
R5/105	BEDROOM	W10/105	38.38	37.74	0.64	1.67	R5/105	BEDROOM	W10/105	0.81		0.80			
R5/105	BEDROOM	W12/105	38.32	37.99	0.33	0.86	R5/105	BEDROOM	W12/105	0.81	1.62	0.80	1.60	0.01	0.87
R6/105	BEDROOM	W8/105	33.34	32.86	0.48	1.44	R6/105	BEDROOM	W8/105	0.61		0.61			
R6/105	BEDROOM	W9/105	31.46	31.33	0.13	0.41	R6/105	BEDROOM	W9/105	0.14	0.75	0.14	0.75	0.00	0.00
R7/105	BEDROOM	W15/105	38.04	37.83	0.21	0.55	R7/105	BEDROOM	W15/105	0.88	0.88	0.87	0.87	0.00	0.11
R8/105	BEDROOM	W16/105	37.63	37.49	0.14	0.37	R8/105	BEDROOM	W16/105	0.85	0.85	0.85	0.85	0.00	0.00
R9/105	BEDROOM	W13/105	33.99	33.63	0.36	1.06	R9/105	BEDROOM	W13/105	0.61	0.61	0.61	0.61	0.00	0.00
R10/105	BEDROOM	W18/105	36.76	36.66	0.10	0.27	R10/105	BEDROOM	W18/105	0.79	0.79	0.79	0.79	0.00	0.00
R11/105	BEDROOM	W19/105	33.09	33.03	0.06	0.18	R11/105	BEDROOM	W19/105	0.73	0.73	0.73	0.73	0.00	0.14

Site Name
DAYLIGHT ANALYSIS
BALCONIES REMOVED

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R12/105	BEDROOM	W21/105	35.66	34.91	0.75	2.10	R12/105	BEDROOM	W21/105	1.14	1.14	1.11	1.11	0.02	2.11
R13/105	BEDROOM	W22/105	37.18	36.40	0.78	2.10	R13/105	BEDROOM	W22/105	0.90	0.90	0.88	0.88	0.02	2.12
R14/105	BEDROOM	W24/105	38.01	37.33	0.68	1.79	R14/105	BEDROOM	W24/105	1.26	1.26	1.23	1.23	0.02	1.91
R15/105	BEDROOM	W25/105	38.16	37.52	0.64	1.68	R15/105	BEDROOM	W25/105	1.14	1.14	1.12	1.12	0.02	1.76
R21/105	BEDROOM	W20/105	34.01	33.30	0.71	2.09	R21/105	BEDROOM	W20/105	1.08	1.08	1.05	1.05	0.02	2.04
R22/105	BEDROOM	W23/105	37.79	37.07	0.72	1.91	R22/105	BEDROOM	W23/105	1.26	1.26	1.23	1.23	0.03	1.99

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
9-15 Camden Road, Barnes House						
R1/102	RECEPTION	155.8	79.9	79.6	0.2	0.3
R2/102	BEDROOM	109.5	49.9	49.9	0.0	0.0
R3/102	RECEPTION	157.9	89.9	89.9	0.0	0.0
R5/102	BEDROOM	80.8	38.2	38.2	0.0	0.0
R6/102	KITCHEN	65.1	62.9	62.9	0.0	0.0
R8/102	BEDROOM	114.3	48.9	48.9	0.0	0.0
R9/102	KITCHEN	71.3	67.9	67.8	0.0	0.0
R10/102	RECEPTION	157.9	107.2	107.2	0.0	0.0
R15/102	BEDROOM	78.3	75.9	75.9	0.0	0.0
R16/102	KITCHEN	72.4	69.6	69.6	0.0	0.0
R19/102	BEDROOM	104.7	87.8	87.8	0.0	0.0
R23/102	KITCHEN	71.5	67.5	67.5	0.0	0.0
R24/102	BEDROOM	82.5	76.6	76.6	0.0	0.0
R28/102	KITCHEN	66.9	64.0	64.0	0.0	0.0
R29/102	BEDROOM	141.5	129.9	128.2	1.7	1.3
R32/102	KITCHEN	74.4	70.3	70.3	0.0	0.0
R33/102	BEDROOM	101.6	97.8	78.1	19.7	20.1
R1/103	RECEPTION	155.8	104.1	104.1	0.0	0.0
R2/103	BEDROOM	109.5	74.9	74.9	0.0	0.0
R3/103	RECEPTION	157.9	114.3	114.3	0.0	0.0
R5/103	BEDROOM	80.8	57.0	57.0	0.0	0.0
R6/103	KITCHEN	65.1	63.4	63.4	0.0	0.0
R8/103	BEDROOM	114.3	72.4	72.4	0.0	0.0
R9/103	KITCHEN	71.3	68.6	68.6	0.0	0.0
R10/103	RECEPTION	157.9	127.9	127.9	0.0	0.0
R15/103	BEDROOM	78.3	75.9	75.9	0.0	0.0
R16/103	KITCHEN	72.4	69.5	69.5	0.0	0.0
R19/103	BEDROOM	104.8	95.4	95.4	0.0	0.0
R23/103	KITCHEN	71.5	68.4	68.4	0.0	0.0
R24/103	BEDROOM	82.5	78.0	78.0	0.0	0.0
R28/103	KITCHEN	66.9	64.7	64.7	0.0	0.0
R29/103	BEDROOM	141.5	131.6	131.6	0.0	0.0
R32/103	KITCHEN	74.4	70.6	70.6	0.0	0.0
R33/103	BEDROOM	101.6	97.8	94.4	3.4	3.5
R1/104	RECEPTION	192.9	175.9	174.9	1.0	0.6
R2/104	RECEPTION	179.6	161.9	161.9	0.0	0.0
R3/104	KITCHEN	83.0	81.5	81.5	0.0	0.0
R4/104	RECEPTION	179.7	166.2	166.2	0.0	0.0
R6/104	RECEPTION	180.7	163.7	163.7	0.0	0.0
R11/104	KITCHEN	68.4	65.8	65.8	0.0	0.0
R12/104	KITCHEN	69.0	67.3	67.3	0.0	0.0
R19/104	KITCHEN	93.3	89.1	89.1	0.0	0.0
R23/104	KITCHEN	92.0	86.4	86.4	0.0	0.0
R27/104	BEDROOM	85.2	81.1	81.1	0.0	0.0
R28/104	KITCHEN	72.0	70.1	70.1	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R31/104	ASSUMED	70.5	69.4	69.4	0.0	0.0
R32/104	ASSUMED	70.9	69.9	69.9	0.0	0.0
R33/104	ASSUMED	79.2	77.6	77.6	0.0	0.0
R37/104	KITCHEN	64.6	62.9	62.9	0.0	0.0
R1/105	BEDROOM	92.0	86.9	86.9	0.0	0.0
R2/105	BEDROOM	96.0	87.9	87.9	0.0	0.0
R3/105	BEDROOM	101.1	92.6	92.6	0.0	0.0
R4/105	BEDROOM	114.3	100.9	100.9	0.0	0.0
R5/105	BEDROOM	126.3	123.0	123.0	0.0	0.0
R6/105	BEDROOM	132.6	113.4	113.4	0.0	0.0
R7/105	BEDROOM	111.9	98.3	98.3	0.0	0.0
R8/105	BEDROOM	117.4	103.0	103.0	0.0	0.0
R9/105	BEDROOM	99.5	80.6	80.6	0.0	0.0
R10/105	BEDROOM	122.3	104.7	104.7	0.0	0.0
R11/105	BEDROOM	122.7	102.5	102.5	0.0	0.0
R12/105	BEDROOM	84.4	78.0	78.0	0.0	0.0
R13/105	BEDROOM	115.0	104.7	104.7	0.0	0.0
R14/105	BEDROOM	70.4	67.7	67.7	0.0	0.0
R15/105	BEDROOM	82.8	77.6	77.6	0.0	0.0
R21/105	BEDROOM	84.6	80.3	80.3	0.0	0.0
R22/105	BEDROOM	73.2	69.1	69.1	0.0	0.0

			Window						Room					
			Existing		Proposed				Existing		Proposed			
Room	Window	Room Use	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
9-15 Camden Road, Barnes House														
R6/102	W10/102	KITCHEN	19	53	14	45	26.3	15.1	19	53	14	45	26.3	15.1
R9/102	W13/102	KITCHEN	17	54	13	46	23.5	14.8	17	54	13	46	23.5	14.8
R15/102	W18/102	BEDROOM	11	51	10	46	9.1	9.8	11	51	10	46	9.1	9.8
R16/102	W19/102	KITCHEN	10	50	9	45	10.0	10.0	10	50	9	45	10.0	10.0
R19/102	W26/102	BEDROOM	6	38	6	36	0.0	5.3	6	38	6	36	0.0	5.3
R33/102	W39/102	BEDROOM	18	47	13	37	27.8	21.3	18	47	13	37	27.8	21.3
R6/103	W10/103	KITCHEN	20	58	17	50	15.0	13.8	20	58	17	50	15.0	13.8
R9/103	W13/103	KITCHEN	20	58	17	54	15.0	6.9	20	58	17	54	15.0	6.9
R15/103	W18/103	BEDROOM	16	58	13	53	18.8	8.6	16	58	13	53	18.8	8.6
R16/103	W19/103	KITCHEN	14	56	13	53	7.1	5.4	14	56	13	53	7.1	5.4
R19/103	W26/103	BEDROOM	6	42	6	41	0.0	2.4	6	42	6	41	0.0	2.4
R33/103	W39/103	BEDROOM	20	51	16	41	20.0	19.6	20	51	16	41	20.0	19.6

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R3/104	W7/104	KITCHEN	22	60	21	57	4.5	5.0	22	60	21	57	4.5	5.0
R11/104	W16/104	KITCHEN	23	66	22	62	4.3	6.1	23	66	22	62	4.3	6.1
R12/104	W17/104	KITCHEN	24	68	23	62	4.2	8.8	24	68	23	62	4.2	8.8
R19/104	W24/104	KITCHEN	19	63	19	62	0.0	1.6	19	63	19	62	0.0	1.6
R23/104	W32/104	KITCHEN	11	52	11	51	0.0	1.9	11	52	11	51	0.0	1.9
R3/105	W7/105	BEDROOM	25	69	24	68	4.0	1.4	25	69	24	68	4.0	1.4
R5/105	W10/105	BEDROOM	25	69	25	69	0.0	0.0	25	69	25	69	0.0	0.0
R5/105	W12/105	BEDROOM	25	69	25	69	0.0	0.0	25	69	25	69	0.0	0.0
R7/105	W15/105	BEDROOM	25	69	25	69	0.0	0.0	25	69	25	69	0.0	0.0
R8/105	W16/105	BEDROOM	24	68	24	68	0.0	0.0	24	68	24	68	0.0	0.0
R10/105	W18/105	BEDROOM	21	65	21	65	0.0	0.0	21	65	21	65	0.0	0.0
R11/105	W19/105	BEDROOM	12	55	12	55	0.0	0.0	12	55	12	55	0.0	0.0

Balconies Removed 29 Kentish Town Road



Room	Room Use	Window	EXISTING VSC	PROPOSED LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF	
Daysun House, Hawley Crescent And 29 Kentish Town Road						Daysun House, Hawley Crescent And 29 Kentish Town Road									
R1/731	STUDIO	W1/731	29.25	19.80	9.45	32.31	R1/731	STUDIO	W1/731	3.39	3.39	2.54	2.54	0.85	25.09
R2/731	STUDIO	W2/731	29.16	19.76	9.40	32.24	R2/731	STUDIO	W2/731	2.25	2.25	1.69	1.69	0.56	25.03
R1/732	STUDIO	W1/732	33.55	22.64	10.91	32.52	R1/732	STUDIO	W1/732	4.74	4.74	3.50	3.50	1.24	26.25
R2/732	STUDIO	W2/732	33.52	22.63	10.89	32.49	R2/732	STUDIO	W2/732	2.52	2.52	1.86	1.86	0.66	26.16
R1/733	STUDIO	W1/733	37.50	25.79	11.71	31.23	R1/733	STUDIO	W1/733	4.15	4.15	3.06	3.06	1.09	26.25
R2/733	STUDIO	W2/733	32.27	22.32	9.95	30.83	R2/733	STUDIO	W2/733	2.59	2.59	1.95	1.95	0.64	24.71
R1/734	STUDIO	W1/734	39.19	30.51	8.68	22.15	R1/734	STUDIO	W1/734	1.78		1.43			
R1/734	STUDIO	W2/734	39.17	30.52	8.65	22.08	R1/734	STUDIO	W2/734	1.79		1.44			
R1/734	STUDIO	W3/734	39.03	30.44	8.59	22.01	R1/734	STUDIO	W3/734	1.78	5.35	1.43	4.29	1.06	19.78

Room	Window	Room Use	Window		Room		Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual %Loss
			Existing	Proposed	Existing	Proposed								
			Winter APSH	Annual APSH	Winter APSH	Annual APSH								
Daysun House, Hawley Crescent And 29 Kentish Town Road														
R1/731	W1/731	STUDIO	12	42	7	27	41.7	35.7	12	42	7	27	41.7	35.7
R2/731	W2/731	STUDIO	12	42	7	28	41.7	33.3	12	42	7	28	41.7	33.3
R1/732	W1/732	STUDIO	13	48	7	31	46.2	35.4	13	48	7	31	46.2	35.4
R2/732	W2/732	STUDIO	13	48	7	30	46.2	37.5	13	48	7	30	46.2	37.5
R1/733	W1/733	STUDIO	15	52	10	38	33.3	26.9	15	52	10	38	33.3	26.9
R2/733	W2/733	STUDIO	5	35	1	23	80.0	34.3	5	35	1	23	80.0	34.3
R1/734	W1/734	STUDIO	15	52	12	44	20.0	15.4						
R1/734	W2/734	STUDIO	15	52	12	42	20.0	19.2						
R1/734	W3/734	STUDIO	15	52	12	43	20.0	17.3	15	52	12	44	20.0	15.4

Balconies Removed 31 Kentish Town Road



Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
31 Kentish Town Road							31 Kentish Town Road								
R1/31	LKD	W1/31	13.58	8.45	5.13	37.78	R1/31	LKD	W1/31	0.24		0.19			
R1/31	LKD	W2/31	10.38	10.38	0.00	0.00	R1/31	LKD	W2/31	0.12		0.12			
R1/31	LKD	W3/31	27.40	18.35	9.05	33.03	R1/31	LKD	W3/31	1.25		0.95			
R1/31	LKD	W28/31	11.94	8.69	3.25	27.22	R1/31	LKD	W28/31	0.85	2.46	0.72	1.98	0.48	19.50
R2/31	BEDROOM	W4/31	19.53	11.89	7.64	39.12	R2/31	BEDROOM	W4/31	0.75		0.56			
R2/31	BEDROOM	W5/31	16.54	10.16	6.38	38.57	R2/31	BEDROOM	W5/31	0.83	1.58	0.63	1.18	0.40	25.08
R3/31	LKD	W6/31	19.86	15.75	4.11	20.69	R3/31	LKD	W6/31	1.42		1.23			
R3/31	LKD	W7/31	28.40	19.72	8.68	30.56	R3/31	LKD	W7/31	3.55	4.96	2.78	4.01	0.96	19.29
R4/31	BEDROOM	W8/31	15.09	9.39	5.70	37.77	R4/31	BEDROOM	W8/31	0.79		0.60			
R4/31	BEDROOM	W9/31	14.57	8.69	5.88	40.36	R4/31	BEDROOM	W9/31	0.96	1.74	0.71	1.32	0.42	24.30
R5/31	LKD	W10/31	17.38	12.77	4.61	26.52	R5/31	LKD	W10/31	1.54		1.29			
R5/31	LKD	W11/31	30.02	22.51	7.51	25.02	R5/31	LKD	W11/31	3.99	5.53	3.25	4.53	1.00	18.06
R6/31	LKD	W12/31	8.54	5.20	3.34	39.11	R6/31	LKD	W12/31	0.14		0.11			
R6/31	LKD	W13/31	12.09	7.91	4.18	34.57	R6/31	LKD	W13/31	0.27		0.21			
R6/31	LKD	W14/31	30.31	23.85	6.46	21.31	R6/31	LKD	W14/31	1.63	2.04	1.37	1.69	0.35	17.17
R1/32	LKD	W1/32	16.72	10.80	5.92	35.41	R1/32	LKD	W1/32	0.28		0.22			
R1/32	LKD	W2/32	10.01	10.01	0.00	0.00	R1/32	LKD	W2/32	0.16		0.16			
R1/32	LKD	W3/32	31.81	21.33	10.48	32.95	R1/32	LKD	W3/32	1.40		1.05			
R1/32	LKD	W28/32	15.86	12.24	3.62	22.82	R1/32	LKD	W28/32	1.01	2.83	0.87	2.29	0.54	19.17
R2/32	BEDROOM	W4/32	23.33	14.45	8.88	38.06	R2/32	BEDROOM	W4/32	0.84		0.63			
R2/32	BEDROOM	W5/32	19.59	12.15	7.44	37.98	R2/32	BEDROOM	W5/32	0.92	1.76	0.69	1.32	0.44	25.21
R3/32	LKD	W6/32	22.18	17.55	4.63	20.87	R3/32	LKD	W6/32	1.52		1.32			
R3/32	LKD	W7/32	32.84	22.63	10.21	31.09	R3/32	LKD	W7/32	3.97	5.50	3.03	4.35	1.15	20.91

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R4/32	BEDROOM	W8/32	18.12	11.55	6.57	36.26	R4/32	BEDROOM	W8/32	0.88		0.68			
R4/32	BEDROOM	W9/32	17.49	10.63	6.86	39.22	R4/32	BEDROOM	W9/32	1.06	1.94	0.80	1.48	0.47	23.97
R5/32	LKD	W10/32	19.86	14.62	5.24	26.38	R5/32	LKD	W10/32	1.68		1.40			
R5/32	LKD	W11/32	34.03	25.23	8.80	25.86	R5/32	LKD	W11/32	4.42	6.10	3.51	4.91	1.19	19.53
R6/32	LKD	W12/32	10.00	6.27	3.73	37.30	R6/32	LKD	W12/32	0.15		0.12			
R6/32	LKD	W13/32	13.90	9.10	4.80	34.53	R6/32	LKD	W13/32	0.29		0.23			
R6/32	LKD	W14/32	33.45	26.06	7.39	22.09	R6/32	LKD	W14/32	1.76	2.20	1.45	1.80	0.40	18.36
R1/33	LKD	W1/33	20.92	14.12	6.80	32.50	R1/33	LKD	W1/33	0.32		0.25			
R1/33	LKD	W2/33	22.57	18.69	3.88	17.19	R1/33	LKD	W2/33	1.23		1.09			
R1/33	LKD	W3/33	36.54	25.25	11.29	30.90	R1/33	LKD	W3/33	1.59	3.13	1.19	2.53	0.61	19.33
R2/33	BEDROOM	W4/33	29.21	19.57	9.64	33.00	R2/33	BEDROOM	W4/33	1.04		0.80			
R2/33	BEDROOM	W5/33	24.15	16.07	8.08	33.46	R2/33	BEDROOM	W5/33	1.11	2.15	0.87	1.67	0.48	22.43
R3/33	BEDROOM	W6/33	37.18	25.89	11.29	30.37	R3/33	BEDROOM	W6/33	7.31		5.46			
R3/33	BEDROOM	W12/33	26.85	21.98	4.87	18.14	R3/33	BEDROOM	W12/33	5.53	12.84	4.84	10.30	2.54	19.76
R4/33	BEDROOM	W15/33	36.84	26.14	10.70	29.04	R4/33	BEDROOM	W15/33	6.77	6.77	5.12	5.12	1.64	24.29
R5/33	BEDROOM	W7/33	23.69	16.73	6.96	29.38	R5/33	BEDROOM	W7/33	1.08		0.88			
R5/33	BEDROOM	W8/33	22.15	14.70	7.45	33.63	R5/33	BEDROOM	W8/33	1.27	2.34	1.00	1.87	0.47	20.02
R6/33	LKD	W9/33	37.59	28.19	9.40	25.01	R6/33	LKD	W9/33	4.87		3.82			
R6/33	LKD	W13/33	24.32	18.78	5.54	22.78	R6/33	LKD	W13/33	1.95	6.81	1.65	5.47	1.34	19.69
R7/33	LKD	W10/33	11.56	7.88	3.68	31.83	R7/33	LKD	W10/33	0.17		0.14			
R7/33	LKD	W11/33	37.58	29.93	7.65	20.36	R7/33	LKD	W11/33	1.98		1.63			
R7/33	LKD	W14/33	15.97	10.83	5.14	32.19	R7/33	LKD	W14/33	0.32	2.47	0.26	2.02	0.44	18.01

Site Name
DAYLIGHT ANALYSIS
BALCONIES REMOVED

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/34	LKD	W1/34	8.15	8.06	0.09	1.10	R1/34	LKD	W1/34	0.92		0.91			
R1/34	LKD	W2/34	8.85	8.62	0.23	2.60	R1/34	LKD	W2/34	1.12		1.10			
R1/34	LKD	W3/34	12.39	10.91	1.48	11.95	R1/34	LKD	W3/34	1.78		1.67			
R1/34	LKD	W4/34	33.72	24.95	8.77	26.01	R1/34	LKD	W4/34	2.70		2.14			
R1/34	LKD	W5/34	28.18	28.18	0.00	0.00	R1/34	LKD	W5/34	1.50	8.02	1.50	7.32	0.70	8.67
R2/34	LD	W6/34	23.31	19.54	3.77	16.17	R2/34	LD	W6/34	1.37		1.22			
R2/34	LD	W7/34	37.52	29.05	8.47	22.57	R2/34	LD	W7/34	4.31	5.68	3.48	4.71	0.97	17.15
R3/34	LKD	W8/34	22.12	17.69	4.43	20.03	R3/34	LKD	W8/34	0.70		0.62			
R3/34	LKD	W9/34	37.97	31.18	6.79	17.88	R3/34	LKD	W9/34	4.16		3.52			
R3/34	LKD	W10/34	38.11	32.09	6.02	15.80	R3/34	LKD	W10/34	1.68		1.45			
R3/34	LKD	W11/34	38.20	32.89	5.31	13.90	R3/34	LKD	W11/34	2.35	8.90	2.05	7.64	1.26	14.19

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
----------------	----------	---------------	---------------	--------------	---------------	-------

31 Kentish Town Road

R1/31	LKD	407.4	262.7	163.5	99.1	37.7
R2/31	BEDROOM	169.4	155.2	71.6	83.6	53.9
R3/31	LKD	258.2	174.3	121.2	53.1	30.5
R4/31	BEDROOM	133.4	128.4	67.2	61.1	47.6
R5/31	LKD	258.7	221.9	165.3	56.6	25.5
R6/31	LKD	368.6	234.3	149.5	84.8	36.2
R1/32	LKD	407.4	395.5	195.2	200.4	50.7
R2/32	BEDROOM	169.4	167.1	87.9	79.3	47.5
R3/32	LKD	258.2	258.2	131.5	126.8	49.1
R4/32	BEDROOM	133.4	128.6	84.7	43.9	34.1
R5/32	LKD	258.7	258.7	171.6	87.0	33.6
R6/32	LKD	368.6	303.4	162.3	141.1	46.5
R1/33	LKD	407.4	406.1	181.8	224.3	55.2
R2/33	BEDROOM	155.6	146.8	93.7	53.1	36.2
R3/33	BEDROOM	58.6	58.6	58.6	0.0	0.0
R4/33	BEDROOM	50.7	50.7	50.7	0.0	0.0
R5/33	BEDROOM	133.4	132.3	114.0	18.3	13.8
R6/33	LKD	258.7	258.7	198.3	60.4	23.3
R7/33	LKD	368.6	368.0	191.3	176.7	48.0
R1/34	LKD	381.8	381.8	381.8	0.0	0.0
R2/34	LD	382.6	380.7	375.5	5.2	1.4
R3/34	LKD	399.9	398.6	398.6	0.0	0.0

			Window						Room					
			Existing		Proposed				Existing		Proposed			
Room	Window	Room Use	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
31 Kentish Town Road														
R1/31	W1/31	LKD	2	21	0	10	100.0	52.4						
R1/31	W2/31	LKD	0	2	0	2	-	0.0						
R1/31	W3/31	LKD	12	40	7	26	41.7	35.0						
R1/31	W28/31	LKD	7	32	2	19	71.4	40.6	12	42	7	28	41.7	33.3
R3/31	W6/31	LKD	13	43	8	29	38.5	32.6						
R3/31	W7/31	LKD	11	39	6	24	45.5	38.5	13	43	8	29	38.5	32.6
R5/31	W10/31	LKD	11	39	6	24	45.5	38.5						
R5/31	W11/31	LKD	9	37	4	22	55.6	40.5	11	40	6	25	45.5	37.5
R6/31	W12/31	LKD	0	4	0	0	-	100.0						
R6/31	W13/31	LKD	6	30	2	16	66.7	46.7						
R6/31	W14/31	LKD	8	37	3	20	62.5	45.9	8	37	3	20	62.5	45.9
R1/32	W1/32	LKD	3	28	0	18	100.0	35.7						
R1/32	W2/32	LKD	0	3	0	3	-	0.0						
R1/32	W3/32	LKD	13	46	7	29	46.2	37.0						
R1/32	W28/32	LKD	8	41	2	29	75.0	29.3	13	52	7	37	46.2	28.8
R3/32	W6/32	LKD	14	48	8	32	42.9	33.3						
R3/32	W7/32	LKD	12	45	6	27	50.0	40.0	14	51	8	33	42.9	35.3

Site Name
SUNLIGHT ANALYSIS
BALCONIES REMOVED

Room	Window	Room Use	Window						Room					
			Existing		Proposed		Winter %Loss	Annual %Loss	Existing		Proposed		Winter %Loss	Annual %Loss
			Winter APSH	Annual APSH	Winter APSH	Annual APSH			Winter APSH	Annual APSH	Winter APSH	Annual APSH		
R5/32	W10/32	LKD	12	43	6	28	50.0	34.9						
R5/32	W11/32	LKD	10	43	4	23	60.0	46.5	12	46	6	29	50.0	37.0
R6/32	W12/32	LKD	0	7	0	0	-	100.0						
R6/32	W13/32	LKD	7	34	2	20	71.4	41.2						
R6/32	W14/32	LKD	9	41	3	24	66.7	41.5	9	41	3	25	66.7	39.0
R1/33	W1/33	LKD	8	33	4	25	50.0	24.2						
R1/33	W2/33	LKD	16	53	11	45	31.3	15.1						
R1/33	W3/33	LKD	15	50	10	35	33.3	30.0	16	58	12	46	25.0	20.7
R3/33	W6/33	BEDROOM	14	49	7	32	50.0	34.7						
R3/33	W12/33	BEDROOM	18	56	12	47	33.3	16.1	18	61	12	47	33.3	23.0
R6/33	W9/33	LKD	12	46	5	31	58.3	32.6						
R6/33	W13/33	LKD	14	53	8	40	42.9	24.5	14	56	8	43	42.9	23.2
R7/33	W10/33	LKD	0	8	0	1	-	87.5						
R7/33	W11/33	LKD	11	44	6	31	45.5	29.5						
R7/33	W14/33	LKD	9	37	4	26	55.6	29.7	11	44	6	31	45.5	29.5
R1/34	W1/34	LKD	0	30	0	29	-	3.3						
R1/34	W2/34	LKD	0	30	0	29	-	3.3						
R1/34	W3/34	LKD	5	42	2	37	60.0	11.9						
R1/34	W4/34	LKD	15	44	12	35	20.0	20.5						

Room	Window	Room Use	Window		Room		Winter APSH	Annual %Loss	Winter APSH	Annual %Loss	Winter APSH	Annual %Loss	Winter APSH	Annual %Loss
			Existing	Proposed	Existing	Proposed								
Room	Window	Room Use	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH	Winter APSH	Annual APSH	Winter %Loss	Annual %Loss
R1/34	W5/34	LKD	2	31	2	31	0.0	0.0	17	81	14	72	17.6	11.1
R2/34	W6/34	LD	16	50	13	45	18.8	10.0						
R2/34	W7/34	LD	13	44	10	34	23.1	22.7	16	57	13	47	18.8	17.5
R3/34	W8/34	LKD	14	40	11	35	21.4	12.5						
R3/34	W9/34	LKD	12	42	9	36	25.0	14.3						
R3/34	W10/34	LKD	11	41	8	36	27.3	12.2						
R3/34	W11/34	LKD	10	40	7	33	30.0	17.5	14	49	11	44	21.4	10.2

Cumulative Mango Consent



Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
11 Kentish Town Road							11 Kentish Town Road								
R1/161		W1/161	27.08	26.75	0.33	1.22	R1/161		W1/161	1.33	1.33	1.33	1.33	0.00	0.15
R2/161		W2/161	27.30	26.90	0.40	1.47	R2/161		W2/161	1.30	1.30	1.30	1.30	0.01	0.38
R1/162		W1/162	31.14	30.87	0.27	0.87	R1/162		W1/162	1.18	1.18	1.18	1.18	0.00	0.08
R2/162		W2/162	31.31	30.99	0.32	1.02	R2/162		W2/162	1.17	1.17	1.17	1.17	0.00	0.09
R1/163		W1/163	35.35	35.07	0.28	0.79	R1/163		W1/163	0.73		0.73			
R1/163		W2/163	35.42	35.20	0.22	0.62	R1/163		W2/163	0.72	1.45	0.72	1.44	0.01	0.48
13 Kentish Town Road							13 Kentish Town Road								
R3/161		W3/161	27.40	26.91	0.49	1.79	R3/161		W3/161	0.88		0.88			
R3/161		W4/161	27.47	26.86	0.61	2.22	R3/161		W4/161	0.87	1.76	0.87	1.74	0.01	0.80
R4/161		W5/161	27.60	26.83	0.77	2.79	R4/161		W5/161	1.36	1.36	1.34	1.34	0.02	1.47
R3/162		W3/162	31.35	30.97	0.38	1.21	R3/162		W3/162	0.83		0.83			
R3/162		W4/162	31.42	30.98	0.44	1.40	R3/162		W4/162	0.76	1.59	0.76	1.59	0.00	0.19
R4/162		W5/162	31.50	30.96	0.54	1.71	R4/162		W5/162	1.22	1.22	1.21	1.21	0.01	0.49
R2/163		W3/163	33.50	33.19	0.31	0.93	R2/163		W3/163	0.41		0.41			
R2/163		W4/163	35.94	35.59	0.35	0.97	R2/163		W4/163	0.45		0.44			
R2/163		W5/163	35.42	35.11	0.31	0.88	R2/163		W5/163	0.44	1.30	0.44	1.29	0.01	0.69
15 Kentish Town Road							15 Kentish Town Road								
R5/161		W6/161	27.81	26.75	1.06	3.81	R5/161		W6/161	1.36	1.36	1.33	1.33	0.03	2.20

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R6/161		W7/161	28.04	26.66	1.38	4.92	R6/161		W7/161	1.31	1.31	1.27	1.27	0.04	2.97
R5/162		W6/162	31.59	30.88	0.71	2.25	R5/162		W6/162	1.22	1.22	1.21	1.21	0.01	0.82
R6/162		W7/162	31.72	30.81	0.91	2.87	R6/162		W7/162	1.21	1.21	1.19	1.19	0.02	1.40
R3/163		W6/163	35.03	34.58	0.45	1.28	R3/163		W6/163	0.64		0.64			
R3/163		W7/163	36.00	35.51	0.49	1.36	R3/163		W7/163	0.71	1.35	0.70	1.33	0.02	1.11
17 Kentish Town Road							17 Kentish Town Road								
R7/161		W8/161	28.41	26.48	1.93	6.79	R7/161		W8/161	1.37	1.37	1.31	1.31	0.06	4.59
R8/161		W9/161	28.81	26.25	2.56	8.89	R8/161		W9/161	1.39	1.39	1.31	1.31	0.08	6.03
R7/162		W8/162	31.92	30.68	1.24	3.88	R7/162		W8/162	1.22	1.22	1.19	1.19	0.03	2.14
R8/162		W9/162	32.13	30.50	1.63	5.07	R8/162		W9/162	1.22	1.22	1.19	1.19	0.04	3.02
R4/163		W8/163	35.97	35.38	0.59	1.64	R4/163		W8/163	0.65		0.64			
R4/163		W9/163	35.32	34.74	0.58	1.64	R4/163		W9/163	0.64	1.29	0.63	1.27	0.02	1.40
19 Kentish Town Road							19 Kentish Town Road								
R1/500		W1/500	24.59	20.43	4.16	16.92	R1/500		W1/500	1.25		1.11			
R1/500		W2/500	22.82	18.90	3.92	17.18	R1/500		W2/500	0.30	1.55	0.26	1.36	0.19	12.06
R2/500		W3/500	24.66	20.27	4.39	17.80	R2/500		W3/500	1.19		1.04			
R2/500		W4/500	24.59	19.85	4.74	19.28	R2/500		W4/500	1.88		1.63			
R2/500		W5/500	24.67	19.60	5.07	20.55	R2/500		W5/500	1.20	4.26	1.03	3.71	0.56	13.11
R1/501		W1/501	29.18	25.94	3.24	11.10	R1/501		W1/501	0.97		0.89			
R1/501		W2/501	29.46	25.67	3.79	12.86	R1/501		W2/501	0.97	1.94	0.88	1.78	0.17	8.51

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/502		W1/502	32.00	29.92	2.08	6.50	R1/502		W1/502	0.89		0.85			
R1/502		W2/502	32.26	29.77	2.49	7.72	R1/502		W2/502	0.89	1.78	0.85	1.70	0.09	4.82
R1/503		W1/503	35.26	34.42	0.84	2.38	R1/503		W1/503	0.40		0.39			
R1/503		W2/503	35.88	34.89	0.99	2.76	R1/503		W2/503	0.40	0.80	0.39	0.78	0.02	2.13
United Reformed Church							United Reformed Church								
R1/540		W1/540	25.03	20.10	4.93	19.70	R1/540		W1/540	0.23		0.20			
R1/540		W2/540	26.64	21.51	5.13	19.26	R1/540		W2/540	0.14		0.12			
R1/540		W3/540	25.02	20.05	4.97	19.86	R1/540		W3/540	0.23		0.20			
R1/540		W4/540	26.63	21.44	5.19	19.49	R1/540		W4/540	0.14		0.12			
R1/540		W5/540	24.98	19.96	5.02	20.10	R1/540		W5/540	0.23		0.20			
R1/540		W6/540	26.59	21.34	5.25	19.74	R1/540		W6/540	0.14	1.11	0.12	0.93	0.17	15.63
R2/540		W7/540	24.85	19.73	5.12	20.60	R2/540		W7/540	0.22		0.19			
R2/540		W8/540	26.49	21.09	5.40	20.39	R2/540		W8/540	0.14		0.11			
R2/540		W9/540	24.85	19.66	5.19	20.89	R2/540		W9/540	0.23		0.19			
R2/540		W10/540	26.49	21.00	5.49	20.72	R2/540		W10/540	0.14		0.11			
R2/540		W11/540	24.81	19.53	5.28	21.28	R2/540		W11/540	0.22		0.19			
R2/540		W12/540	26.46	20.86	5.60	21.16	R2/540		W12/540	0.14		0.11			
R2/540		W13/540	24.79	19.55	5.24	21.14	R2/540		W13/540	0.22		0.19			
R2/540		W14/540	26.44	20.88	5.56	21.03	R2/540		W14/540	0.14	1.44	0.11	1.20	0.24	16.70
R3/540		W15/540	24.59	18.97	5.62	22.85	R3/540		W15/540	0.23		0.19			
R3/540		W16/540	26.25	20.25	6.00	22.86	R3/540		W16/540	0.15		0.12			
R3/540		W17/540	24.39	18.70	5.69	23.33	R3/540		W17/540	0.24		0.19			
R3/540		W18/540	26.05	19.98	6.07	23.30	R3/540		W18/540	0.15		0.12			
R3/540		W19/540	23.51	17.89	5.62	23.90	R3/540		W19/540	0.23		0.19			
R3/540		W20/540	25.15	19.14	6.01	23.90	R3/540		W20/540	0.15	1.14	0.12	0.93	0.22	19.00
R1/541		W1/541	30.65	25.12	5.53	18.04	R1/541		W1/541	0.33		0.29			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/541		W2/541	30.63	25.01	5.62	18.35	R1/541		W2/541	0.34		0.29			
R1/541		W3/541	30.56	24.81	5.75	18.82	R1/541		W3/541	0.33	1.00	0.29	0.86	0.14	14.07
R2/541		W4/541	30.56	24.54	6.02	19.70	R2/541		W4/541	0.33		0.28			
R2/541		W5/541	32.40	26.16	6.24	19.26	R2/541		W5/541	0.12		0.10			
R2/541		W6/541	30.56	24.40	6.16	20.16	R2/541		W6/541	0.33		0.28			
R2/541		W7/541	32.40	26.01	6.39	19.72	R2/541		W7/541	0.12		0.10			
R2/541		W8/541	30.54	24.25	6.29	20.60	R2/541		W8/541	0.33		0.28			
R2/541		W9/541	32.39	25.85	6.54	20.19	R2/541		W9/541	0.12		0.09			
R2/541		W10/541	30.53	24.24	6.29	20.60	R2/541		W10/541	0.33		0.28			
R2/541		W11/541	32.38	25.83	6.55	20.23	R2/541		W11/541	0.12	1.78	0.09	1.49	0.29	16.20
R3/541		W12/541	30.41	23.57	6.84	22.49	R3/541		W12/541	0.34		0.28			
R3/541		W13/541	30.50	23.53	6.97	22.85	R3/541		W13/541	0.34		0.28			
R3/541		W14/541	30.37	23.39	6.98	22.98	R3/541		W14/541	0.34	1.02	0.28	0.83	0.18	18.01
R1/551		W1/551	26.97	20.11	6.86	25.44	R1/551		W1/551	0.28		0.22			
R1/551		W2/551	26.98	20.11	6.87	25.46	R1/551		W2/551	0.28		0.22			
R1/551		W3/551	26.99	19.99	7.00	25.94	R1/551		W3/551	0.28	0.83	0.22	0.65	0.18	21.50
R1/552		W1/552	31.04	23.28	7.76	25.00	R1/552		W1/552	0.13		0.10			
R1/552		W2/552	31.02	23.13	7.89	25.44	R1/552		W2/552	0.13		0.10			
R1/552		W1/562	19.58	17.13	2.45	12.51	R1/552		W1/562	0.17		0.16			
R1/552		W2/562	20.19	17.48	2.71	13.42	R1/552		W2/562	0.18	0.62	0.17	0.54	0.09	13.85
R1/560		W1/560	15.52	13.59	1.93	12.44	R1/560		W1/560	0.03		0.03			
R1/560		W2/560	16.37	14.31	2.06	12.58	R1/560		W2/560	0.04		0.03			
R1/560		W3/560	16.11	14.10	2.01	12.48	R1/560		W3/560	0.03	0.10	0.03	0.10	0.01	4.95
R1/570		W1/570	6.18	5.33	0.85	13.75	R1/570		W1/570	0.14		0.13			
R1/570		W2/570	0.63	0.09	0.54	85.71	R1/570		W2/570	0.03		0.01			
R1/570		W3/570	8.95	8.20	0.75	8.38	R1/570		W3/570	0.17		0.16			
R1/570		W4/570	0.67	0.10	0.57	85.07	R1/570		W4/570	0.04		0.01			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

			EXISTING	PROPOSED	LOSS	%LOSS				EXISTING		PROPOSED		TOTAL	%LOSS
Room	Room Use	Window	VSC	VSC	VSC	VSC	Room	Room Use	Window	ADF	TOTAL	ADF	TOTAL	LOSS	ADF
R1/570		W5/570	8.71	8.28	0.43	4.94	R1/570		W5/570	0.16		0.16			
R1/570		W6/570	0.56	0.15	0.41	73.21	R1/570		W6/570	0.03		0.01			
R1/570		W7/570	6.15	6.15	0.00	0.00	R1/570		W7/570	0.15		0.15			
R1/570		W8/570	0.00	0.00	0.00	0.00	R1/570		W8/570	0.00		0.00			
R1/570		W29/580	33.14	33.14	0.00	0.00	R1/570		W29/580	0.17		0.17			
R1/570		W30/580	32.99	32.99	0.00	0.00	R1/570		W30/580	0.19		0.19			
R1/570		W31/580	32.78	32.78	0.00	0.00	R1/570		W31/580	0.17		0.17			
R1/570		W32/580	19.03	17.93	1.10	5.78	R1/570		W32/580	0.25		0.25			
R1/570		W33/580	19.14	17.99	1.15	6.01	R1/570		W33/580	0.29		0.29			
R1/570		W34/580	19.20	17.98	1.22	6.35	R1/570		W34/580	0.30		0.30			
R1/570		W35/580	19.16	17.84	1.32	6.89	R1/570		W35/580	0.28		0.28			
R1/570		W36/580	18.97	17.58	1.39	7.33	R1/570		W36/580	0.24	2.61	0.24	2.52	0.09	3.45
R1/580		W1/580	35.02	35.02	0.00	0.00	R1/580		W1/580	0.07		0.07			
R1/580		W2/580	34.97	34.97	0.00	0.00	R1/580		W2/580	0.07		0.07			
R1/580		W3/580	34.92	34.92	0.00	0.00	R1/580		W3/580	0.07		0.07			
R1/580		W5/580	34.74	34.74	0.00	0.00	R1/580		W5/580	0.06		0.06			
R1/580		W6/580	36.09	36.09	0.00	0.00	R1/580		W6/580	0.04		0.04			
R1/580		W9/580	34.70	34.70	0.00	0.00	R1/580		W9/580	0.07		0.07			
R1/580		W11/580	36.00	36.00	0.00	0.00	R1/580		W11/580	0.04		0.04			
R1/580		W12/580	36.01	36.01	0.00	0.00	R1/580		W12/580	0.04		0.04			
R1/580		W13/580	34.58	34.58	0.00	0.00	R1/580		W13/580	0.07		0.07			
R1/580		W14/580	35.97	35.97	0.00	0.00	R1/580		W14/580	0.04		0.04			
R1/580		W15/580	34.30	34.30	0.00	0.00	R1/580		W15/580	0.06		0.06			
R1/580		W16/580	34.28	34.28	0.00	0.00	R1/580		W16/580	0.07		0.07			
R1/580		W17/580	34.17	34.17	0.00	0.00	R1/580		W17/580	0.06		0.06			
R1/580		W19/580	33.83	33.83	0.00	0.00	R1/580		W19/580	0.06		0.06			
R1/580		W20/580	35.35	35.35	0.00	0.00	R1/580		W20/580	0.04		0.04			
R1/580		W23/580	35.33	35.33	0.00	0.00	R1/580		W23/580	0.04		0.04			
R1/580		W24/580	33.76	33.76	0.00	0.00	R1/580		W24/580	0.07		0.07			
R1/580		W26/580	35.25	35.25	0.00	0.00	R1/580		W26/580	0.04		0.04			
R1/580		W27/580	33.60	33.60	0.00	0.00	R1/580		W27/580	0.06		0.06			
R1/580		W28/580	35.18	35.18	0.00	0.00	R1/580		W28/580	0.04	1.13	0.04	1.13	0.00	0.00

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
27 Kentish Town Road							27 Kentish Town Road								
R7/901	ASSUMED_RESI	W66/901	27.62	17.52	10.10	36.57	R7/901	ASSUMED_RESI	W66/901	3.29	3.29	2.43	2.43	0.86	26.23
R8/901	ASSUMED_RESI	W67/901	29.44	19.15	10.29	34.95	R8/901	ASSUMED_RESI	W67/901	2.61	2.61	1.93	1.93	0.68	26.11
R9/901	ASSUMED_RESI	W68/901	29.83	19.54	10.29	34.50	R9/901	ASSUMED_RESI	W68/901	3.43	3.43	2.55	2.55	0.88	25.58
R1/902	ASSUMED_RESI	W1/902	36.75	36.12	0.63	1.71	R1/902	ASSUMED_RESI	W1/902	3.66	3.66	3.61	3.61	0.06	1.56
R2/902	ASSUMED_RESI	W2/902	36.59	35.56	1.03	2.81	R2/902	ASSUMED_RESI	W2/902	4.38	4.38	4.27	4.27	0.11	2.47
R3/902	ASSUMED_RESI	W3/902	36.70	35.28	1.42	3.87	R3/902	ASSUMED_RESI	W3/902	4.36	4.36	4.21	4.21	0.15	3.49
R4/902	ASSUMED_RESI	W4/902	36.54	34.39	2.15	5.88	R4/902	ASSUMED_RESI	W4/902	3.26		3.09			
R4/902	ASSUMED_RESI	W5/902	34.24	21.87	12.37	36.13	R4/902	ASSUMED_RESI	W5/902	3.08	6.34	2.21	5.30	1.04	16.45
R5/902	ASSUMED_RESI	W6/902	34.24	21.69	12.55	36.65	R5/902	ASSUMED_RESI	W6/902	4.14	4.14	2.95	2.95	1.19	28.78
R6/902	ASSUMED_RESI	W7/902	34.25	21.60	12.65	36.93	R6/902	ASSUMED_RESI	W7/902	2.91	2.91	2.06	2.06	0.85	29.28
R7/902	ASSUMED_RESI	W8/902	34.26	21.56	12.70	37.07	R7/902	ASSUMED_RESI	W8/902	4.11	4.11	2.91	2.91	1.19	29.05
R8/902	ASSUMED_RESI	W9/902	34.26	21.51	12.75	37.22	R8/902	ASSUMED_RESI	W9/902	3.67	3.67	2.60	2.60	1.07	29.17
R9/902	ASSUMED_RESI	W10/902	32.30	20.57	11.73	36.32	R9/902	ASSUMED_RESI	W10/902	3.63	3.63	2.64	2.64	1.00	27.44
R10/902	ASSUMED_RESI	W11/902	34.24	22.32	11.92	34.81	R10/902	ASSUMED_RESI	W11/902	2.92	2.92	2.12	2.12	0.80	27.52
R11/902	ASSUMED_RESI	W12/902	34.63	22.71	11.92	34.42	R11/902	ASSUMED_RESI	W12/902	3.92	3.92	2.86	2.86	1.07	27.18
R1/903	ASSUMED_RESI	W1/903	38.28	37.77	0.51	1.33	R1/903	ASSUMED_RESI	W1/903	3.81	3.81	3.76	3.76	0.05	1.29

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R2/903	ASSUMED_RESI	W2/903	38.26	37.48	0.78	2.04	R2/903	ASSUMED_RESI	W2/903	4.56	4.56	4.48	4.48	0.09	1.93
R3/903	ASSUMED_RESI	W3/903	38.25	37.15	1.10	2.88	R3/903	ASSUMED_RESI	W3/903	4.53	4.53	4.41	4.41	0.13	2.76
R4/903	ASSUMED_RESI	W4/903	38.24	36.46	1.78	4.65	R4/903	ASSUMED_RESI	W4/903	3.40		3.25			
R4/903	ASSUMED_RESI	W5/903	38.11	25.60	12.51	32.83	R4/903	ASSUMED_RESI	W5/903	3.39	6.79	2.46	5.71	1.08	15.87
R5/903	ASSUMED_RESI	W6/903	38.27	25.39	12.88	33.66	R5/903	ASSUMED_RESI	W6/903	4.57	4.57	3.29	3.29	1.29	28.13
R6/903	ASSUMED_RESI	W7/903	38.36	25.29	13.07	34.07	R6/903	ASSUMED_RESI	W7/903	3.22	3.22	2.30	2.30	0.92	28.58
R7/903	ASSUMED_RESI	W8/903	38.44	25.24	13.20	34.34	R7/903	ASSUMED_RESI	W8/903	4.55	4.55	3.25	3.25	1.31	28.69
R8/903	ASSUMED_RESI	W9/903	38.52	25.20	13.32	34.58	R8/903	ASSUMED_RESI	W9/903	4.07	4.07	2.89	2.89	1.18	28.97
R9/903	ASSUMED_RESI	W10/903	36.09	24.02	12.07	33.44	R9/903	ASSUMED_RESI	W10/903	3.97	3.97	2.92	2.92	1.06	26.60
R10/903	ASSUMED_RESI	W11/903	38.12	25.88	12.24	32.11	R10/903	ASSUMED_RESI	W11/903	3.21	3.21	2.34	2.34	0.87	26.98
R11/903	ASSUMED_RESI	W12/903	38.51	26.24	12.27	31.86	R11/903	ASSUMED_RESI	W12/903	4.31	4.31	3.15	3.15	1.16	26.90
R1/904	ASSUMED_RESI	W1/904	38.94	38.58	0.36	0.92	R1/904	ASSUMED_RESI	W1/904	3.87	3.87	3.84	3.84	0.04	0.90
R2/904	ASSUMED_RESI	W2/904	38.93	38.39	0.54	1.39	R2/904	ASSUMED_RESI	W2/904	4.65	4.65	4.58	4.58	0.06	1.36
R3/904	ASSUMED_RESI	W3/904	38.93	38.18	0.75	1.93	R3/904	ASSUMED_RESI	W3/904	4.61	4.61	4.52	4.52	0.09	1.93
R4/904	ASSUMED_RESI	W4/904	38.92	37.72	1.20	3.08	R4/904	ASSUMED_RESI	W4/904	3.46		3.35			
R4/904	ASSUMED_RESI	W5/904	38.93	29.60	9.33	23.97	R4/904	ASSUMED_RESI	W5/904	3.46	6.92	2.74	6.09	0.83	12.02
R5/904	ASSUMED_RESI	W6/904	39.03	29.39	9.64	24.70	R5/904	ASSUMED_RESI	W6/904	4.66	4.66	3.66	3.66	1.01	21.58

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	TOTAL ADF	TOTAL LOSS	%LOSS ADF
R6/904	ASSUMED_RESI	W7/904	39.08	29.30	9.78	25.03	R6/904	ASSUMED_RESI	W7/904	3.27	3.27	2.56	0.71	21.79
R7/904	ASSUMED_RESI	W8/904	39.13	29.24	9.89	25.27	R7/904	ASSUMED_RESI	W8/904	4.63	4.63	3.61	1.02	22.00
R8/904	ASSUMED_RESI	W9/904	39.17	29.19	9.98	25.48	R8/904	ASSUMED_RESI	W9/904	4.14	4.14	3.22	0.92	22.22
R9/904	ASSUMED_RESI	W10/904	36.88	27.88	9.00	24.40	R9/904	ASSUMED_RESI	W10/904	4.05	4.05	3.24	0.81	20.02
R10/904	ASSUMED_RESI	W11/904	38.82	29.73	9.09	23.42	R10/904	ASSUMED_RESI	W11/904	3.25	3.25	2.59	0.67	20.45
R11/904	ASSUMED_RESI	W12/904	39.13	30.01	9.12	23.31	R11/904	ASSUMED_RESI	W12/904	4.38	4.38	3.48	0.90	20.52
R1/905	ASSUMED_RESI	W1/905	39.35	39.13	0.22	0.56	R1/905	ASSUMED_RESI	W1/905	4.08	4.08	4.06	0.02	0.56
R2/905	ASSUMED_RESI	W2/905	39.35	39.03	0.32	0.81	R2/905	ASSUMED_RESI	W2/905	4.90	4.90	4.86	0.04	0.82
R3/905	ASSUMED_RESI	W3/905	39.36	38.90	0.46	1.17	R3/905	ASSUMED_RESI	W3/905	4.87	4.87	4.81	0.06	1.17
R4/905	ASSUMED_RESI	W4/905	39.36	38.63	0.73	1.85	R4/905	ASSUMED_RESI	W4/905	3.64		3.57		
R4/905	ASSUMED_RESI	W5/905	39.33	33.53	5.80	14.75	R4/905	ASSUMED_RESI	W5/905	3.64	7.28	3.14	6.71	0.57
R5/905	ASSUMED_RESI	W6/905	39.36	33.35	6.01	15.27	R5/905	ASSUMED_RESI	W6/905	4.91	4.91	4.22	0.69	14.06
R6/905	ASSUMED_RESI	W7/905	39.37	33.30	6.07	15.42	R6/905	ASSUMED_RESI	W7/905	3.46	3.46	2.97	0.49	14.05
R7/905	ASSUMED_RESI	W8/905	39.39	33.24	6.15	15.61	R7/905	ASSUMED_RESI	W8/905	4.87	4.87	4.17	0.70	14.28
R8/905	ASSUMED_RESI	W9/905	39.40	33.20	6.20	15.74	R8/905	ASSUMED_RESI	W9/905	3.83		3.28		
R8/905	ASSUMED_RESI	W10/905	39.29	37.93	1.36	3.46	R8/905	ASSUMED_RESI	W10/905	3.82	7.64	3.68	6.96	0.68
R1/906		W1/906	39.55	39.55	0.00	0.00	R1/906		W1/906	3.62		3.62		
R1/906		W2/906	39.56	39.43	0.13	0.33	R1/906		W2/906	3.22	6.84	3.21	6.83	0.01

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R2/906		W3/906	39.57	39.39	0.18	0.45	R2/906		W3/906	3.73	3.73	3.72	3.72	0.01	0.38
R3/906		W4/906	39.57	39.34	0.23	0.58	R3/906		W4/906	3.77	3.77	3.75	3.75	0.02	0.53
R4/906		W5/906	39.57	39.25	0.32	0.81	R4/906		W5/906	3.04		3.02			
R4/906		W6/906	39.53	37.20	2.33	5.89	R4/906		W6/906	3.42	6.47	3.23	6.25	0.22	3.36
R5/906		W7/906	39.52	37.15	2.37	6.00	R5/906		W7/906	3.85	3.85	3.63	3.63	0.22	5.79
R6/906		W8/906	39.51	37.09	2.42	6.13	R6/906		W8/906	3.92	3.92	3.69	3.69	0.23	5.95
R7/906		W9/906	39.52	37.07	2.45	6.20	R7/906		W9/906	3.35		3.15			
R7/906		W10/906	39.58	39.02	0.56	1.41	R7/906		W10/906	0.00	3.35	0.00	3.15	0.20	5.96
Daysun House, Hawley Crescent And 29 Kentish Town Road							Daysun House, Hawley Crescent And 29 Kentish Town Road								
R1/731	STUDIO	W1/731	28.29	18.85	9.44	33.37	R1/731	STUDIO	W1/731	3.33	3.33	2.48	2.48	0.84	25.38
R2/731	STUDIO	W2/731	28.82	19.43	9.39	32.58	R2/731	STUDIO	W2/731	2.25	2.25	1.69	1.69	0.56	25.03
R1/732	STUDIO	W1/732	13.86	4.20	9.66	69.70	R1/732	STUDIO	W1/732	2.05	2.05	0.44	0.44	1.61	78.47
R2/732	STUDIO	W2/732	33.21	22.33	10.88	32.76	R2/732	STUDIO	W2/732	2.52	2.52	1.86	1.86	0.66	26.13
R1/733	STUDIO	W1/733	36.60	24.90	11.70	31.97	R1/733	STUDIO	W1/733	4.07	4.07	3.00	3.00	1.07	26.35
R2/733	STUDIO	W2/733	32.08	22.13	9.95	31.02	R2/733	STUDIO	W2/733	2.58	2.58	1.94	1.94	0.64	24.80
R1/734	STUDIO	W1/734	35.05	27.29	7.76	22.14	R1/734	STUDIO	W1/734	1.62		1.32			
R1/734	STUDIO	W2/734	37.88	29.44	8.44	22.28	R1/734	STUDIO	W2/734	1.73		1.40			
R1/734	STUDIO	W3/734	38.51	29.97	8.54	22.18	R1/734	STUDIO	W3/734	1.75	5.10	1.41	4.13	0.97	19.10
31 Kentish Town Road							31 Kentish Town Road								

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/31	LKD	W1/31	5.91	2.15	3.76	63.62	R1/31	LKD	W1/31	0.13		0.07			
R1/31	LKD	W2/31	10.38	10.38	0.00	0.00	R1/31	LKD	W2/31	0.12		0.12			
R1/31	LKD	W3/31	26.82	17.78	9.04	33.71	R1/31	LKD	W3/31	1.23		0.94			
R1/31	LKD	W28/31	7.00	3.75	3.25	46.43	R1/31	LKD	W28/31	0.52	2.00	0.34	1.47	0.53	26.68
R2/31	BEDROOM	W4/31	16.27	9.21	7.06	43.39	R2/31	BEDROOM	W4/31	0.66		0.50			
R2/31	BEDROOM	W5/31	9.33	4.29	5.04	54.02	R2/31	BEDROOM	W5/31	0.52	1.18	0.35	0.84	0.34	28.85
R3/31	LKD	W6/31	13.05	8.95	4.10	31.42	R3/31	LKD	W6/31	0.92		0.71			
R3/31	LKD	W7/31	28.22	19.54	8.68	30.76	R3/31	LKD	W7/31	3.53	4.45	2.76	3.46	0.99	22.14
R4/31	BEDROOM	W8/31	11.91	6.86	5.05	42.40	R4/31	BEDROOM	W8/31	0.68		0.52			
R4/31	BEDROOM	W9/31	7.07	2.75	4.32	61.10	R4/31	BEDROOM	W9/31	0.55	1.23	0.32	0.84	0.39	31.84
R5/31	LKD	W10/31	11.69	7.09	4.60	39.35	R5/31	LKD	W10/31	1.02		0.73			
R5/31	LKD	W11/31	30.02	22.51	7.51	25.02	R5/31	LKD	W11/31	3.99	5.01	3.25	3.98	1.03	20.53
R6/31	LKD	W12/31	8.54	5.20	3.34	39.11	R6/31	LKD	W12/31	0.14		0.11			
R6/31	LKD	W13/31	12.09	7.91	4.18	34.57	R6/31	LKD	W13/31	0.27		0.21			
R6/31	LKD	W14/31	30.31	23.85	6.46	21.31	R6/31	LKD	W14/31	1.63	2.04	1.37	1.69	0.35	17.17
R1/32	LKD	W1/32	8.88	3.65	5.23	58.90	R1/32	LKD	W1/32	0.17		0.10			
R1/32	LKD	W2/32	10.01	10.01	0.00	0.00	R1/32	LKD	W2/32	0.16		0.16			
R1/32	LKD	W3/32	31.13	20.66	10.47	33.63	R1/32	LKD	W3/32	1.37		1.03			
R1/32	LKD	W28/32	10.13	6.51	3.62	35.74	R1/32	LKD	W28/32	0.64	2.33	0.45	1.73	0.60	25.84
R2/32	BEDROOM	W4/32	19.82	11.07	8.75	44.15	R2/32	BEDROOM	W4/32	0.75		0.55			
R2/32	BEDROOM	W5/32	12.13	5.24	6.89	56.80	R2/32	BEDROOM	W5/32	0.62	1.37	0.39	0.94	0.43	31.24
R3/32	LKD	W6/32	15.08	10.45	4.63	30.70	R3/32	LKD	W6/32	1.03		0.78			
R3/32	LKD	W7/32	32.64	22.42	10.22	31.31	R3/32	LKD	W7/32	3.95	4.97	3.01	3.79	1.19	23.90

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R4/32	BEDROOM	W8/32	14.64	8.23	6.41	43.78	R4/32	BEDROOM	W8/32	0.77		0.58			
R4/32	BEDROOM	W9/32	9.75	3.62	6.13	62.87	R4/32	BEDROOM	W9/32	0.67	1.43	0.38	0.96	0.48	33.12
R5/32	LKD	W10/32	13.67	8.43	5.24	38.33	R5/32	LKD	W10/32	1.15		0.81			
R5/32	LKD	W11/32	34.03	25.23	8.80	25.86	R5/32	LKD	W11/32	4.42	5.56	3.51	4.31	1.25	22.47
R6/32	LKD	W12/32	10.00	6.27	3.73	37.30	R6/32	LKD	W12/32	0.15		0.12			
R6/32	LKD	W13/32	13.90	9.10	4.80	34.53	R6/32	LKD	W13/32	0.29		0.23			
R6/32	LKD	W14/32	33.45	26.06	7.39	22.09	R6/32	LKD	W14/32	1.76	2.20	1.45	1.80	0.40	18.36
R1/33	LKD	W1/33	12.24	5.46	6.78	55.39	R1/33	LKD	W1/33	0.20		0.13			
R1/33	LKD	W2/33	15.09	11.20	3.89	25.78	R1/33	LKD	W2/33	0.82		0.65			
R1/33	LKD	W3/33	35.87	24.58	11.29	31.47	R1/33	LKD	W3/33	1.56	2.59	1.17	1.94	0.64	24.80
R2/33	BEDROOM	W4/33	23.83	14.19	9.64	40.45	R2/33	BEDROOM	W4/33	0.88		0.66			
R2/33	BEDROOM	W5/33	14.97	6.89	8.08	53.97	R2/33	BEDROOM	W5/33	0.74	1.62	0.47	1.13	0.50	30.60
R3/33	BEDROOM	W6/33	37.11	25.82	11.29	30.42	R3/33	BEDROOM	W6/33	7.30		5.45			
R3/33	BEDROOM	W12/33	18.64	13.77	4.87	26.13	R3/33	BEDROOM	W12/33	3.73	11.03	2.97	8.42	2.61	23.62
R4/33	BEDROOM	W15/33	36.37	25.67	10.70	29.42	R4/33	BEDROOM	W15/33	6.69	6.69	5.06	5.06	1.63	24.30
R5/33	BEDROOM	W7/33	18.24	11.28	6.96	38.16	R5/33	BEDROOM	W7/33	0.90		0.70			
R5/33	BEDROOM	W8/33	13.03	5.69	7.34	56.33	R5/33	BEDROOM	W8/33	0.82	1.72	0.51	1.20	0.52	29.99
R6/33	LKD	W9/33	37.59	28.19	9.40	25.01	R6/33	LKD	W9/33	4.87		3.82			
R6/33	LKD	W13/33	16.87	11.32	5.55	32.90	R6/33	LKD	W13/33	1.33	6.20	0.98	4.80	1.39	22.49
R7/33	LKD	W10/33	11.56	7.88	3.68	31.83	R7/33	LKD	W10/33	0.17		0.14			
R7/33	LKD	W11/33	37.58	29.93	7.65	20.36	R7/33	LKD	W11/33	1.98		1.63			
R7/33	LKD	W14/33	15.97	10.83	5.14	32.19	R7/33	LKD	W14/33	0.32	2.47	0.26	2.02	0.44	18.01
R1/34	LKD	W1/34	8.15	8.06	0.09	1.10	R1/34	LKD	W1/34	0.92		0.91			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/34	LKD	W2/34	8.85	8.62	0.23	2.60	R1/34	LKD	W2/34	1.12		1.10			
R1/34	LKD	W3/34	12.39	10.91	1.48	11.95	R1/34	LKD	W3/34	1.78		1.67			
R1/34	LKD	W4/34	33.69	24.92	8.77	26.03	R1/34	LKD	W4/34	2.70		2.14			
R1/34	LKD	W5/34	28.05	28.05	0.00	0.00	R1/34	LKD	W5/34	1.49	8.01	1.49	7.31	0.70	8.69
R2/34	LD	W6/34	22.40	18.63	3.77	16.83	R2/34	LD	W6/34	1.34		1.19			
R2/34	LD	W7/34	37.52	29.05	8.47	22.57	R2/34	LD	W7/34	4.31	5.65	3.48	4.67	0.98	17.30
R3/34	LKD	W8/34	22.12	17.69	4.43	20.03	R3/34	LKD	W8/34	0.70		0.62			
R3/34	LKD	W9/34	37.97	31.18	6.79	17.88	R3/34	LKD	W9/34	4.16		3.51			
R3/34	LKD	W10/34	38.11	32.09	6.02	15.80	R3/34	LKD	W10/34	1.68		1.45			
R3/34	LKD	W11/34	38.20	32.89	5.31	13.90	R3/34	LKD	W11/34	2.35	8.90	2.06	7.63	1.26	14.21
33 Kentish Town Road							33 Kentish Town Road								
R1/21		W1/21	32.08	25.83	6.25	19.48	R1/21		W1/21	1.17		0.98			
R1/21		W7/21	32.31	32.31	0.00	0.00	R1/21		W7/21	1.38	2.54	1.38	2.36	0.19	7.28
R1/22		W1/22	35.10	28.08	7.02	20.00	R1/22		W1/22	1.44		1.20			
R1/22		W7/22	34.29	34.29	0.00	0.00	R1/22		W7/22	1.83	3.27	1.83	3.03	0.24	7.33
R1/23		W1/23	34.20	27.13	7.07	20.67	R1/23		W1/23	0.05	0.05	0.04	0.04	0.01	25.53
32-52 Camden Street							32-52 Camden Street								
R1/40	ASSUMED	W1/40	33.33	32.88	0.45	1.35	R1/40	ASSUMED	W1/40	3.04	3.04	3.00	3.00	0.04	1.15
R2/40	ASSUMED	W2/40	33.04	32.51	0.53	1.60	R2/40	ASSUMED	W2/40	2.42	2.42	2.39	2.39	0.03	1.36
R3/40	ASSUMED	W3/40	32.90	32.37	0.53	1.61	R3/40	ASSUMED	W3/40	2.65	2.65	2.61	2.61	0.04	1.36
R4/40	ASSUMED	W4/40	32.55	31.98	0.57	1.75	R4/40	ASSUMED	W4/40	2.64	2.64	2.60	2.60	0.04	1.52

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R5/40	ASSUMED	W5/40	29.53	28.95	0.58	1.96	R5/40	ASSUMED	W5/40	2.70	2.70	2.65	2.65	0.04	1.63
R6/40	ASSUMED	W6/40	32.55	32.03	0.52	1.60	R6/40	ASSUMED	W6/40	2.69	2.69	2.65	2.65	0.04	1.41
R7/40	ASSUMED	W7/40	32.35	31.80	0.55	1.70	R7/40	ASSUMED	W7/40	2.24	2.24	2.21	2.21	0.03	1.47
R8/40	ASSUMED	W8/40	32.00	31.38	0.62	1.94	R8/40	ASSUMED	W8/40	3.15	3.15	3.10	3.10	0.05	1.68
R1/41		W1/41	34.74	34.09	0.65	1.87	R1/41		W1/41	2.45	2.45	2.41	2.41	0.04	1.67
R2/41		W2/41	34.58	33.91	0.67	1.94	R2/41		W2/41	2.08	2.08	2.04	2.04	0.04	1.68
R3/41	ASSUMED	W3/41	34.40	33.68	0.72	2.09	R3/41	ASSUMED	W3/41	4.26	4.26	4.19	4.19	0.08	1.83
R4/41	ASSUMED	W4/41	34.34	33.62	0.72	2.10	R4/41	ASSUMED	W4/41	4.65	4.65	4.56	4.56	0.09	1.83
R5/41	ASSUMED	W5/41	34.36	33.54	0.82	2.39	R5/41	ASSUMED	W5/41	2.03	2.03	1.99	1.99	0.04	2.12
R6/41	ASSUMED	W6/41	32.43	31.54	0.89	2.74	R6/41	ASSUMED	W6/41	2.05	2.05	2.00	2.00	0.05	2.30
R7/41	ASSUMED	W7/41	35.10	34.27	0.83	2.36	R7/41	ASSUMED	W7/41	3.15	3.15	3.09	3.09	0.07	2.13
R8/41	ASSUMED	W8/41	34.53	33.66	0.87	2.52	R8/41	ASSUMED	W8/41	2.48	2.48	2.42	2.42	0.06	2.34
R9/41	ASSUMED	W9/41	32.20	31.27	0.93	2.89	R9/41	ASSUMED	W9/41	1.78		1.73			
R9/41	ASSUMED	W10/41	34.35	33.41	0.94	2.74	R9/41	ASSUMED	W10/41	1.90	3.68	1.86	3.59	0.09	2.42
R1/42	ASSUMED	W1/42	23.53	22.81	0.72	3.06	R1/42	ASSUMED	W1/42	1.74	1.74	1.70	1.70	0.04	2.53
R2/42	ASSUMED	W2/42	27.80	27.04	0.76	2.73	R2/42	ASSUMED	W2/42	0.20		0.20			
R2/42	ASSUMED	W3/42	27.88	27.09	0.79	2.83	R2/42	ASSUMED	W3/42	0.20	0.40	0.19	0.39	0.01	2.49
R3/42	ASSUMED	W4/42	27.80	26.98	0.82	2.95	R3/42	ASSUMED	W4/42	0.22		0.22			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R3/42	ASSUMED	W5/42	27.89	27.04	0.85	3.05	R3/42	ASSUMED	W5/42	0.22	0.44	0.21	0.43	0.01	2.95
R4/42	ASSUMED	W6/42	23.91	23.03	0.88	3.68	R4/42	ASSUMED	W6/42	1.62	1.62	1.58	1.58	0.05	3.02
R5/42	ASSUMED	W7/42	36.08	35.11	0.97	2.69	R5/42	ASSUMED	W7/42	2.64		2.58			
R5/42	ASSUMED	W10/42	85.79	85.20	0.59	0.69	R5/42	ASSUMED	W10/42	1.81	4.45	1.79	4.37	0.08	1.89
R6/42	ASSUMED	W8/42	36.09	35.08	1.01	2.80	R6/42	ASSUMED	W8/42	2.48		2.41			
R6/42	ASSUMED	W11/42	85.54	84.91	0.63	0.74	R6/42	ASSUMED	W11/42	1.64	4.11	1.62	4.03	0.08	1.95
R7/42	ASSUMED	W9/42	24.27	23.17	1.10	4.53	R7/42	ASSUMED	W9/42	2.18	2.18	2.10	2.10	0.08	3.81
1-28 Camden Street							1-28 Camden Street								
R1/50	ASSUMED	W14/50	31.75	31.12	0.63	1.98	R1/50	ASSUMED	W14/50	0.37		0.36			
R1/50	ASSUMED	W15/50	31.36	30.74	0.62	1.98	R1/50	ASSUMED	W15/50	1.01		0.99			
R1/50	ASSUMED	W16/50	31.37	30.73	0.64	2.04	R1/50	ASSUMED	W16/50	0.35	1.73	0.34	1.70	0.03	1.73
R2/50	ASSUMED	W13/50	32.21	31.56	0.65	2.02	R2/50	ASSUMED	W13/50	1.19	1.19	1.17	1.17	0.02	1.76
R3/50	ASSUMED	W12/50	32.89	32.26	0.63	1.92	R3/50	ASSUMED	W12/50	1.19	1.19	1.17	1.17	0.02	1.69
R4/50	ASSUMED	W9/50	33.14	32.54	0.60	1.81	R4/50	ASSUMED	W9/50	0.39		0.39			
R4/50	ASSUMED	W10/50	32.96	32.35	0.61	1.85	R4/50	ASSUMED	W10/50	1.06		1.05			
R4/50	ASSUMED	W11/50	33.03	32.41	0.62	1.88	R4/50	ASSUMED	W11/50	0.37	1.82	0.36	1.79	0.03	1.65
R5/50	ASSUMED	W6/50	33.15	32.57	0.58	1.75	R5/50	ASSUMED	W6/50	0.39		0.39			
R5/50	ASSUMED	W7/50	33.02	32.46	0.56	1.70	R5/50	ASSUMED	W7/50	1.06		1.05			
R5/50	ASSUMED	W8/50	33.16	32.58	0.58	1.75	R5/50	ASSUMED	W8/50	0.36	1.82	0.36	1.79	0.03	1.54
R6/50	ASSUMED	W5/50	33.11	32.57	0.54	1.63	R6/50	ASSUMED	W5/50	1.21	1.21	1.19	1.19	0.02	1.49
R7/50	ASSUMED	W4/50	32.81	32.32	0.49	1.49	R7/50	ASSUMED	W4/50	1.22	1.22	1.20	1.20	0.02	1.31

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R8/50	ASSUMED	W1/50	32.50	32.08	0.42	1.29	R8/50	ASSUMED	W1/50	0.39		0.38			
R8/50	ASSUMED	W2/50	32.41	31.99	0.42	1.30	R8/50	ASSUMED	W2/50	1.04		1.03			
R8/50	ASSUMED	W3/50	32.66	32.21	0.45	1.38	R8/50	ASSUMED	W3/50	0.35	1.77	0.35	1.75	0.02	1.18
R1/51	ASSUMED	W1/51	33.47	32.65	0.82	2.45	R1/51	ASSUMED	W1/51	1.08		1.05			
R1/51	ASSUMED	W2/51	33.50	32.70	0.80	2.39	R1/51	ASSUMED	W2/51	0.37		0.36			
R1/51	ASSUMED	W3/51	33.72	32.91	0.81	2.40	R1/51	ASSUMED	W3/51	0.39	1.83	0.38	1.79	0.04	2.18
R2/51	ASSUMED	W4/51	34.02	33.16	0.86	2.53	R2/51	ASSUMED	W4/51	1.26	1.26	1.23	1.23	0.03	2.23
R3/51	ASSUMED	W8/51	34.51	33.63	0.88	2.55	R3/51	ASSUMED	W8/51	1.24	1.24	1.22	1.22	0.03	2.33
R4/51	ASSUMED	W5/51	34.72	33.82	0.90	2.59	R4/51	ASSUMED	W5/51	0.41		0.40			
R4/51	ASSUMED	W6/51	34.63	33.74	0.89	2.57	R4/51	ASSUMED	W6/51	0.38		0.37			
R4/51	ASSUMED	W7/51	34.59	33.69	0.90	2.60	R4/51	ASSUMED	W7/51	1.12	1.91	1.09	1.86	0.05	2.36
R5/51	ASSUMED	W10/51	34.76	33.85	0.91	2.62	R5/51	ASSUMED	W10/51	0.41		0.40			
R5/51	ASSUMED	W11/51	34.75	33.85	0.90	2.59	R5/51	ASSUMED	W11/51	0.38		0.37			
R5/51	ASSUMED	W12/51	34.67	33.78	0.89	2.57	R5/51	ASSUMED	W12/51	1.12	1.90	1.09	1.86	0.05	2.42
R6/51	ASSUMED	W9/51	34.75	33.85	0.90	2.59	R6/51	ASSUMED	W9/51	1.27	1.27	1.24	1.24	0.03	2.37
R7/51	ASSUMED	W16/51	34.58	33.70	0.88	2.54	R7/51	ASSUMED	W16/51	1.28	1.28	1.25	1.25	0.03	2.19
R8/51	ASSUMED	W13/51	34.45	33.64	0.81	2.35	R8/51	ASSUMED	W13/51	0.40		0.39			
R8/51	ASSUMED	W14/51	34.50	33.66	0.84	2.43	R8/51	ASSUMED	W14/51	0.37		0.36			
R8/51	ASSUMED	W15/51	34.35	33.55	0.80	2.33	R8/51	ASSUMED	W15/51	1.10	1.87	1.08	1.83	0.04	2.19
R1/52	ASSUMED	W1/52	34.34	33.46	0.88	2.56	R1/52	ASSUMED	W1/52	1.13		1.10			
R1/52	ASSUMED	W2/52	34.35	33.50	0.85	2.47	R1/52	ASSUMED	W2/52	0.38		0.37			
R1/52	ASSUMED	W3/52	34.22	33.35	0.87	2.54	R1/52	ASSUMED	W3/52	0.41	1.92	0.40	1.88	0.04	2.24

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R2/52	ASSUMED	W4/52	34.27	33.34	0.93	2.71	R2/52	ASSUMED	W4/52	1.31	1.31	1.28	1.28	0.03	2.36
R3/52	ASSUMED	W8/52	34.53	33.55	0.98	2.84	R3/52	ASSUMED	W8/52	1.29	1.29	1.26	1.26	0.03	2.56
R4/52	ASSUMED	W5/52	34.66	33.64	1.02	2.94	R4/52	ASSUMED	W5/52	0.42		0.41			
R4/52	ASSUMED	W6/52	34.62	33.62	1.00	2.89	R4/52	ASSUMED	W6/52	0.39		0.38			
R4/52	ASSUMED	W7/52	34.79	33.76	1.03	2.96	R4/52	ASSUMED	W7/52	1.16	1.97	1.13	1.92	0.05	2.69
R5/52	ASSUMED	W10/52	34.72	33.64	1.08	3.11	R5/52	ASSUMED	W10/52	0.42		0.41			
R5/52	ASSUMED	W11/52	34.70	33.65	1.05	3.03	R5/52	ASSUMED	W11/52	0.39		0.38			
R5/52	ASSUMED	W12/52	34.86	33.79	1.07	3.07	R5/52	ASSUMED	W12/52	1.15	1.96	1.12	1.91	0.06	2.80
R6/52	ASSUMED	W9/52	34.71	33.61	1.10	3.17	R6/52	ASSUMED	W9/52	1.31	1.31	1.27	1.27	0.04	2.82
R7/52	ASSUMED	W16/52	34.68	33.53	1.15	3.32	R7/52	ASSUMED	W16/52	1.33	1.33	1.29	1.29	0.04	2.86
R8/52	ASSUMED	W13/52	34.82	33.66	1.16	3.33	R8/52	ASSUMED	W13/52	0.42		0.40			
R8/52	ASSUMED	W14/52	34.71	33.56	1.15	3.31	R8/52	ASSUMED	W14/52	0.38		0.37			
R8/52	ASSUMED	W15/52	34.88	33.74	1.14	3.27	R8/52	ASSUMED	W15/52	1.14	1.94	1.11	1.89	0.06	2.93
R1/53	ASSUMED	W10/53	24.27	23.45	0.82	3.38	R1/53	ASSUMED	W10/53	0.77		0.75			
R1/53	ASSUMED	W14/53	21.30	20.51	0.79	3.71	R1/53	ASSUMED	W14/53	0.26		0.25			
R1/53	ASSUMED	W15/53	20.95	20.14	0.81	3.87	R1/53	ASSUMED	W15/53	0.28	1.32	0.27	1.28	0.04	3.04
R2/53	ASSUMED	W1/53	20.56	19.69	0.87	4.23	R2/53	ASSUMED	W1/53	0.87	0.87	0.84	0.84	0.03	3.23
R3/53	ASSUMED	W2/53	20.61	19.69	0.92	4.46	R3/53	ASSUMED	W2/53	0.85	0.85	0.82	0.82	0.03	3.54
R4/53	ASSUMED	W9/53	24.27	23.28	0.99	4.08	R4/53	ASSUMED	W9/53	0.78		0.75			
R4/53	ASSUMED	W12/53	21.01	20.06	0.95	4.52	R4/53	ASSUMED	W12/53	0.27		0.26			
R4/53	ASSUMED	W13/53	21.02	20.05	0.97	4.61	R4/53	ASSUMED	W13/53	0.29	1.33	0.28	1.28	0.05	3.68
R5/53	ASSUMED	W7/53	24.29	23.24	1.05	4.32	R5/53	ASSUMED	W7/53	0.77		0.75			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R5/53	ASSUMED	W8/53	21.03	20.02	1.01	4.80	R5/53	ASSUMED	W8/53	0.27		0.25			
R5/53	ASSUMED	W11/53	21.04	19.99	1.05	4.99	R5/53	ASSUMED	W11/53	0.29	1.33	0.27	1.27	0.05	3.85
R6/53	ASSUMED	W3/53	20.66	19.59	1.07	5.18	R6/53	ASSUMED	W3/53	0.86	0.86	0.82	0.82	0.04	4.08
R7/53	ASSUMED	W16/53	20.63	19.51	1.12	5.43	R7/53	ASSUMED	W16/53	0.87	0.87	0.83	0.83	0.04	4.14
R8/53	ASSUMED	W4/53	24.32	23.16	1.16	4.77	R8/53	ASSUMED	W4/53	0.77		0.74			
R8/53	ASSUMED	W5/53	21.03	19.89	1.14	5.42	R8/53	ASSUMED	W5/53	0.26		0.25			
R8/53	ASSUMED	W6/53	21.11	19.95	1.16	5.50	R8/53	ASSUMED	W6/53	0.28	1.32	0.27	1.26	0.06	4.18
St Michael's Church							St Michael's Church								
R1/10		W7/10	25.40	19.61	5.79	22.80	R1/10		W7/10	0.45		0.37			
R1/10		W8/10	22.30	17.70	4.60	20.63	R1/10		W8/10	0.42		0.36			
R1/10		W9/10	15.42	15.42	0.00	0.00	R1/10		W9/10	0.36	1.23	0.36	1.08	0.15	11.81
R2/10		W6/10	0.00	0.00	0.00	0.00	R2/10		W6/10	0.84	0.84	0.69	0.69	0.14	17.22
R3/10	CHURCH	W1/10	29.73	26.42	3.31	11.13	R3/10	CHURCH	W1/10	0.12		0.12			
R3/10	CHURCH	W2/10	37.42	26.56	10.86	29.02	R3/10	CHURCH	W2/10	0.82		0.64			
R3/10	CHURCH	W3/10	35.27	35.00	0.27	0.77	R3/10	CHURCH	W3/10	0.13		0.13			
R3/10	CHURCH	W4/10	34.75	34.75	0.00	0.00	R3/10	CHURCH	W4/10	0.13		0.13			
R3/10	CHURCH	W5/10	35.33	35.33	0.00	0.00	R3/10	CHURCH	W5/10	0.13		0.13			
R3/10	CHURCH	W10/10	35.68	35.68	0.00	0.00	R3/10	CHURCH	W10/10	0.13		0.13			
R3/10	CHURCH	W11/10	35.66	35.66	0.00	0.00	R3/10	CHURCH	W11/10	0.13		0.13			
R3/10	CHURCH	W12/10	35.70	35.70	0.00	0.00	R3/10	CHURCH	W12/10	0.13		0.13			
R3/10	CHURCH	W13/10	35.72	35.72	0.00	0.00	R3/10	CHURCH	W13/10	0.13		0.13			
R3/10	CHURCH	W14/10	35.69	35.69	0.00	0.00	R3/10	CHURCH	W14/10	0.13		0.13			
R3/10	CHURCH	W15/10	27.83	27.83	0.00	0.00	R3/10	CHURCH	W15/10	0.04		0.04			
R3/10	CHURCH	W16/10	38.79	38.79	0.00	0.00	R3/10	CHURCH	W16/10	0.84		0.84			
R3/10	CHURCH	W17/10	28.44	28.44	0.00	0.00	R3/10	CHURCH	W17/10	0.05		0.05			
R3/10	CHURCH	W18/10	32.06	32.03	0.03	0.09	R3/10	CHURCH	W18/10	0.12		0.12			

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

			EXISTING	PROPOSED	LOSS	%LOSS				EXISTING	PROPOSED	TOTAL	%LOSS		
Room	Room Use	Window	VSC	VSC	VSC	VSC	Room	Room Use	Window	ADF	TOTAL	ADF	TOTAL	LOSS	ADF
R3/10	CHURCH	W19/10	30.63	30.55	0.08	0.26	R3/10	CHURCH	W19/10	0.12		0.12			
R3/10	CHURCH	W20/10	29.22	29.20	0.02	0.07	R3/10	CHURCH	W20/10	0.12		0.12			
R3/10	CHURCH	W21/10	14.77	14.76	0.01	0.07	R3/10	CHURCH	W21/10	0.02		0.02			
R3/10	CHURCH	W22/10	28.89	28.62	0.27	0.93	R3/10	CHURCH	W22/10	0.12		0.12			
R3/10	CHURCH	W23/10	14.57	14.49	0.08	0.55	R3/10	CHURCH	W23/10	0.02		0.02			
R3/10	CHURCH	W24/10	29.06	28.28	0.78	2.68	R3/10	CHURCH	W24/10	0.11		0.11			
R3/10	CHURCH	W25/10	12.94	12.96	-0.02	-0.15	R3/10	CHURCH	W25/10	0.02		0.02			
R3/10	CHURCH	W26/10	29.44	27.76	1.68	5.71	R3/10	CHURCH	W26/10	0.12		0.11			
R3/10	CHURCH	W27/10	12.85	12.79	0.06	0.47	R3/10	CHURCH	W27/10	0.01		0.02			
R3/10	CHURCH	W28/10	12.33	12.57	-0.24	-1.95	R3/10	CHURCH	W28/10	0.02		0.02			
R3/10	CHURCH	W29/10	32.61	24.76	7.85	24.07	R3/10	CHURCH	W29/10	0.00		0.00			
R3/10	CHURCH	W30/10	18.80	14.22	4.58	24.36	R3/10	CHURCH	W30/10	0.00	3.71	0.00	3.53	0.19	4.98
9-15 Camden Road, Barnes House							9-15 Camden Road, Barnes House								
R1/102	RECEPTION	W1/102	21.82	21.73	0.09	0.41	R1/102	RECEPTION	W1/102	1.35	1.35	1.36	1.36	-0.01	-0.59
R2/102	BEDROOM	W2/102	21.98	21.50	0.48	2.18	R2/102	BEDROOM	W2/102	0.82	0.82	0.82	0.82	0.00	0.37
R3/102	RECEPTION	W3/102	21.87	21.35	0.52	2.38	R3/102	RECEPTION	W3/102	0.64		0.64			
R3/102	RECEPTION	W4/102	21.82	21.30	0.52	2.38	R3/102	RECEPTION	W4/102	0.63	1.28	0.63	1.27	0.00	0.16
R5/102	BEDROOM	W5/102	21.92	21.45	0.47	2.14	R5/102	BEDROOM	W5/102	0.94	0.94	0.94	0.94	0.00	0.00
R6/102	KITCHEN	W10/102	7.90	4.09	3.81	48.23	R6/102	KITCHEN	W10/102	0.69	0.69	0.44	0.44	0.25	36.20
R8/102	BEDROOM	W6/102	22.19	21.78	0.41	1.85	R8/102	BEDROOM	W6/102	0.77	0.77	0.77	0.77	0.00	0.00
R9/102	KITCHEN	W13/102	8.45	4.79	3.66	43.31	R9/102	KITCHEN	W13/102	0.69	0.69	0.47	0.47	0.23	32.51
R10/102	RECEPTION	W7/102	22.54	22.20	0.34	1.51	R10/102	RECEPTION	W7/102	0.65		0.65			
R10/102	RECEPTION	W8/102	22.92	22.61	0.31	1.35	R10/102	RECEPTION	W8/102	0.66	1.31	0.66	1.31	0.00	0.00

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R15/102	BEDROOM	W18/102	8.75	6.28	2.47	28.23	R15/102	BEDROOM	W18/102	0.66	0.66	0.52	0.52	0.14	21.42
R16/102	KITCHEN	W19/102	8.55	6.52	2.03	23.74	R16/102	KITCHEN	W19/102	0.69	0.69	0.57	0.57	0.13	18.04
R19/102	BEDROOM	W26/102	7.23	5.98	1.25	17.29	R19/102	BEDROOM	W26/102	0.48	0.48	0.42	0.42	0.06	12.81
R23/102	KITCHEN	W28/102	6.31	4.51	1.80	28.53	R23/102	KITCHEN	W28/102	0.59	0.59	0.46	0.46	0.13	22.45
R24/102	BEDROOM	W29/102	7.19	4.96	2.23	31.02	R24/102	BEDROOM	W29/102	0.59	0.59	0.45	0.45	0.14	23.89
R28/102	KITCHEN	W34/102	7.58	4.92	2.66	35.09	R28/102	KITCHEN	W34/102	0.67	0.67	0.48	0.48	0.20	28.97
R29/102	BEDROOM	W38/102	26.02	23.52	2.50	9.61	R29/102	BEDROOM	W38/102	1.34	1.34	1.24	1.24	0.10	7.11
R32/102	KITCHEN	W35/102	7.36	4.71	2.65	36.01	R32/102	KITCHEN	W35/102	0.63	0.63	0.45	0.45	0.19	29.23
R33/102	BEDROOM	W39/102	20.23	14.31	5.92	29.26	R33/102	BEDROOM	W39/102	1.33	1.33	1.04	1.04	0.28	21.33
R1/103	RECEPTION	W1/103	25.62	25.04	0.58	2.26	R1/103	RECEPTION	W1/103	1.61	1.61	1.60	1.60	0.01	0.81
R2/103	BEDROOM	W2/103	25.69	25.01	0.68	2.65	R2/103	BEDROOM	W2/103	0.97	0.97	0.96	0.96	0.00	0.31
R3/103	RECEPTION	W3/103	25.58	24.93	0.65	2.54	R3/103	RECEPTION	W3/103	0.76		0.76			
R3/103	RECEPTION	W4/103	25.53	24.91	0.62	2.43	R3/103	RECEPTION	W4/103	0.76	1.52	0.76	1.52	0.00	0.13
R5/103	BEDROOM	W5/103	25.60	25.05	0.55	2.15	R5/103	BEDROOM	W5/103	1.12	1.12	1.12	1.12	0.00	0.09
R6/103	KITCHEN	W10/103	10.15	7.35	2.80	27.59	R6/103	KITCHEN	W10/103	0.82	0.82	0.68	0.68	0.14	16.81
R8/103	BEDROOM	W6/103	25.79	25.30	0.49	1.90	R8/103	BEDROOM	W6/103	0.91	0.91	0.91	0.91	0.00	0.00
R9/103	KITCHEN	W13/103	10.89	8.44	2.45	22.50	R9/103	KITCHEN	W13/103	0.82	0.82	0.70	0.70	0.12	14.22

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	TOTAL ADF	TOTAL LOSS	%LOSS ADF
R10/103	RECEPTION	W7/103	26.04	25.60	0.44	1.69	R10/103	RECEPTION	W7/103	0.77		0.77		
R10/103	RECEPTION	W8/103	26.37	25.96	0.41	1.55	R10/103	RECEPTION	W8/103	0.78	1.54	0.78	1.54	0.00
R15/103	BEDROOM	W18/103	11.34	9.80	1.54	13.58	R15/103	BEDROOM	W18/103	0.78	0.78	0.71	0.71	0.07
R16/103	KITCHEN	W19/103	11.00	9.68	1.32	12.00	R16/103	KITCHEN	W19/103	0.79	0.79	0.72	0.72	0.06
R19/103	BEDROOM	W26/103	9.67	8.82	0.85	8.79	R19/103	BEDROOM	W26/103	0.58	0.58	0.55	0.55	0.03
R23/103	KITCHEN	W28/103	8.31	6.95	1.36	16.37	R23/103	KITCHEN	W28/103	0.68	0.68	0.60	0.60	0.08
R24/103	BEDROOM	W29/103	9.17	7.51	1.66	18.10	R24/103	BEDROOM	W29/103	0.67	0.67	0.58	0.58	0.09
R28/103	KITCHEN	W34/103	9.90	7.99	1.91	19.29	R28/103	KITCHEN	W34/103	0.78	0.78	0.66	0.66	0.11
R29/103	BEDROOM	W38/103	30.72	28.96	1.76	5.73	R29/103	BEDROOM	W38/103	1.55	1.55	1.48	1.48	0.07
R32/103	KITCHEN	W35/103	9.55	7.66	1.89	19.79	R32/103	KITCHEN	W35/103	0.73	0.73	0.62	0.62	0.11
R33/103	BEDROOM	W39/103	24.51	19.29	5.22	21.30	R33/103	BEDROOM	W39/103	1.62	1.62	1.37	1.37	0.25
R1/104	RECEPTION	W1/104	29.71	28.58	1.13	3.80	R1/104	RECEPTION	W1/104	1.61	1.61	1.58	1.58	0.03
R2/104	RECEPTION	W4/104	29.26	28.54	0.72	2.46	R2/104	RECEPTION	W4/104	0.76		0.76		
R2/104	RECEPTION	W5/104	29.30	28.65	0.65	2.22	R2/104	RECEPTION	W5/104	0.74	1.50	0.74	1.50	0.00
R3/104	KITCHEN	W7/104	31.85	27.55	4.30	13.50	R3/104	KITCHEN	W7/104	1.40	1.40	1.26	1.26	0.15
R4/104	RECEPTION	W6/104	29.42	28.83	0.59	2.01	R4/104	RECEPTION	W6/104	0.76		0.76		
R4/104	RECEPTION	W8/104	29.60	29.08	0.52	1.76	R4/104	RECEPTION	W8/104	0.76	1.52	0.76	1.52	0.00
R6/104	RECEPTION	W2/104	29.46	28.58	0.88	2.99	R6/104	RECEPTION	W2/104	0.76		0.76		
R6/104	RECEPTION	W3/104	29.31	28.51	0.80	2.73	R6/104	RECEPTION	W3/104	0.76	1.52	0.76	1.51	0.00

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	PROPOSED TOTAL	ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R11/104	KITCHEN	W16/104	35.85	34.23	1.62	4.52	R11/104	KITCHEN	W16/104	1.77	1.77	1.71	1.71	0.07	3.73
R12/104	KITCHEN	W17/104	35.61	34.29	1.32	3.71	R12/104	KITCHEN	W17/104	1.78	1.78	1.73	1.73	0.05	2.75
R19/104	KITCHEN	W24/104	35.18	34.46	0.72	2.05	R19/104	KITCHEN	W24/104	1.44	1.44	1.41	1.41	0.02	1.53
R23/104	KITCHEN	W32/104	32.47	32.02	0.45	1.39	R23/104	KITCHEN	W32/104	1.39	1.39	1.38	1.38	0.01	0.79
R27/104	BEDROOM	W35/104	30.10	29.23	0.87	2.89	R27/104	BEDROOM	W35/104	1.35	1.35	1.32	1.32	0.03	2.37
R28/104	KITCHEN	W36/104	32.31	31.22	1.09	3.37	R28/104	KITCHEN	W36/104	1.64	1.64	1.59	1.59	0.05	2.75
R31/104	ASSUMED	W40/104	33.85	32.66	1.19	3.52	R31/104	ASSUMED	W40/104	1.64	1.64	1.59	1.59	0.05	2.94
R32/104	ASSUMED	W41/104	35.06	33.86	1.20	3.42	R32/104	ASSUMED	W41/104	1.66	1.66	1.61	1.61	0.05	3.00
R33/104	ASSUMED	W42/104	34.70	33.53	1.17	3.37	R33/104	ASSUMED	W42/104	1.65	1.65	1.61	1.61	0.05	2.90
R37/104	KITCHEN	W49/104	34.38	33.52	0.86	2.50	R37/104	KITCHEN	W49/104	1.80	1.80	1.76	1.76	0.04	2.22
R1/105	BEDROOM	W1/105	33.74	32.51	1.23	3.65	R1/105	BEDROOM	W1/105	0.86	0.86	0.86	0.86	0.00	0.00
R2/105	BEDROOM	W4/105	33.22	32.43	0.79	2.38	R2/105	BEDROOM	W4/105	0.78	0.78	0.78	0.78	0.00	0.00
R3/105	BEDROOM	W7/105	38.41	37.48	0.93	2.42	R3/105	BEDROOM	W7/105	0.96	0.96	0.95	0.95	0.02	1.87
R4/105	BEDROOM	W5/105	33.13	32.53	0.60	1.81	R4/105	BEDROOM	W5/105	0.67		0.67			
R4/105	BEDROOM	W6/105	30.16	30.10	0.06	0.20	R4/105	BEDROOM	W6/105	0.15	0.83	0.15	0.83	0.00	0.00
R5/105	BEDROOM	W10/105	38.29	37.72	0.57	1.49	R5/105	BEDROOM	W10/105	0.81		0.80			
R5/105	BEDROOM	W12/105	38.24	37.97	0.27	0.71	R5/105	BEDROOM	W12/105	0.81	1.62	0.80	1.60	0.01	0.87

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R6/105	BEDROOM	W8/105	33.33	32.86	0.47	1.41	R6/105	BEDROOM	W8/105	0.61		0.61			
R6/105	BEDROOM	W9/105	31.46	31.33	0.13	0.41	R6/105	BEDROOM	W9/105	0.14	0.75	0.14	0.75	0.00	0.00
R7/105	BEDROOM	W15/105	37.97	37.80	0.17	0.45	R7/105	BEDROOM	W15/105	0.88	0.88	0.87	0.87	0.00	0.11
R8/105	BEDROOM	W16/105	37.58	37.47	0.11	0.29	R8/105	BEDROOM	W16/105	0.85	0.85	0.85	0.85	0.00	0.00
R9/105	BEDROOM	W13/105	33.99	33.63	0.36	1.06	R9/105	BEDROOM	W13/105	0.61	0.61	0.61	0.61	0.00	0.00
R10/105	BEDROOM	W18/105	36.71	36.63	0.08	0.22	R10/105	BEDROOM	W18/105	0.79	0.79	0.79	0.79	0.00	0.00
R11/105	BEDROOM	W19/105	33.05	33.01	0.04	0.12	R11/105	BEDROOM	W19/105	0.73	0.73	0.73	0.73	0.00	0.00
R12/105	BEDROOM	W21/105	35.24	34.73	0.51	1.45	R12/105	BEDROOM	W21/105	1.12	1.12	1.11	1.11	0.02	1.43
R13/105	BEDROOM	W22/105	36.78	36.18	0.60	1.63	R13/105	BEDROOM	W22/105	0.89	0.89	0.87	0.87	0.02	1.69
R14/105	BEDROOM	W24/105	37.65	37.04	0.61	1.62	R14/105	BEDROOM	W24/105	1.24	1.24	1.22	1.22	0.02	1.69
R15/105	BEDROOM	W25/105	37.82	37.22	0.60	1.59	R15/105	BEDROOM	W25/105	1.13	1.13	1.11	1.11	0.02	1.60
R21/105	BEDROOM	W20/105	33.60	33.16	0.44	1.31	R21/105	BEDROOM	W20/105	1.06	1.06	1.05	1.05	0.01	1.22
R22/105	BEDROOM	W23/105	37.43	36.80	0.63	1.68	R22/105	BEDROOM	W23/105	1.24	1.24	1.22	1.22	0.02	1.69
5A Camden Road							5A Camden Road								
R1/110		W1/110	21.41	20.08	1.33	6.21	R1/110		W1/110	0.24		0.23			
R1/110		W2/110	25.14	23.96	1.18	4.69	R1/110		W2/110	0.07		0.05			
R1/110		W3/110	10.17	10.17	0.00	0.00	R1/110		W3/110	0.12	0.43	0.12	0.40	0.03	7.66
R2/110		W4/110	20.71	20.13	0.58	2.80	R2/110		W4/110	1.08	1.08	1.06	1.06	0.02	1.94

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/111		W2/111	27.89	27.13	0.76	2.72	R1/111		W2/111	0.44	0.44	0.43	0.43	0.01	2.94
R2/111		W1/111	28.51	27.60	0.91	3.19	R2/111		W1/111	0.51	0.51	0.50	0.50	0.01	2.74
5 Camden Road							5 Camden Road								
R1/122		W1/122	29.15	29.07	0.08	0.27	R1/122		W1/122	0.22	0.22	0.22	0.22	0.00	0.45
R1/129		W1/129	16.76	16.28	0.48	2.86	R1/129		W1/129	0.64	0.64	0.63	0.63	0.01	2.18
R1/130		W1/130	17.15	16.79	0.36	2.10	R1/130		W1/130	0.66	0.66	0.65	0.65	0.01	1.66
3A Camden Road							3A Camden Road								
R1/149	ASSUMED_WIND	W1/149	3.14	3.14	0.00	0.00	R1/149	ASSUMED_WIND	W1/149	0.32	0.32	0.32	0.32	0.00	0.00
R1/150	BEDROOM	W1/150	7.44	7.44	0.00	0.00	R1/150	BEDROOM	W1/150	0.60	0.60	0.60	0.60	0.00	0.00
R1/151	LD	W1/151	13.09	12.85	0.24	1.83	R1/151	LD	W1/151	0.37	0.37	0.36	0.36	0.01	2.42
R1/152		W1/152	29.82	29.45	0.37	1.24	R1/152		W1/152	1.05		1.04			
R1/152		W2/152	22.16	21.80	0.36	1.62	R1/152		W2/152	0.85	1.90	0.84	1.88	0.02	1.11
R2/152		W3/152	21.25	20.85	0.40	1.88	R2/152		W3/152	0.16		0.16			
R2/152		W4/152	23.47	23.21	0.26	1.11	R2/152		W4/152	0.26	0.42	0.26	0.42	0.00	0.71
3 Camden Road							3 Camden Road								
R1/153		W1/153	1.16	1.16	0.00	0.00	R1/153		W1/153	0.00		0.00			
R1/153		W2/153	0.95	0.95	0.00	0.00	R1/153		W2/153	0.00	0.00	0.00	0.00	0.00	-
R1/154		W1/154	7.45	7.35	0.10	1.34	R1/154		W1/154	0.55	0.55	0.54	0.54	0.01	1.63

Grand Union House, Camden
Existing vs Proposed 151118
With Mango Consent

Grandunion House
DAYLIGHT ANALYSIS

NOV 2018

Room	Room Use	Window	EXISTING VSC	PROPOSED VSC	LOSS VSC	%LOSS VSC	Room	Room Use	Window	EXISTING ADF	TOTAL	PROPOSED ADF	TOTAL	TOTAL LOSS	%LOSS ADF
R1/155		W1/155	17.37	17.23	0.14	0.81	R1/155		W1/155	1.16	1.16	1.15	1.15	0.01	0.78
22 Camden Road							22 Camden Road								
R1/81	ASSUMED	W1/81	29.77	29.23	0.54	1.81	R1/81	ASSUMED	W1/81	1.74	1.74	1.71	1.71	0.03	1.56
R2/81	ASSUMED	W2/81	29.53	28.96	0.57	1.93	R2/81	ASSUMED	W2/81	1.74	1.74	1.71	1.71	0.03	1.61
R1/82	ASSUMED	W1/82	32.32	31.70	0.62	1.92	R1/82	ASSUMED	W1/82	1.28	1.28	1.26	1.26	0.02	1.64
R2/82	ASSUMED	W2/82	32.49	31.89	0.60	1.85	R2/82	ASSUMED	W2/82	1.28	1.28	1.26	1.26	0.02	1.64
24 Camden Road							24 Camden Road								
R1/71	ASSUMED	W2/71	29.88	29.44	0.44	1.47	R1/71	ASSUMED	W2/71	1.93	1.93	1.90	1.90	0.02	1.24
R2/71	ASSUMED	W1/71	29.92	29.56	0.36	1.20	R2/71	ASSUMED	W1/71	1.73	1.73	1.71	1.71	0.02	1.10
R1/72	ASSUMED	W2/72	32.88	32.31	0.57	1.73	R1/72	ASSUMED	W2/72	1.43	1.43	1.41	1.41	0.02	1.54
R2/72	ASSUMED	W1/72	32.90	32.42	0.48	1.46	R2/72	ASSUMED	W1/72	1.28	1.28	1.26	1.26	0.02	1.33
26 Camden Road							26 Camden Road								
R1/61	ASSUMED	W1/61	30.05	29.76	0.29	0.97	R1/61	ASSUMED	W1/61	1.79	1.79	1.77	1.77	0.02	0.84
R2/61	ASSUMED	W2/61	30.00	29.79	0.21	0.70	R2/61	ASSUMED	W2/61	1.77	1.77	1.76	1.76	0.01	0.56
R1/62	ASSUMED	W1/62	33.00	32.64	0.36	1.09	R1/62	ASSUMED	W1/62	1.31	1.31	1.30	1.30	0.01	0.99
R2/62	ASSUMED	W2/62	32.98	32.67	0.31	0.94	R2/62	ASSUMED	W2/62	1.30	1.30	1.29	1.29	0.01	0.77
R1/63	ASSUMED	W1/63	35.42	35.10	0.32	0.90	R1/63	ASSUMED	W1/63	0.79	0.79	0.79	0.79	0.01	0.88

			EXISTING	PROPOSED	LOSS	%LOSS				EXISTING	PROPOSED	TOTAL	%LOSS		
Room	Room Use	Window	VSC	VSC	VSC	VSC	Room	Room Use	Window	ADF	TOTAL	ADF	TOTAL	LOSS	ADF
R2/63	ASSUMED	W2/63	35.46	35.11	0.35	0.99	R2/63	ASSUMED	W2/63	0.78	0.78	0.77	0.77	0.01	0.90



Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
11 Kentish Town Road						
R1/161		94.3	81.2	81.2	0.0	0.0
R2/161		94.3	82.7	82.7	0.0	0.0
R1/162		94.3	91.2	91.2	0.0	0.0
R2/162		94.3	92.8	92.8	0.0	0.0
R1/163		141.6	133.1	133.1	0.0	0.0
13 Kentish Town Road						
R3/161		175.7	158.4	158.4	0.0	0.0
R4/161		90.3	80.1	80.1	0.0	0.0
R3/162		175.7	173.2	173.2	0.0	0.0
R4/162		90.3	88.8	88.8	0.0	0.0
R2/163		214.1	201.9	201.9	0.0	0.0
15 Kentish Town Road						
R5/161		91.9	81.9	81.9	0.0	0.0
R6/161		91.9	79.9	79.9	0.0	0.0
R5/162		91.9	90.4	90.4	0.0	0.0
R6/162		91.9	90.5	90.5	0.0	0.0
R3/163		140.7	132.3	132.3	0.0	0.0
17 Kentish Town Road						
R7/161		93.3	84.6	81.8	2.8	3.3
R8/161		90.4	83.7	77.6	6.1	7.3
R7/162		93.3	91.7	91.7	0.0	0.0
R8/162		90.4	89.0	89.0	0.0	0.0
R4/163		142.4	133.1	133.1	0.0	0.0
19 Kentish Town Road						
R1/500		31.4	31.2	25.7	5.6	17.9
R2/500		163.1	163.1	118.0	45.1	27.7
R1/501		184.8	182.0	181.8	0.3	0.2
R1/502		184.8	181.8	181.8	0.0	0.0
R1/503		146.7	134.4	134.4	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
United Reformed Church						
R1/540		196.2	187.9	187.9	0.0	0.0
R2/540		199.7	192.4	187.4	5.0	2.6
R3/540		191.9	183.8	164.1	19.7	10.7
R1/541		196.2	174.5	130.5	44.1	25.3
R2/541		199.7	196.8	193.7	3.1	1.6
R3/541		191.9	171.7	114.2	57.5	33.5
R1/551		90.8	66.7	43.2	23.5	35.2
R1/552		136.5	104.7	69.0	35.6	34.0
R1/560		80.5	29.5	29.5	0.0	0.0
R1/570		267.0	192.8	185.4	7.3	3.8
R1/580		1074.4	960.6	960.6	0.0	0.0
27 Kentish Town Road						
R7/901	ASSUMED_RESI	209.6	208.6	116.2	92.4	44.3
R8/901	ASSUMED_RESI	114.4	113.8	63.3	50.4	44.3
R9/901	ASSUMED_RESI	216.2	214.4	117.6	96.8	45.1
R1/902	ASSUMED_RESI	247.0	245.6	245.6	0.0	0.0
R2/902	ASSUMED_RESI	193.5	193.0	193.0	0.0	0.0
R3/902	ASSUMED_RESI	195.4	195.0	195.0	0.0	0.0
R4/902	ASSUMED_RESI	289.1	288.4	288.3	0.1	0.0
R5/902	ASSUMED_RESI	193.2	192.7	127.9	64.8	33.6
R6/902	ASSUMED_RESI	114.3	113.7	74.4	39.3	34.6
R7/902	ASSUMED_RESI	195.6	195.1	128.7	66.4	34.0
R8/902	ASSUMED_RESI	228.5	227.5	149.0	78.5	34.5
R9/902	ASSUMED_RESI	215.3	214.3	154.1	60.2	28.1
R10/902	ASSUMED_RESI	115.6	115.1	82.2	32.9	28.6
R11/902	ASSUMED_RESI	211.8	208.5	147.2	61.3	29.4
R1/903	ASSUMED_RESI	247.0	245.6	245.6	0.0	0.0
R2/903	ASSUMED_RESI	193.5	193.0	193.0	0.0	0.0
R3/903	ASSUMED_RESI	195.4	195.0	195.0	0.0	0.0
R4/903	ASSUMED_RESI	289.1	288.4	288.4	0.0	0.0
R5/903	ASSUMED_RESI	193.2	192.7	175.2	17.5	9.1
R6/903	ASSUMED_RESI	114.3	113.7	101.5	12.1	10.6
R7/903	ASSUMED_RESI	195.6	195.1	175.6	19.5	10.0
R8/903	ASSUMED_RESI	228.5	227.5	204.4	23.1	10.2
R9/903	ASSUMED_RESI	215.3	214.3	210.2	4.1	1.9
R10/903	ASSUMED_RESI	115.6	115.1	112.5	2.6	2.3
R11/903	ASSUMED_RESI	211.8	208.7	201.3	7.5	3.6
R1/904	ASSUMED_RESI	247.0	245.6	245.6	0.0	0.0
R2/904	ASSUMED_RESI	193.5	193.0	193.0	0.0	0.0
R3/904	ASSUMED_RESI	195.4	195.0	195.0	0.0	0.0
R4/904	ASSUMED_RESI	289.1	288.4	288.4	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R5/904	ASSUMED_RESI	193.2	192.7	192.7	0.0	0.0
R6/904	ASSUMED_RESI	114.3	113.7	113.7	0.0	0.0
R7/904	ASSUMED_RESI	195.6	195.1	195.1	0.0	0.0
R8/904	ASSUMED_RESI	228.5	227.5	227.5	0.0	0.0
R9/904	ASSUMED_RESI	215.3	214.4	214.4	0.0	0.0
R10/904	ASSUMED_RESI	115.6	115.1	115.1	0.0	0.0
R11/904	ASSUMED_RESI	211.8	209.1	209.1	0.0	0.0
R1/905	ASSUMED_RESI	247.0	245.6	245.6	0.0	0.0
R2/905	ASSUMED_RESI	193.5	193.0	193.0	0.0	0.0
R3/905	ASSUMED_RESI	195.4	195.0	195.0	0.0	0.0
R4/905	ASSUMED_RESI	289.1	288.4	288.4	0.0	0.0
R5/905	ASSUMED_RESI	193.2	192.7	192.7	0.0	0.0
R6/905	ASSUMED_RESI	114.3	113.7	113.7	0.0	0.0
R7/905	ASSUMED_RESI	195.6	195.1	195.1	0.0	0.0
R8/905	ASSUMED_RESI	270.8	270.4	270.4	0.0	0.0
R1/906		195.6	193.4	193.4	0.0	0.0
R2/906		158.8	158.0	158.0	0.0	0.0
R3/906		156.8	156.0	156.0	0.0	0.0
R4/906		211.1	210.9	210.9	0.0	0.0
R5/906		179.4	178.1	178.1	0.0	0.0
R6/906		175.1	174.2	174.2	0.0	0.0
R7/906		216.7	214.3	214.3	0.0	0.0

Daysun House, Hawley Crescent And 29 Kentish Town Road

R1/731	STUDIO	192.7	179.6	71.7	107.9	60.1
R2/731	STUDIO	232.2	142.7	52.5	90.2	63.2
R1/732	STUDIO	145.7	141.6	58.0	83.6	59.0
R2/732	STUDIO	231.7	225.0	68.1	156.9	69.7
R1/733	STUDIO	192.7	187.2	131.7	55.5	29.6
R2/733	STUDIO	194.5	190.4	115.1	75.3	39.5
R1/734	STUDIO	221.3	218.6	218.6	0.0	0.0

31 Kentish Town Road

R1/31	LKD	407.4	212.9	126.2	86.7	40.7
R2/31	BEDROOM	169.4	148.4	64.4	84.1	56.7
R3/31	LKD	258.2	171.9	113.9	58.0	33.7
R4/31	BEDROOM	133.4	128.3	54.3	74.1	57.8
R5/31	LKD	258.7	215.6	157.2	58.4	27.1
R6/31	LKD	368.6	234.4	151.6	82.8	35.3
R1/32	LKD	407.4	333.0	161.7	171.2	51.4
R2/32	BEDROOM	169.4	167.1	79.8	87.3	52.2
R3/32	LKD	258.2	258.2	126.4	131.8	51.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R4/32	BEDROOM	133.4	128.3	69.0	59.4	46.3
R5/32	LKD	258.7	258.7	166.1	92.5	35.8
R6/32	LKD	368.6	303.4	162.3	141.1	46.5
R1/33	LKD	407.4	406.1	143.7	262.4	64.6
R2/33	BEDROOM	155.6	146.8	85.1	61.7	42.0
R3/33	BEDROOM	58.6	58.6	58.6	0.0	0.0
R4/33	BEDROOM	50.7	50.7	50.7	0.0	0.0
R5/33	BEDROOM	133.4	132.3	96.1	36.2	27.4
R6/33	LKD	258.7	258.7	196.7	62.0	24.0
R7/33	LKD	368.6	368.0	191.3	176.7	48.0
R1/34	LKD	381.8	381.8	381.8	0.0	0.0
R2/34	LD	382.6	380.7	375.5	5.2	1.4
R3/34	LKD	399.9	398.6	398.6	0.0	0.0

33 Kentish Town Road

R1/21	258.7	256.1	255.3	0.9	0.4
R1/22	258.7	257.8	257.1	0.7	0.3
R1/23	137.5	85.2	42.5	42.7	50.1

32-52 Camden Street

R1/40	ASSUMED	259.5	258.9	258.9	0.0	0.0
R2/40	ASSUMED	177.0	176.2	176.2	0.0	0.0
R3/40	ASSUMED	154.4	154.1	154.1	0.0	0.0
R4/40	ASSUMED	155.4	154.7	154.7	0.0	0.0
R5/40	ASSUMED	127.2	127.1	127.1	0.0	0.0
R6/40	ASSUMED	127.2	126.9	126.9	0.0	0.0
R7/40	ASSUMED	130.5	129.8	129.8	0.0	0.0
R8/40	ASSUMED	238.0	236.2	236.2	0.0	0.0
R1/41		116.5	115.3	115.3	0.0	0.0
R2/41		138.4	136.1	136.1	0.0	0.0
R3/41	ASSUMED	177.0	176.2	176.2	0.0	0.0
R4/41	ASSUMED	154.4	154.1	154.1	0.0	0.0
R5/41	ASSUMED	155.4	151.6	151.6	0.0	0.0
R6/41	ASSUMED	127.2	125.7	125.7	0.0	0.0
R7/41	ASSUMED	127.2	126.9	126.9	0.0	0.0
R8/41	ASSUMED	130.5	129.7	129.7	0.0	0.0
R9/41	ASSUMED	238.0	235.1	235.1	0.0	0.0
R1/42	ASSUMED	259.5	258.4	258.4	0.0	0.0
R2/42	ASSUMED	177.0	171.4	171.3	0.0	0.0
R3/42	ASSUMED	154.4	151.5	151.5	0.0	0.0
R4/42	ASSUMED	287.1	285.6	285.6	0.0	0.0
R5/42	ASSUMED	124.5	124.0	124.0	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R6/42	ASSUMED	126.2	124.8	124.8	0.0	0.0
R7/42	ASSUMED	238.0	236.2	236.2	0.0	0.0

1-28 Camden Street

R1/50	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/50	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/50	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/50	ASSUMED	170.4	169.3	169.3	0.0	0.0
R5/50	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/50	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/50	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/50	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/51	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/51	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/51	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/51	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/51	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/51	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/51	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/51	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/52	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/52	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/52	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/52	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/52	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/52	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/52	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/52	ASSUMED	173.1	169.7	169.7	0.0	0.0
R1/53	ASSUMED	172.5	169.1	169.1	0.0	0.0
R2/53	ASSUMED	106.5	105.5	105.5	0.0	0.0
R3/53	ASSUMED	111.2	109.8	109.8	0.0	0.0
R4/53	ASSUMED	170.4	169.1	169.1	0.0	0.0
R5/53	ASSUMED	171.7	170.4	170.4	0.0	0.0
R6/53	ASSUMED	109.6	108.1	108.1	0.0	0.0
R7/53	ASSUMED	106.9	105.9	105.9	0.0	0.0
R8/53	ASSUMED	173.1	169.7	169.7	0.0	0.0

St Michael's Church

R1/10		412.6	399.9	389.6	10.3	2.6
R2/10		204.4	168.3	114.4	53.9	32.0
R3/10	CHURCH	6634.0	6590.0	6590.0	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
9-15 Camden Road, Barnes House						
R1/102	RECEPTION	155.8	79.9	79.6	0.2	0.3
R2/102	BEDROOM	109.5	49.9	49.9	0.0	0.0
R3/102	RECEPTION	157.9	89.9	89.9	0.0	0.0
R5/102	BEDROOM	80.8	38.2	38.2	0.0	0.0
R6/102	KITCHEN	65.1	60.1	51.2	8.9	14.8
R8/102	BEDROOM	114.3	48.9	48.9	0.0	0.0
R9/102	KITCHEN	71.3	60.8	54.5	6.3	10.4
R10/102	RECEPTION	157.9	107.2	107.2	0.0	0.0
R15/102	BEDROOM	78.3	71.1	70.7	0.3	0.4
R16/102	KITCHEN	72.4	64.8	64.3	0.6	0.9
R19/102	BEDROOM	104.7	77.4	77.3	0.1	0.1
R23/102	KITCHEN	71.5	62.7	62.7	0.0	0.0
R24/102	BEDROOM	82.5	68.2	67.0	1.2	1.8
R28/102	KITCHEN	66.9	60.1	60.1	0.0	0.0
R29/102	BEDROOM	141.5	129.5	128.2	1.3	1.0
R32/102	KITCHEN	74.4	66.4	65.8	0.6	0.9
R33/102	BEDROOM	101.6	97.8	78.1	19.7	20.1
R1/103	RECEPTION	155.8	104.1	104.1	0.0	0.0
R2/103	BEDROOM	109.5	74.9	74.9	0.0	0.0
R3/103	RECEPTION	157.9	114.3	114.3	0.0	0.0
R5/103	BEDROOM	80.8	57.0	57.0	0.0	0.0
R6/103	KITCHEN	65.1	59.3	59.2	0.0	0.0
R8/103	BEDROOM	114.3	72.4	72.4	0.0	0.0
R9/103	KITCHEN	71.3	63.1	59.9	3.3	5.2
R10/103	RECEPTION	157.9	127.9	127.9	0.0	0.0
R15/103	BEDROOM	78.3	70.8	70.6	0.2	0.3
R16/103	KITCHEN	72.4	64.7	64.4	0.3	0.5
R19/103	BEDROOM	104.8	82.3	82.3	0.0	0.0
R23/103	KITCHEN	71.5	61.7	61.7	0.0	0.0
R24/103	BEDROOM	82.5	67.7	67.7	0.0	0.0
R28/103	KITCHEN	66.9	58.5	58.5	0.0	0.0
R29/103	BEDROOM	141.5	131.6	131.6	0.0	0.0
R32/103	KITCHEN	74.4	65.1	65.1	0.0	0.0
R33/103	BEDROOM	101.6	97.8	94.4	3.4	3.5
R1/104	RECEPTION	192.9	175.9	174.9	1.0	0.6
R2/104	RECEPTION	179.6	161.9	161.9	0.0	0.0
R3/104	KITCHEN	83.0	81.5	81.5	0.0	0.0
R4/104	RECEPTION	179.7	166.2	166.2	0.0	0.0
R6/104	RECEPTION	180.7	163.7	163.7	0.0	0.0
R11/104	KITCHEN	68.4	65.8	65.8	0.0	0.0
R12/104	KITCHEN	69.0	67.3	67.3	0.0	0.0
R19/104	KITCHEN	93.3	89.1	89.1	0.0	0.0
R23/104	KITCHEN	92.0	86.4	86.4	0.0	0.0

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss
R27/104	BEDROOM	85.2	81.1	81.1	0.0	0.0
R28/104	KITCHEN	72.0	70.1	70.1	0.0	0.0
R31/104	ASSUMED	70.5	69.4	69.4	0.0	0.0
R32/104	ASSUMED	70.9	69.9	69.9	0.0	0.0
R33/104	ASSUMED	79.2	77.6	77.6	0.0	0.0
R37/104	KITCHEN	64.6	62.9	62.9	0.0	0.0
R1/105	BEDROOM	92.0	86.9	86.9	0.0	0.0
R2/105	BEDROOM	96.0	87.9	87.9	0.0	0.0
R3/105	BEDROOM	101.1	92.6	92.6	0.0	0.0
R4/105	BEDROOM	114.3	100.9	100.9	0.0	0.0
R5/105	BEDROOM	126.3	123.0	123.0	0.0	0.0
R6/105	BEDROOM	132.6	113.4	113.4	0.0	0.0
R7/105	BEDROOM	111.9	98.3	98.3	0.0	0.0
R8/105	BEDROOM	117.4	103.0	103.0	0.0	0.0
R9/105	BEDROOM	99.5	80.6	80.6	0.0	0.0
R10/105	BEDROOM	122.3	104.7	104.7	0.0	0.0
R11/105	BEDROOM	122.7	102.5	102.5	0.0	0.0
R12/105	BEDROOM	84.4	78.0	78.0	0.0	0.0
R13/105	BEDROOM	115.0	104.7	104.7	0.0	0.0
R14/105	BEDROOM	70.4	67.7	67.7	0.0	0.0
R15/105	BEDROOM	82.8	77.6	77.6	0.0	0.0
R21/105	BEDROOM	84.6	80.3	80.3	0.0	0.0
R22/105	BEDROOM	73.2	69.1	69.1	0.0	0.0

5A Camden Road

R1/110	117.7	87.1	77.8	9.3	10.7
R2/110	111.2	91.1	89.3	1.8	2.0
R1/111	152.1	133.3	133.3	0.0	0.0
R2/111	72.6	52.3	52.1	0.1	0.2

5 Camden Road

R1/122	325.8	106.8	106.3	0.5	0.5
R1/129	16.4	13.3	13.3	0.0	0.0
R1/130	125.0	42.1	42.1	0.0	0.0

3A Camden Road

R1/149	ASSUMED_WIN	81.6	10.7	10.7	0.0	0.0
R1/150	BEDROOM	82.4	22.0	22.0	0.0	0.0
R1/151	LD	103.7	25.4	25.4	0.0	0.0
R1/152		97.3	85.7	85.7	0.0	0.0