



BUILDING DESIGN PARTNERSHIP LTD SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.
 ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
 DO NOT SCALE FROM THIS DRAWING.
 ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP LTD AT THE ADDRESS SHOWN BELOW.

NOTES

- EXISTING NOTCHES FOR PIPE RUNS TO BE RE-USED
- PIPEWORK TO HAVE INSULATION LOCALLY REMOVED IF NECESSARY TO MINIMISE SIZE OF NOTCHES
- SERVICE ROUTES SHOWN ON THE DRAWINGS HAVE BEEN DEVELOPED WITH SUBCONTRACTORS AND APPROVED BY ARCHITECTS. THESE MAY BE SUBJECT TO CHANGE AFTER OPENING UP WORKS ARE COMPLETE, AND SUBSEQUENT APPROVAL WILL BE SOUGHT FROM THE PLANNING AUTHORITY
- SPAN OF TIMBER JOISTS
- RADIATOR ROUTES THROUGH EXISTING NOTCHING
- NEW NOTCHING REQUIRED
- RADIATOR PIPEWORK ROUTE RUN BETWEEN JOISTS
- OPENING THROUGH CONCRETE SCREED REQUIRED AT FLOOR LEVEL

| REVISION / DESCRIPTION | DRAWN | CHECKED | DATE |
|------------------------|-------|---------|------|
| | | | |

B- For Planning and Listed Building Application MF AC 17/12/18
 A- For Planning and Listed Building Application MF AC 05/11/18
 FIRST ISSUE - Info to discharge condition 5 MF AC 08/06/18



BDP.

18 Brewhouse Yard
 Clerkenwell
 London, EC1V 4LJ
 United Kingdom

T +44 (0)20 7812 8000
 F +44 (0)20 7812 8399
 www.bdp.com

| | |
|---|------------------|
| British Museum Perimeter Properties Refurbishment | |
| P2007246 | |
| DRAWING TITLE 1-1A Montague Street First Floor Plan | SCALE 1:50@A1 |
| PROPOSED radiator routes | DATE May '18 |
| DRAWING NO. (50)AP013 | REVISION B |

