



SECTION 1-1'



KEY PLAN



DO NOT SCALE: All dimensions to be checked and report any omissions or errors

GENERAL NOTES:

THIS DRAWING HAS BEEN PREPARED FROM A&Q PARTNERSHIP ARCHITECT'S DRGS No.: 9000-DRG-03KH-LG101 C6, 9000-DRG-04KH-SE001 C1,

9000-DRG-04KH-SE001 C1, AND CHESHIRE WELLNESS' DRG No CW-2636-10-01 R0

ALL DIMENSIONS IN mm

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH RELEVANT ABBEY PYNFORD DRAWINGS AND CALCS.

DRAINAGE & SERVICES NOTES

ALL SLAB PENETRATIONS TO BE CHECKED AND AGREED ON SITE PRIOR TO POUR.

THIS DRAWING SHOULD NOT BE USED FOR SETTING OUT OF ANY EXISTING OR PROPOSED INCOMING AND OUTGOING BELOW GROUND DRAINAGE AND SERVICES. LOCATION OF ALL EXISTING BELOW GROUND DRAINAGE AND SERVICES SHOULD BE DETERMINED ON SITE PRIOR TO CONSTRUCTION.

ALL DRAINAGE RUNS WITHIN THE SLAB AREA TO BE INSTALLED BELOW THE BLINDING LEVEL

BASEMENT SLAB NOTES:

SLAB AREA = 114 m² APPROX

SLAB THICKNESS = 350 mm

CONCRETE VOLUME = 40 m³ APPROX

RC35 DESIGNATED CONCRETE MIX

BASES OF UNDERPINS INSTALLED IN A HIT AND MISS APPROACH ARE INCLUDED AS PART OF THE SLAB AREA

RETAINING WALL NOTES:

WALL THICKNESS = TO MATCH EXISTING FOUNDATION (ANTICIPATED 760 mm)

CONCRETE VOLUME = 35 m³ APPROX

PERIMETER OF THE UNDERPINNING LINE = 47 m APPROX

RC35 DESIGNATED CONCRETE MIX

STEMS OF UNDERPINS ARE, IN FACT, THE RETAINING WALLS

ADDITIONAL NOTES:

SWIMMING POOL SHELL BY OTHERS

JACUZZI SHELL BY OTHERS

SLAB AT LGL LEVEL AROUND THE POLL BY OTHERS

UNDERPINS ALONG THE PERIMETER TO BE INSTALLED IN A HIT&MISS PROCEDURE IN MAX. 1.2m SECTIONS

A FOR INFORMATION JO MJ 20.12.18
REV DESCRIPTION BY CHK DATE



PROJECT:

KIDDERPORE HALL
EXTENSION WORKS FOR SWIMMING POOL
INSTALLATION

DRAWING TITLE:

GENERAL ARRANGEMENT DRAWING OF SWIMMING POOL RC BOX

SCALE @ A1	DRAWN BY	DATE	CHECKED BY	DATE
1:50	JO	12.2018	MJ	12.2018
PROJECT No.	TYPE	DRAWING No.		REVISION
GA23796	В	01		Α
INFORMATION X	APPROVAL	CONSTRU	CTION□	AS BUILT ☐