



First Floor
Sitting Room
Sonair

Approximate location of wrought iron
ventilation grille, to be finished in black

A 106mm diameter hole will be core drilled through the existing external brick wall to allow a ventilation fan to be installed within the room. No angle grinders will be used.

Cut lines will be confined to bedding joints where possible to minimise impact to the fabric of the wall and to facilitate re-insertion of bricks after the unit is removed.

As few bricks as possible will be carefully removed from the wall to allow insertion of a iron grille, behind which the duct from the fan unit will be concealed. The internal fan unit will be located just above the internal floor level within the front facing living room.

Specialist contractors are to provide Method Statements prior to installation.

Revision	Date	Amendment
1.0	24-01-2019	Issued for listed building consent application

Do not reproduce this drawing without written permission

This drawing is indicative only

HS2

High Speed (HS2) Limited
25th Floor
One Canada Square
Canary Wharf
London E14 5AB

COSTAIN SKANSKA

Costain Skanska Joint Venture
1st Floor
The Podium
1 Eversholt Street
London NW1 2DN

Site Address: 31 Mornington Terrace, London NW1			
Drawing Title: External Elevation With Location Of Internal Sonair			
Drawn by: PB	Reviewed by: AP	Checked by: OB	Presentation Scale: NTS @ A3
Date: 22-01-2019	Drawing No: WPI P066 NI - 31 MT-EX-EL-02		Revision: 1.0