

Wadebridge 01208 814581 - Redruth 01209 213465 - Holsworthy - 01409 255 355 - Barnstaple - 01271 374 200




ARCHITECTURAL GLASS

TIMBER

ARCHITECTURAL ALUMINIUM

CONSERVATORIES

WINDOWS & DOORS



patina-copper -



Patina Copper - Copper Patina



Copper Patina Door -



Copper Patina Door -

copper-patina-door-with-panels -

---

Standard or bespoke design.

---

We manufacture every door to your individual size and design requirement. We have highlighted some of the most popular designs for you to choose from, but we are delighted to work with clients on specific commissions. Every door is individually manufactured to your size requirements. With a maximum width of 1200mm and height of 2500mm, although always approach us if you have a requirement outside of these limitations.

Metal Entrance Doors & Panels are created Using a specialist coating developed by Camel. Being real metal these finishes can also be oxidised to create patina or verdigris that can be applied to create smooth or textured coatings or simply left in their natural colour. The fluid metal is lacquer coated, making it colour fast and suitable for exterior as well as interior applications. At Camel we have developed this finish to create unique and individual feature entrance doors & panels, and can also supply this finish to many other timber products.

Our unique experiences and manufacturing skills enable us to manufacture metal coated doors that are stable, weather tight and need minimal maintenance. we can offer a range of additional glazing options to assist in noise, solar gain or shading options. Accoya and Tricoya has been tested over

prolonged periods in all types weathering Conditions - above ground, below ground and even in water proving to withstand the toughest of external environments. Accoya is made from radiate pine that has been through a mild acid treatment, this process naturally reduces the ability to absorb water and making the timber stronger.

Accoya, Durable Stable & sustainable

Accoya wood has been tested over prolonged periods in all types pf weathering Conditions - above ground, below ground and even in water and has been proven to withstand the toughest of external environments. Accoya is made from radiate pine that has been through a mild acid treatment, this process nautually reduces the ability to absorb water and making the timber stronger

---

Tested to 50 years above ground and 25 years in the ground.

Minimal water absorption offers increased stability.

Fungal Resistant, indigestible to microorganisms and insects.

Does not warp or twist

Naturally more insulating, improved insulation in comparison to commonly used timber.

Sustainably sourced

