

<b>Application No:</b>	<b>Consultees Name:</b>	<b>Received:</b>	<b>Comment:</b>	<b>Response:</b>
2019/0116/P	Tim Alexander	25/02/2019 08:22:36	COMMNT	<p>I am concerned regarding the planned storage of up to 1 Tonne of Hazardous substances described as Nitrogen Oxide. Also the planned storage of up to 1 Tonne of Highly reactive/explosive substances of Liquid Oxygen.</p> <p>The planned storage in this Application being by the rear wall of the basement of 126 Boundary Road. Safe storage requiring a well ventilated, well drained and fire resistant enclosure.</p>
2019/0116/P	Mr William Kearsy	24/02/2019 09:13:44	COMMNT	<p>I am concerned regarding the planned storage of up to 1 Tonne of Hazardous substances described as Nitrogen Oxide. Also the planned storage of up to 1 Tonne of Highly reactive/explosive substances of Liquid Oxygen.</p> <p>The planned storage in this Application being by the rear wall of the basement of 126 Boundary Road. Safe storage requiring a well ventilated, well drained and fire resistant enclosure.</p>
2019/0116/P	Tim Alexander	25/02/2019 08:17:35	COMMNT	<p>I am concerned regarding the planned storage of up to 1 Tonne of Hazardous substances described as Nitrogen Oxide. Also the planned storage of up to 1 Tonne of Highly reactive/explosive substances of Liquid Oxygen.</p> <p>The planned storage in this Application being by the rear wall of the basement of 126 Boundary Road. Safe storage requiring a well ventilated, well drained and fire resistant enclosure.</p>