


## Lighting on Entrance areas



Wall Mounted Lamp 1869LM H265 mm Diameter 140 mm

**Concord**


Scope Wall  
 SCOPE/WALL 1 256LM DECORATIVE DE LED 3K AL  
 4069751



- Product features
- Wall mounted LED luminaire, extruded aluminium, 256lm, 6W, 43lm/W, 3000K, CR180+, non dimmable, IP65, IK08, (ØxD) Ø70x200mm, 3 step MacAdam ellipse, 1.3kg, Class II, 220-240V, A++ A++

(Full marked up drawing & data sheets with keys attached)

## Lighting on Entrance areas



Wall Mounted Lamp 1869LM H265 mm Diameter 140 mm

**Concord**

Scope Wall  
SCOPE/WALL 1 256LM DECORATIVE DE LED 3K AL  
4069751



Product features  
• Wall mounted LED luminaire, extruded aluminium, 256lm, 6W, 43lm/W, 3000K, CR180+, non dimmable, IP65, IK08, (ØxD) Ø70x200mm, 3 step MacAdam ellipse, 1.3kg, Class II, 220-240V, A++ A+A



Wall Mounted Lamp 133LM H170 mm Diameter 70 mm

**Concord**


Scope Wall  
SCOPE/WALL 1 133LM NARROW LED 4KAL  
4069741



Product features  
• Wall mounted LED luminaire, extruded aluminium, 133lm, 3.8W, 35lm/W, 4000K, CR180+, narrow, non dimmable, IP65, IK08, (ØxD) Ø70x200mm, 3 step MacAdam ellipse, 1.3kg, Class II, 220-240V, A++ A+A

(Full marked up drawing & data sheets with keys attached)

## Lighting on Entrance areas



Wall Mounted Lamp 733LM - Road Asymmetric - H265 mm Diameter 140 mm

**Concord**

Scope Wall  
SCOPE/WALL2 733LM ROAD ASYMMETRIC LED 4K AL  
4069764



Product features  
• Wall mounted LED luminaire extruded aluminium, 773mm, 17.5W, 44lm/W, 4000K, CR180+, extensive/road emission, non dimmable, IP66, IK08, (ØxH) Ø140x265mm, 3 step MacAdam ellipse, 4.7kg, Class I, 220-240V, A++ A+ A

(Full marked up drawing & data sheets with keys attached)