

HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER ORIGIN	COLLECTION PATTERN COLOUR	INTENDED SIZE THICKNESS	TEXTURE POLISH TREATMENT	BACKING JOINT GROUTING		
1	HLR ST 101 A	ARABESCATO CORCHIA MARBLE	FLOOR FOYER WALL SKIRTING BATHROOM	DIESPEKER & CO	NATURAL STONE REFER TO DRAWINGS WHITE	SLAB CUT 900 X 900 / REFER TO DRAWINGS 20MM THK	HONED	FIBERGLASS NET BACKING BUTT JOINT WITH 1mm GAP MUST HAVE CLEAR SEALANT ON ALL 6 SIDES. SUBMIT SAMPLE AND DRY LAY FOR WOW		STONE SEALS, DRYLAY REQUIREMENTS,SAMPLE REQUIREMENTS, STONE QUALITY REQUIREMENTS TO REFER ON THE STONE GENERAL NOTES
2	HLR ST 101 B	ARABESCATO CORCHIA MARBLE	FLOOR BATHROOM	DIESPEKER & CO	NATURAL STONE REFER TO DRAWINGS WHITE	SLAB CUT 900 X 900 / REFER TO DRAWINGS 20MM THK	LEATHER	FIBERGLASS NET BACKING BUTT JOINT WITH 1mm GAP MUST HAVE CLEAR SEALANT ON ALL 6 SIDES. SUBMIT SAMPLE AND DRY LAY FOR WOW		STONE SEALS, DRYLAY REQUIREMENTS,SAMPLE REQUIREMENTS, STONE QUALITY REQUIREMENTS TO REFER ON THE STONE GENERAL NOTES
3	HLR ST 102 A	FIOR DE BOSCO MARBLE	FLOOR FOYER KITCHEN	DIESPEKER & CO	NATURAL STONE REFER TO DRAWINGS WHITE	SLAB CUT AS PER DRAWINGS 20mm THK	HONED	FIBERGLASS NET BACKING BUTT JOINT WITH 1mm GAP MUST HAVE CLEAR SEALANT ON ALL 6 SIDES. LAY FOR WOW APPROVAL		STONE SEALS, DRYLAY REQUIREMENTS,SAMPLE REQUIREMENTS, STONE QUALITY REQUIREMENTS TO REFER ON THE STONE GENERAL NOTES
4	HLR ST 102 B	FIOR DE BOSCO MARBLE	FLOOR BATHROOM	DIESPEKER & CO	NATURAL STONE REFER TO DRAWINGS WHITE	SLAB CUT AS PER DRAWINGS 20mm THK	LEATHER	FIBERGLASS NET BACKING BUTT JOINT WITH 1mm GAP MUST HAVE CLEAR SEALANT ON ALL 6 SIDES. SUBMIT SAMPLE AND DRY LAY FOR WOW APPROVAL		STONE SEALS, DRYLAY REQUIREMENTS,SAMPLE REQUIREMENTS, STONE QUALITY REQUIREMENTS TO REFER ON THE STONE GENERAL NOTES

HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME	LOCATION	SUPPLIER	COLLECTION	INTENDED SIZE	TEXTURE	BACKING		
3	HLR ST 103	NERO MARQUINA MARBLE	<u>FIREPLACE</u>	DIESPEKER & CO	NATURAL STONE REFER TO DRAWINGS WHITE	SLAB CUT AS PER DRAWINGS 20mm THK	LEATHER	FIBERGLASS NET BACKING BUTT JOINT WITH 1mm GAP MUST HAVE CLEAR SEALANT ON ALL 6 SIDES. SUBMIT SAMPLE AND DRY LAY FOR WOW APPROVAL		STONE SEALS, DRYLAY REQUIREMENTS, SAMPLE REQUIREMENTS, STONE QUALITY REQUIREMENTS TO REFER ON THE STONE GENERAL NOTES


HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER ORIGIN	COLLECTION PATTERN COLOUR	PRODUCT DIMENSION TEXTURE THICKNESS		BACKING		
1	HLR WD 101	HW3001 - OAK FENDI ENGINEERED HARDWOOD	FLOOR LIVING DINING BEDROOMS	HAVWOOD INTERNATIONAL HAVWOOD LIMITED UNIT 14 OAKWOOD WAY CARNFORTH BUSINESS PARK CARNFORTH, LA5 9FD T: +44 (0) 1524 737000 F: +44(0) 1524 737001 CONTACT: EVE WILMOT E: EVE.WILMOT@HAVWOODS.COM	DESIGN FROM HAVWOODS EUROPEAN OAK HERRINGBONE	4 SIDED BEVELLED EDGE 4MM TOP LAYER BIRCH PKY BACKING THICKNESS: 13MM WIDTH: 120MM LENGTH: 600MM	SANDED & SMOKED UV OILED	TONGUE & GROOVE FULLY BONDED		
2	HLR WD 102	VENEER PANEL VENEER	WARDROBE	TABU MUNDY VENEERS LTD. HAVWOOD LIMITED UNIT 14 OAKWOOD WAY CARNFORTH BUSINESS PARK CARNFORTH, LA5 9FD T: +441823666175 F: +441823666485 CONTACT: SIMON MUNDY E: INFO@MUNDYVENEER.COM	ROVERE 13.011 QUARTER CUT	4 FT X 8 FT	PU MATT FINISH	VENEER TO PLYWOOD BACKING		COLOR DIFFERENCE: IS A CHARACTERISTIC OF NATURAL WOOD

HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME	LOCATION	SUPPLIER	COLLECTION	PRODUCT DIMENSION		BACKING		
3	HLR WD 103	VENEER PANEL VENEER	WARDROBE	TABU	SYCAMORE FRISE 09.S.086 NATURAL & DYED FIGURED SYCAMORE	4 FT X 8FT	PU MATT FINISH	VENEER TO PLYWOOD BACKING		COLOR DIFFERENCE: IS A CHARACTERISTIC OF NATURAL WOOD

HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	TRIMMING	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER	COLLECTION PATTERN COLOUR	PRODUCT DIMENSION THICKNESS	TEXTURE	BACKING	EDGING PROFILE EDGING COLOUR EDGING SIZE		
2	HLR WD 102	LAMINATE	INTERIOR OF CABINETS	FORMICA	6445LM GREIGE TEXTILE	4FT X 10FT	FABRIC	TO BE INSTALLED ON PLYWOOD PACKING	TO BE INSTALLED WITH MATCHING PVC EDGING		


S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER ORIGIN	COLLECTION PATTERN COLOUR	INTENDED SIZE THICKNESS	FINISHING CODE	GROUTING		
1	HLR TL 101	HIGH SOCIETY MARBLE TILES	WALL POWDER ROOM	FIRE EARTH FULHAM ROAD (FIRE EARTH SHOWROOM) 117-119 FULHAM ROAD LONDON, SW3 6RL T: 020 7589 0489 E: FULHAM@FIREDEARTH.COM	HIGH SOCIETY GUGGENHEIMS	276 x 276 x 10	POLISHED	COLOUR TO MATCH THE TILE JOINT/GROUT TO MANUFACTURER SPECIFICATION		SAMPLE REQUIREMENTS, ADHESIVE, JOINTS & SUBSTRATE TO REFER ON THE STONE GENERAL NOTES

HLR | 10 CAMBRIDGE GATE


S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	PREFERRED SUPPLIER	COLLECTION PATTERN COLOUR	SIZING THICKNESS		SUBSTRATE JOINT BACKING GROUTING		
1	HLR MT 101	3MM THK BRASS INLAY STRIP	METAL INSERT	-	BRASS	REFER TO DRAWINGS 0.8mm	HAIRLINE	REFER TO DRAWINGS		
2	HLR MT 102	PU PAINTED MILD STEEL	RAILING	-	REFER TO DRAWINGS	REFER TO DRAWINGS 0.8mm	BLACK PU PAINT	REFER TO DRAWINGS		

S/N	REF	PRODUCT INFO.	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	TERMINATION	INSTALLATION	SPECIFICATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER	COLLECTION PATTERN COLOUR	INTENDED SIZE THICKNESS	TEXTURE EDGING	JOINT GROUTING	SUBSTRATE BACKING	PERFORMANCE FEATURES		
1	HLR GL 101	CLEAR MIRROR	BATHROOM	-	CLEAR MIRROR NA CLEAR	FULL PIECE REFER TO DRAWINGS 6-8MM THK	POLISHED SEAMED EDGES OR BEVELLED EDGE	REFER TO DRAWINGS	ADHESIVE ON MARINE PLY BACKING			
1	HLR GL 102	SHOWER GLASS	BATHROOM	MAJESTIC SHOWERS 2 NORTH PLACE EDNBURGH WAY HARLOW ESSEX CM20 2SL TEL: 01279443644 FAX: 01279635074 EMAIL: INFO@MAJESTICSHOWERS.COM	LOW IRON GLASS CLEAR	FULL PIECE REFER TO DRAWINGS 10-12MM THK BESPOKE OPTION - TO FIT BATHROOM SIZE	POLISHED SEAMED EDGES	TO SUPPLIER'S SPECIFICATIONS	TO SUPPLIER'S SPECIFICATIONS			


HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFO.	USAGE	SOURCE INFO.	MODEL	DIMENSION	SPECIFICATION	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER	COLLECTION PATTERN COLOUR	WIDTH	PERFORMANCE FEATURES WEIGHT	SUBSTRATE BACKING PRODUCT REPEAT		
1	HLR WC 101	NON WOVEN WALLCOVERING	FOYER	ARTE ARTE INTERNATIONAL DESIGN CENTRE CHELSEA HARBOUR SECOND FLOOR, DESIGN CENTRE EAST LONDON SW10 0XF T: 0800 500 3335 E: INFO.UK@ARTE- INTERNATIONAL.COM	LE CORBUSIER STONE 20551	70CM SOLD BY LINEAR M/YARD REPEAT 0CM	WASHABLE CLASS A FIRE RETARDANCY	ADHESIVE FOR WALLCOVERING AS PER MANUFACTURER'S SPECIFICATION		
2	HLR WC 102	NON WOVEN WALLCOVERING	DINING CORRIDOR BEDROOMS	JANELLI & VOLPI SIRPI JANELLI & VOLPI SIRPI VIA CASSINO D'ALBERI 19 TRIBIANO (MI) ITALY T: +39 02 516631 E: CUSTOMER@JANNELLIEV OLPI.IT	UNITO MODERN SI-UN-55	0.7M X 10.05M REPEAT 0CM	WASHABLE	ADHESIVE FOR WALLCOVERING AS PER MANUFACTURER'S SPECIFICATION		

HLR | 10 CAMBRIDGE GATE

S/N	REF	PRODUCT INFO.	USAGE	SOURCE INFO.	MODEL	SPECIFICATION	FINISH	INSTALLATION	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER	COLLECTION PATTERN COLOUR	PERFORMANCE FEATURES	TEXTURE TREATMENT	SUBSTRATE		
1	HLR PT 101	SUPER PREMIUM ACRYLIC PAINT ACRYLIC POLYMER EMULSION PAINT FOR INTERIOR USE	WALLS & WALL PANELLING	AKZO NOBEL NIPPON PAINT LTD NORTH WOOLWICH RD, LONDON, E16 2AP TEL: 020 7473 7370	WASH N WEAR SEQUOIA DUSK 39C-1P	SUPERIOR STAIN RESISTANCE AND EASY STAIN REMOVAL AMMONIA FREE LONG LASTING COLOUR GOOD WASHABILITY FUNGUS RESISTANT APE SURFACTANT FREE FORMALDEHYDE FREE ANTI-SPATTERING FORMULATION WITH TEFLON PROTECTOR	SOFT SHEEN SILICON SEALER	INTERIOR MASONRY SURFACE SPRAY PAINTED ON TIMBER PANELLING		METHOD: ROLLER OR BRUSH
2	HLR PT 102	SUPER PREMIUM ACRYLIC PAINT ACRYLIC POLYMER EMULSION PAINT FOR INTERIOR USE	CEILING	AKZO NOBEL NIPPON PAINT LTD	MOULDGUARD WHITE ON WHITE	EFFECTIVE AGAINST MOST SPECIES OF MOULD LOW ODOUR	SOFT SHEEN SILICON SEALER	INTERIOR MASONRY SURFACE		

S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	TRIMMING	IMAGE	REMARKS
		PRODUCT NAME TYPE	LOCATION USED ON	SUPPLIER	COLLECTION PATTERN COLOUR	PRODUCT DIMENSION THICKNESS	TEXTURE	BACKING	EDGING PROFILE EDGING COLOUR EDGING SIZE		
1	HLR SF 101	ART TRACK RECESSED ART TRACK	CEILING	STAS GROUP ESP 245 5633 AD EINDHOVEN THE NETHERLANDS T: +31 040 292 4848 E: CONTACT@STASGROUP.COM	PICTURE HANGING SYSTEM STAS DÉCOR RAIL	9 X 19MM X 2000/3000 CARRY LOADS UP TO 25KG PER METER	Matte	AS PER MANUFACTURER'S SPECIFICATIONS TO COME WITH STAS ZIPPER ON STAS COBRA + STEEL CABLE (MAX 20KG PER HOOK)			



S/N	REF	PRODUCT INFORMATION	USAGE	SOURCE INFO.	MODEL	DIMENSION	FINISH	INSTALLATION	TRIMMING	IMAGE	REMARKS
		PRODUCT NAME	LOCATION	SUPPLIER	COLLECTION	PRODUCT DIMENSION	TEXTURE	BACKING	EDGING PROFILE		
2.	HLR SF 102	KVADRAT SOFT CELL SYSTEM ACOUSTIC PANEL	FAMILY ROOM	KVADRAT (SINGAPORE) KVADRAT (SINGAPORE) 23 DUXTON HILL SINGAPORE T: +65 9230 5586 CONTACT: CHRISTINA LEE E: CHLE@KVADRAT.ORG	SONAR 3 BY KVADRAT RAF SIMONS 0124 FABRIC COMPOSITION: 59% NEW WOOL, 25% VISCOSE, 9% LINEN, 5% NYLON, 2% POLYESTER	1500 X 3000 MAX 55MM THK	-	AS PER MANUFACTURER'S RECOMMENDATIO N			DO NOT WASH DO NOT BLEACH DO NOT TUMBLE DRY IRON AT MEDIUM HEAT DRY CLEAN

Hinge & push latch installation, wall

