


BMJ Architects makes no representation or warranties, express or implied, with respect to the use of the data provided herein, regardless of its format or the means of its transmission. There is no guarantee or representation to the user as to the accuracy, currency, suitability or reliability of the data for any purpose. The user accepts the data "as is", and assumes all risks associated with its use. By acceptance of this data, the user agrees not to transmit this data or provide access or any part of it to another party unless the user shall include with the data a copy of this disclaimer. BMJ assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data.

THIS DRAWING IS STILL IN DEVELOPMENT WITH ONGOING CO-ORDINATION REQUIRED. This drawing and any associated 3D models should not be used for Construction until full "Construction" status is applied by BMJ. The current "Construction" status of this drawing is applied only for the Client and Main Contractor procurement process and is the default status following CMT sign off.

1.1 Staircase AOV added
1.2 South Core Smoke depressurisation duct developed (separation distance required from AOV)
1.3 Toilet extract duct added
1.4 Satellite dish & TV aerial added
1.5 Roof access hatch added
1.6 Lift overrun removed
1.7 PV location and size developed
1.8 Fall restraint system added
1.9 Raised plant configuration amended
1.10 Chiller pipework route at low level through planter added with visual deck cover
1.11 Chiller size and location developed
1.12 Overruns for Lifts 1, 2 & 3 lowered as lifts do not come up to roof level
1.13 Maintenance access stairs and ladders added
1.14 North Core smoke depressurisation duct developed
1.15 Housing added to enable smoke depressurisation duct to exit onto roof with minimal visual impact.

P02 Changes incorporated as per CMT comments GP MH HG 23/01/2019
P01 Drawings issued for MMA approval GP MH HG 16/11/2018
Rev Description Dm Chk Apr Date

bmj architects
London / Glasgow / Aberdeen
Boswell Mitchell & Johnston +44 141 271 3200
23-24 Easton Street london@bmjarchitects.co.uk
London, WC1X 0DS www.bmjarchitects.co.uk

Client
Mace 

Project
**UCLH
Phase 5 ENT Treatment Centre**

Document Title
Roof Plan

Scale(s) @ A1 BMJ Project Ref: [3433]

File Name
Project Originator Vol. Level Type Role Number
P5 - BMJ-001-ZZ-DR-A- 2194

Status Code Suitable for
- -

Revision Code Issued for
P02

© Boswell Mitchell & Johnston Ltd.