

support system bolted to precast concrete	
x100x1600Wmm Lintel for brick substract to	)

## NBS F30-755E CORBELLED ARCH LINTEL

Sto render Flex Cote facade system over brick masonry substract. Colour, finish and stereotomy to match no.32 render.

e glazed opening to main entrance to include
loors. *
011.
2 K U-value.

Security glass compliant with LPS 1175 SR2 Safety/Security/Bomb Film 200 Micron Clear WFC-CSS200 by The Window Film Company or similar


Notes

		leveling	compound	on
ary barrier	matting.			

Flush threshold strip to door, by door sub cont.

Concrete pavers to match existing over concrete sub-base External hard paving and base to Struct eng details. Laid to fall

Newton 908 LiquaBond to vertical section toped by 107 F 912-RT reinforcement tape bedded to the 1st layer of 107F /Refer to Newton drawing DW-IW-04A (deckdrain and insulation not



All dimensions are approximate. Dimensions

commencement of production drawings and

should be checked on site prior to

construction works.

Entrance I	Door D	etails				
Date 28.08.18	Drawn RP	Checked IJ	Scale 1	:20, 1	:5	P
Project No Originator - Zone - Level - Type - Role - Number				Suitability	Revision	
BB029-BA-Z1-03-DR-A-4107					- P2	A
The Cube Building, 1 T +44 (0)20 7250 044	7-21 Wenlock 40 I E info@t	Road, Londor Dissetadams.co	N1 7GT, Un m T www.bis	ited Kingo ssetadam	dom s.com	

